

Homework2 - Start with R

Instructions: For this assignment, you need to answer a couple questions with code and then take a screenshot of your working environment.

Submit the solutions including the URL to the screenshot in a doc/pdf to Brightspace.

```
pacman::p_load(tidyverse)
```

```
setwd("~/Desktop/cognitive_science/5th_semester/cultural_datascience/au650627_olsen_emma/hw_w35_3")
```

- 1) Use R to figure out how many elements in the vector below are **greater than 2** and then tell me what their **sum** (of the larger than 2 elements) is.

```
rooms <- c(1, 2, 4, 5, 1, 3, 1, NA, 3, 1, 3, 2, 1, NA, 1, 8, 3, 1, 4, NA, 1, 3, 1, 2, 1, 7, 1, 9, 3, NA)
```

```
# defining the vector
rooms <- c(1, 2, 4, 5, 1, 3, 1, NA, 3, 1, 3, 2, 1, NA, 1, 8,
          3, 1, 4, NA, 1, 3, 1, 2, 1, 7, 1, 9, 3, NA)

# omitting missing values
rooms <- na.omit(rooms)

# define vector with values > 2
rooms_large <- rooms[rooms > 2]

# finding the length of the vector
length(rooms_large)
```

```
## [1] 12
```

```
# taking the sum of this vector
sum(rooms_large)
```

```
## [1] 55
```

There are 12 number with a value > 2 and their sum is in total 55

- 2) What **type** of data is in the 'rooms' vector?

```
str(rooms)
```

```
## num [1:26] 1 2 4 5 1 3 1 3 1 3 ...
## - attr(*, "na.action")= 'omit' int [1:4] 8 14 20 30
```

It's *numeric*, more specifically *integers*.

- 3) Submit the following image to Github: Inside your R Project (.Rproj), install the 'tidyverse' package and use the `download.file()` and `read_csv()` function to read the `SAFI_clean.csv` dataset into your R project as 'interviews' digital object (see instructions in <https://datacarpentry.org/r-socialsci/setup.html> and 'Starting with Data' section). Take a screenshot of your RStudio interface showing

- a) the line of code you used to create the object,
- b) the 'interviews' object in the Environment, and
- c) the file structure of your **R project** in the bottom right "Files" pane.

Save the screenshot as an image and put it in your **AUID_lastname_firstname** repository inside our Github organisation (github.com/Digital-Methods-HASS) or equivalent. Place https://github.com/Digital-Methods-HASS/au650627_olsen_emma/blob/main/hw_w35_3/HW3_task.png the URL leading to the screenshot in your repository.

```
# downloading file
download.file("https://figshare.com/articles/dataset/SAFI_Survey_Results/6262019?file=11492171", "SAFI_c
help(download.file)

interviews <- read_csv("SAFI_clean.csv")
```

```
## New names:
## * 'number of household members' -> 'number of household members'...9'
## * 'agricultural practices (e.g. water usage)' -> 'agricultural practices (e.g. water usage)'...10'
## * 'assets (e.g. number and types of livestock) and details about the household members.This is a tea
## * 'it is not the full dataset. The survey is split into several sections:A - General questions about
## * 'Date of InterviewA03_quest_no' -> 'Date of InterviewA03_quest_no'...13'
## * ...
```

```
## Rows: 61 Columns: 300
## -- Column specification -----
## Delimiter: ","
## chr (300): <!doctype html><html lang="en" data-reactroot=""><head><meta char...
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

Link to screenshot: https://github.com/Digital-Methods-HASS/au650627_olsen_emma/blob/main/hw_w35_3/HW3_task.png

- 4) Challenge: If you managed to create your own Danish king dataset, use it. If not, you the one attached to this assignment (it might need to be cleaned up a bit). Load the dataset into R as a tibble. Calculate the `mean()` and `median()` duration of rule over time and find the three monarchs ruling the longest. How many days did they rule (accounting for transition year?)

```
# load the data
df_kings <- read_delim("kings.csv")
```

```
## Rows: 47 Columns: 4
## -- Column specification -----
## Delimiter: ";"
## chr (2): Kings, Yearasruler
## dbl (2): Start_date, End_date
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```
# data cleaning + adding days of rule
df_kings <- na.omit(df_kings)
df_kings$`Yearasruler` <- as.integer(df_kings$`Yearasruler`)
df_kings$yearasruler <- df_kings$`Yearasruler`
df_kings$daysofrule <- df_kings$yearasruler*365
```

```
# finding the mean
mean(df_kings$yearasruler)
```

```
## [1] 18.68182
```

```
# finding the median
median(df_kings$yearasruler)
```

```
## [1] 14
```

```
# finding the 3 longest rulers
df_kings %>%
  arrange(desc(yearasruler)) %>%
  slice
```

```
## # A tibble: 44 x 6
##   Kings          Start_date End_date `Yearasruler` yearasruler daysofrule
##   <chr>          <dbl>     <dbl>         <int>         <int>         <dbl>
## 1 "Christian 4. "      1588       1648           60           60       21900
## 2 "Erik 7. af Pommer~  1396       1439           43           43       15695
## 3 "Christian 7. "     1766       1808           42           42       15330
## 4 "Valdemar 2. Sejr "  1202       1241           39           39       14235
## 5 "Erik 6. Menved"    1286       1319           35           35       12775
## 6 "Valdemar 4. Atter~  1340       1375           35           35       12775
## 7 "Chrstian 1."      1448       1481           33           33       12045
## 8 "Hans "            1482       1513           31           31       11315
## 9 "Frederik 4. "     1699       1730           31           31       11315
## 10 "Frederik 6. "    1808       1839           31           31       11315
## # ... with 34 more rows
```

The mean ruling time is 18.68 years and the median time is 14 years. The monarchs ruling the most time are Christian 4., Erik 7. af Pommern and Christian 7., who ruled 21.900 days, 15.695 days and 15.330 days respectively.