Acknowledgement Document

General

This package contains the contextual and assembly model for the function defined in the root class.

Acknowledgement contextual model

General

This package contains the contextual model for the acknowledgement document.

!# shows the diagram.




Figure !# - diagram Acknowledgement document model

(ABIE) Acknowledgement_MarketDocument

An electronic document that is used to acknowledge the reception of a document and to provide information concerning its basic validity.

!# shows all attributes of Acknowledgement_MarketDocument.

Table !# - Attributes of Acknowledgement contextual model::Acknowledgement_MarketDocument

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	ID_String	The unique identification of the document being exchanged within a business process flow.
createdDateTime (ABIE)	1..1	ESMP_DateTime	The date and time of the creation of the document.

!# shows all association ends of Acknowledgement_MarketDocument with other classes.

Table !# - Association ends of Acknowledgement contextual model::Acknowledgement_MarketDocument with other classes

mult.	mult. Class type name	Description
Receiver_MarketParticipant (ABIE)	[1..1] Receiver_MarketParticipant	The identification of the party who is the recipient of the acknowledgement. The recipient of the document is identified by a unique coded identification. This value should be the same as that found in the sender identification of the document being acknowledged. The MarketParticipant that receives the electronic document. Association Based On : ESMPClasses:: MarketDocument.[] ----- ESMPClasses:: MarketParticipant.MarketParticipant[0..*]
Received_MarketDocument (ABIE)	[1..1] Received_MarketDocument	This information identifies the document that has been received. The information is extracted from the received document. Association Based On : ESMPClasses:: MarketDocument.[] ----- ESMPClasses:: MarketDocument.MarketDocument[0..*]
Sender_MarketParticipant (ABIE)	[1..1] MarketParticipant	The identification of the party that is the originator of the acknowledgement. The originator of the acknowledgement is identified by a unique coded identification. This value should be the same as that found in the receiver identification of the document being acknowledged. The MarketParticipant that transmits the electronic document. Association Based On : ESMPClasses:: MarketDocument.[] ----- ESMPClasses::

MarketParticipant.MarketParticipant[0..*]

(ABIE) MarketParticipant

The identification of the party participating in the energy market business processes.

!# shows all attributes of MarketParticipant.

Table !# - Attributes of Acknowledgement contextual model::MarketParticipant

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	PartyID String	The identification of a party in the energy market.

!# shows all association ends of MarketParticipant with other classes.

Table !# - Association ends of Acknowledgement contextual model::MarketParticipant with other classes

mult.	mult.	Class type name	Description
MarketRole (ABIE)	[1..1]	MarketRole	The role associated with a MarketParticipant. Association Based On : ESMPClasses:: MarketParticipant.[] ----- ESMPClasses:: MarketRole.MarketRole[0..1]

(ABIE) MarketRole

The identification of the intended behaviour of a market participant played within a given business process.

!# shows all attributes of MarketRole.

Table !# - Attributes of Acknowledgement contextual model::MarketRole

Attribute name	mult.	Attribute type	Description
type (ABIE)	1..1	MarketRoleKind String	The identification of the role played by a market player.

(ABIE) MktActivityRecord

Subclass of IEC61968: Common:ActivityRecord.

!# shows all attributes of MktActivityRecord.

Table !# - Attributes of Acknowledgement contextual model::MktActivityRecord

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	String	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended. For CIMXML data files in RDF syntax conforming to IEC 61970-552 Edition 1, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.

(ABIE) Process

The formal identification of the business process in which a flow of information is exchanged.

!# shows all attributes of Process.

Table !# - Attributes of Acknowledgement contextual model::Process

Attribute name	mult.	Attribute type	Description
processType (ABIE)	1..1	ProcessKind String	The identification of the nature of process that the document addresses.

(ABIE) Reason

The motivation of an act.

!# shows all attributes of Reason.

Table !# - Attributes of Acknowledgement contextual model::Reason

Attribute name	mult.	Attribute type	Description
code (ABIE)	1..1	ReasonCode String	The motivation of an act in coded form.
text (ABIE)	0..1	ReasonText String	The textual explanation corresponding to the reason code.

(ABIE) Received_MarketDocument

The identification of the electronic document that has been received and which is the object of this acknowledgement.

!# shows all attributes of Received_MarketDocument.

Table !# - Attributes of Acknowledgement contextual model::Received_MarketDocument

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	0..1	ID String	The unique identification of the document being exchanged within a business process flow.
revisionNumber (ABIE)	0..1	ESMPVersion String	The identification of the version that distinguishes one evolution of a document from another.
type (ABIE)	0..1	MessageKind String	The coded type of a document. The document type describes the principal characteristic of the document.
title (ABIE)	0..1	PayloadId String	The identification of the name of the file or the payload that has been transmitted.
createdDateTime (ABIE)	0..1	ESMP DateTime	The date and time of the creation of the document.

!# shows all association ends of Received_MarketDocument with other classes.

Table !# - Association ends of Acknowledgement contextual model::Received_MarketDocument with other classes

mult.	mult.	Class type name	Description
Process (ABIE)	[0..1]	Process	Association Based On : ESMPClasses:: MarketDocument.[] ----- ESMPClasses:: Process.Process[0..*]

(ABIE) Receiver_MarketParticipant

The identification of the party participating in the energy market business processes.

!# shows all attributes of Receiver_MarketParticipant.

Table !# - Attributes of Acknowledgement contextual model::Receiver_MarketParticipant

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	PartyID String	The identification of a party in the energy market.

!# shows all association ends of Receiver_MarketParticipant with other classes.

Table !# - Association ends of Acknowledgement contextual model::Receiver_MarketParticipant with other classes

mult.	mult.	Class type name	Description
MarketRole (ABIE)	[0..1]	MarketRole	The role associated with a MarketParticipant. Association Based On : ESMPClasses:: MarketParticipant.[] ----- ESMPClasses:: MarketRole.MarketRole[0..1]

(ABIE) Series

A set of similar physical or conceptual objects defined for the same period or point of time.

!# shows all attributes of Series.

Table !# - Attributes of Acknowledgement contextual model::Series

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	ID String	A unique identification of the time series. In the ESMP context, the "model authority" is defined as a party (originator of the exchange) that provides a unique identification in the context of a business exchange such as time series identification, bid identification, ... Master resource identifier issued by a model authority. The mRID is globally unique within an exchange context. Global uniqueness is easily achieved by using a UUID for the mRID. It is strongly recommended to do this. For CIMXML data files in RDF syntax, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
version (ABIE)	0..1	ESMPVersion String	The identification of the version of the time series.

(ABIE) Time_Period

The identification of a time interval with errors. It should be noted that the relative position transmit in the original document will have been converted to an absolute time interval whenever errors occur at this level in the acknowledgement document.

!# shows all attributes of Time_Period.

Table !# - Attributes of Acknowledgement contextual model::Time_Period

Attribute name	mult.	Attribute type	Description
timeInterval (ABIE)	1..1	ESMP_DateTimeInterval	The start and end date and time for a given interval.

(ABIE) TimeSeries

The TimeSeries stated as being in error.

A set of time-ordered quantities being exchanged in relation to a product.

!# shows all attributes of TimeSeries.

Table !# - Attributes of Acknowledgement contextual model::TimeSeries

Attribute name	mult.	Attribute type	Description
mRID (ABIE)	1..1	ID_String	A unique identification of the time series.
version (ABIE)	0..1	ESMPVersion_String	The identification of the version of the time series.

Acknowledgement assembly model

General

This package contains the model that has been assembled from the contextual model. All classes with relations [1..1] or [0..1] have had their attributes integrated into their parent class.

!# shows the diagram.




Figure !# - diagram Acknowledgement assembly model

(MBIE) Acknowledgement_MarketDocument

An electronic document that is used to acknowledge the reception of a document and to provide information concerning its basic validity.

!# shows all attributes of Acknowledgement_MarketDocument.

Table !# - Attributes of Acknowledgement assembly model::Acknowledgement_MarketDocument

Attribute name	mult.	Attribute type	Description
mRID (MBIE)	1..1	ID_String	The unique identification of the document being exchanged within a business process flow.
createdDateTime (MBIE)	1..1	ESMP_DateTime	The date and time of the creation of the document.
			The identification of a

			party in the energy market. --- The identification of the party that is the originator of the acknowledgement. The originator of the acknowledgement is identified by a unique coded identification. This value should be the same as that found in the receiver identification of the document being acknowledged.
sender_MarketParticipant.mRID (MBIE)	1..1	PartyID String	The MarketParticipant that transmits the electronic document.
sender_MarketParticipant.marketRole.type (MBIE)	1..1	MarketRoleKind String	The identification of the role played by a market player. --- The identification of the party that is the originator of the acknowledgement. The originator of the acknowledgement is identified by a unique coded identification. This value should be the same as that found in the receiver identification of the document being acknowledged.
receiver_MarketParticipant.mRID (MBIE)	1..1	PartyID String	The MarketParticipant that transmits the electronic document. --- The role associated with a MarketParticipant. The identification of a party in the energy market. --- The identification of the party who is the recipient of the acknowledgement. The recipient of the document is identified by a unique coded identification.

		This value should be the same as that found in the sender identification of the document being acknowledged. The MarketParticipant that receives the electronic document. The identification of the role played by a market player.
receiver_MarketParticipant.marketRole.type (MBIE)	0..1 MarketRoleKind String	--- The identification of the party who is the recipient of the acknowledgement. The recipient of the document is identified by a unique coded identification. This value should be the same as that found in the sender identification of the document being acknowledged. The MarketParticipant that receives the electronic document. --- The role associated with a MarketParticipant.
received_MarketDocument.mRID (MBIE)	0..1 ID String	The unique identification of the document being exchanged within a business process flow. --- This information identifies the document that has been received. The information is extracted from the received document.
received_MarketDocument.revisionNumber (MBIE)	0..1 ESMPVersion String	The identification of the version that distinguishes one evolution of a document from another. --- This information

		identifies the document that has been received. The information is extracted from the received document. The coded type of a document. The document type describes the principal characteristic of the document.
received_MarketDocument.type (MBIE)	0..1 MessageKind_String	--- This information identifies the document that has been received. The information is extracted from the received document. The identification of the nature of process that the document addresses.
received_MarketDocument.process.processType (MBIE)	0..1 ProcessKind_String	--- This information identifies the document that has been received. The information is extracted from the received document. The identification of the name of the file or the payload that has been transmitted.
received_MarketDocument.title (MBIE)	0..1 PayloadId_String	--- This information identifies the document that has been received. The information is extracted from the received document. The date and time of the creation of the document.
received_MarketDocument.createdDateTime (MBIE)	0..1 ESMP_DateTime	--- This information identifies the document that has been received. The information is extracted from the received document.

(MBIE) MktActivityRecord

Subclass of IEC61968: Common:ActivityRecord.

!# shows all attributes of MktActivityRecord.

Table !# - Attributes of Acknowledgement assembly model::MktActivityRecord

Attribute name	mult.	Attribute type	Description
mRID (MBIE)	1..1	String	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended. For CIMXML data files in RDF syntax conforming to IEC 61970-552 Edition 1, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.

(MBIE) Reason

The motivation of an act.

!# shows all attributes of Reason.

Table !# - Attributes of Acknowledgement assembly model::Reason

Attribute name	mult.	Attribute type	Description
code (MBIE)	1..1	ReasonCode_String	The motivation of an act in coded form.
text (MBIE)	0..1	ReasonText_String	The textual explanation corresponding to the reason code.

(MBIE) Series

A set of similar physical or conceptual objects defined for the same period or point of time.

!# shows all attributes of Series.

Table !# - Attributes of Acknowledgement assembly model::Series

Attribute name	mult.	Attribute type	Description
mRID (MBIE)	1..1	ID_String	A unique identification of the time series. In the ESMP context, the "model authority" is defined as a party (originator of the exchange) that provides a unique identification in the context of a business exchange such as time series identification, bid identification, ... Master resource identifier issued by a model authority. The mRID is globally unique within an exchange context. Global uniqueness is easily achieved by using a UUID for the mRID. It is strongly recommended to do this. For CIMXML data files in RDF syntax, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
version (MBIE)	0..1	ESMPVersion_String	The identification of the version of the time series.

(MBIE) Time_Period

The identification of a time interval with errors. It should be noted that the relative position transmit in the original document will have been converted to an absolute time interval whenever errors occur at this level in the acknowledgement document.

!# shows all attributes of Time_Period.

Table !# - Attributes of Acknowledgement assembly model::Time_Period

Attribute name	mult.	Attribute type	Description
timeInterval (MBIE)	1..1	ESMP_DateTimeInterval	The start and end date and time for a given interval.

(MBIE) TimeSeries

The TimeSeries stated as being in error.

A set of time-ordered quantities being exchanged in relation to a product.

!# shows all attributes of TimeSeries.

Table !# - Attributes of Acknowledgement assembly model::TimeSeries

Attribute name	mult.	Attribute type	Description
mRID (MBIE)	1..1	ID_String	A unique identification of the time series.
version (MBIE)	0..1	ESMPVersion_String	The identification of the version of the time series.

Global Used Datatypes

Datatypes

ID_String

A code to uniquely distinguish one occurrence of an entity from another.

In the ESMP context, the code is defined either by:

- an emitting company that provides an agreed identification unique within a business context such as capacity auction identification, market agreement identification, etc.

- a party (originator of the exchange) that provides a unique identification in the framework of a business exchange such as document identification, time series identification, bid identification, ...

!# shows all attributes of ID_String.

Table !# - Attributes of ESMPDataTypes::ID_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	String	Main Core value Space.

ESMP_DateTime

In ESMP, the dateTime shall be expressed in UTC as YYYY-MM-DDThh:mm:ssZ.

!# shows all attributes of ESMP_DateTime.

Table !# - Attributes of ESMPDataTypes::ESMP_DateTime.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	DateTime	Main Core value Space.

PartyID_String

The identification of an actor in the energy market.

In the ESMP context, it is an authorized issuing office that provides an agreed identification coding scheme for market participant identification.

!# shows all attributes of PartyID_String.

Table !# - Attributes of ESMPDataTypes::PartyID_String.

Attribute name	mult.	Attribute type	Description
codingScheme (CIMDatatype)	1..1	CodingSchemeTypeList	DomainQualification.
value (CIMDatatype)	1..1	String	Main Core value Space.

MarketRoleKind_String

The identification of the role played by a party.

!# shows all attributes of MarketRoleKind_String.

Table !# - Attributes of ESMPDataTypes::MarketRoleKind_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	RoleTypeList	Main Core value Space.

ProcessKind_String

The coded identification of the nature of process.

!# shows all attributes of ProcessKind_String.

Table !# - Attributes of ESMPDataTypes::ProcessKind_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	ProcessTypeList	Main Core value Space.

ReasonCode_String

The coded motivation of an act.

!# shows all attributes of ReasonCode_String.

Table !# - Attributes of ESMPDataTypes::ReasonCode_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	ReasonCodeTypeList	Main Core value Space.

ReasonText_String

The textual explanation of an act as a string of characters.

!# shows all attributes of ReasonText_String.

Table !# - Attributes of ESMPDataTypes::ReasonText_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype,IsBasedOn)	1..1	String	Main Core value Space.

ESMPVersion_String

In ESMP, the coded value is restricted to digits.

A code that distinguishes one evolution of an identified object from another. Information about a specific object may be sent several times, each transmission being identified by a different version number.

!# shows all attributes of ESMPVersion_String.

Table !# - Attributes of ESMPDataTypes::ESMPVersion_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	String	Main Core value Space.

MessageKind_String

The coded type of a document.

!# shows all attributes of MessageKind_String.

Table !# - Attributes of ESMPDataTypes::MessageKind_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	MessageTypeList	Main Core value Space.

PayloadId_String

The name of a file or the payload identification.

!# shows all attributes of PayloadId_String.

Table !# - Attributes of ESMPDataTypes::PayloadId_String.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	String	Main Core value Space.

YMDHM_DateTime

In ESMP, the date and time is expressed as "YYYY-MM-DDThh:mmZ", which conforms with ISO 8601 UTC time zone. This date and time is without the seconds.

!# shows all attributes of YMDHM_DateTime.

Table !# - Attributes of ESMPDataTypes::YMDHM_DateTime.

Attribute name	mult.	Attribute type	Description
value (CIMDatatype)	1..1	DateTime	The date and time as "YYYY-MM-DDThh:mmZ", which conforms with the ISO 8601 UTC time zone.

Enumerations

CodingSchemeTypeList

Codification scheme used to identify the coding scheme used for the set of coded values to identify specific objects.

Literal	Description	Code
EIC	The coding scheme is the Energy Identification Coding Scheme (EIC), maintained by ENTSO-E.	A01
Coding scheme which are part of GS1 system	The coding schemes maintained by GS1.	A10
Andorra National coding scheme	The National coding scheme of the country in question.	NAD
Albania National coding scheme	The National coding scheme of the country in question.	NAL
Armenia National coding scheme	The National coding scheme of the country in question.	NAM
Austria National coding scheme	The National coding scheme of the country in question.	NAT
Azerbaijan National coding scheme	The National coding scheme of the country in question.	NAZ
Bosnia and Herzegovina National coding scheme	The National coding scheme of the country in question.	NBA
Belgium National coding scheme	The National coding scheme of the country in question.	NBE
Bulgaria National coding scheme	The National coding scheme of the country in question.	NBG
Switzerland National coding scheme	The National coding scheme of the country in question.	NCH
Serbia and Montenegro National coding scheme	The National coding scheme of the country in question.	NCS
Czech Republic National coding scheme	The National coding scheme of the country in question.	NCZ
Germany National coding scheme	The National coding scheme of the country in question.	NDE
Denmark National coding scheme	The National coding scheme of the country in question.	NDK
Estonia National coding scheme	The National coding scheme of the country in question.	NEE
Spain National coding scheme	The National coding scheme of the country in question.	NES
Finland National coding scheme	The National coding scheme of the country in question.	NFI
France National coding scheme	The National coding scheme of the country in question.	NFR
United Kingdom National coding scheme	The National coding scheme of the country in question.	NGB
Georgia National coding scheme	The National coding scheme of the country in question.	NGE
Gibraltar National coding scheme	The National coding scheme of the country in question.	NGI
Greece National coding scheme	The National coding scheme of the country in question.	NGR
Croatia National	The National coding scheme of the country in question.	NHR

coding scheme		
Hungary National coding scheme	The National coding scheme of the country in question.	NHU
Ireland National coding scheme	The National coding scheme of the country in question.	NIE
Italy National coding scheme	The National coding scheme of the country in question.	NIT
Kyrgyzstan National coding scheme	The National coding scheme of the country in question.	NKG
Kazakhstan National coding scheme	The National coding scheme of the country in question.	NKZ
Liechtenstein National coding scheme	The National coding scheme of the country in question.	NLI
Lithuania National coding scheme	The National coding scheme of the country in question.	NLT
Luxembourg National coding scheme	The National coding scheme of the country in question.	NLU
Latvia National coding scheme	The National coding scheme of the country in question.	NLV
Morocco National coding scheme	The National coding scheme of the country in question.	NMA
Moldavia National coding scheme	The National coding scheme of the country in question.	NMD
Macedonia National coding scheme	The National coding scheme of the country in question.	NMK
Netherlands National coding scheme	The National coding scheme of the country in question.	NNL
Nordic Regional coding scheme	The coding scheme of the Nordic region which covers Denmark, Finland, Norway and Sweden.	NNN
Norway National coding scheme	The National coding scheme of the country in question.	NNO
Poland National coding scheme	The National coding scheme of the country in question.	NPL
Portugal National coding scheme	The National coding scheme of the country in question.	NPT
Romania National coding scheme	The National coding scheme of the country in question.	NRO
Russian Federation National coding scheme	The National coding scheme of the country in question.	NRU
Sweden National coding scheme	The National coding scheme of the country in question.	NSE
Slovenia National coding scheme	The National coding scheme of the country in question.	NSI
Slovakia National coding scheme	The National coding scheme of the country in question.	NSK
Turkey National coding scheme	The National coding scheme of the country in question.	NTR
Ukraine National coding scheme	The National coding scheme of the country in question.	NUA
CGM	The coding scheme used for Common Grid Model Exchange Standard (CGMES).	A02
Cyprus National coding scheme	The National coding scheme of the country in question.	NCY
ISO	The coding scheme for the preceding attribute is a code maintained by International Organization for Standardization (ISO), such as â€œISO 3166 *English country names and code elements*â€ .	A03

RoleTypeList

Identification of the role played by a party.

Literal	Description	Code
Trade responsible party	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A01
Consumption responsible party	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A02
Combined power exchange (not to be used)	This role is no longer in the ENTSO-E Harmonised Role Model Document.	A03
System operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A04
Imbalance settlement responsible	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A05
Production responsible party	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A06
Transmission capacity allocator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A07
Balance responsible party	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A08
Metered data aggregator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A09
Billing agent	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A10
Market operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A11
Energy supplier	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A12
Consumer	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A13
Control area operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A14
Control block operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A15
Coordination centre operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A16
Grid access provider	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A17
Grid operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A18
Meter administrator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A19
Party connected to grid	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A20
Producer	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A21
Profile maintenance party	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A22
Meter operator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A23
Metered data	Refer to role model definitions in the ENTSO-E Harmonised Role Model	A24

collector	Document.	
Metered data responsible	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A25
Metering point administrator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A26
Resource Provider	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A27
Scheduling coordinator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A28
Capacity Trader	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A29
Interconnection Trade Responsible	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A30
Nomination Validator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document.	A31
Market information aggregator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document. A party that collects information from different sources and assembles it to provide a summary of the market.	A32
Information receiver	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document. A party, not necessarily a market participant, which receives information about the market.	A33
Reserve Allocator	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document. A party that informs the market of reserve requirements, receives tenders against the requirements and in compliance with the prequalification criteria, determines what tenders meet requirements and assigns tenders.	A34
MOL Responsible	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document. A party that Informs the market of reserve requirements, receives tenders against the requirements and in compliance with the prequalification criteria, determines what tenders meet requirements and assigns tenders.	A35
Capacity Coordinator	A party, acting on behalf of the SOs involved, responsible for establishing a coordinated Offered Capacity and/or NTC and/or ATC between several Scheduling Areas.	A36
Reconciliation Accountable	Refer to role model definitions in the ENTSO-E Harmonised Role Model Document. A party that is financially accountable for the reconciled volume of energy products for a profiled local metering point.	A37
Reconciliation Responsible	A party that is responsible for reconciling, within a metering grid area, the volumes used in the imbalance settlement process for profiled metering points and the actual metered quantities.	A38
Data provider	A party that is responsible for providing information to a central authority.	A39
Local Issuing Office (LIO)	A party that is responsible for operating a Local Issuing Office (LIO).	A40
Central Issuing Office (CIO)	A party that is responsible for operating a Central Issuing Office (CIO).	A41
EIC Participant	A party that participates in the EIC environment.	A42
Weather analyser	A party that analyses the current and forecast weather situation and establishes a prognosis of its impact on the renewable energy environment as well as the overall load.	A43
Regional Security Coordinator	The RSC as defined in the System Operation guideline.	A44

(RSC)		
Energy Service Company (ESCO)	A party offering energy-related services to the Party Connected to Grid, but not directly active in the energy value chain or the physical infrastructure itself. The ESCO may provide insight services as well as energy management services.	A45
Balancing Service Provider	A party with reserve-providing units or reserve-providing groups able to provide balancing services to LFC Operators.	A46
Energy trader	A party that is selling or buying energy.	A47
LFC Operator	A party that is responsible for the Load Frequency Control of its LFC Area or LFC Block.	A48
Transmission System Operator (TSO)	The Transmission System Operator (TSO) is responsible for the transport of electricity on the extra high-voltage and high-voltage interconnected system. This is a market participant and not a role in Harmonised Role Model.	A49
Distribution System Operator (DSO)	Distribution System Operator (DSO) is responsible for transport of electricity on high-voltage (optionally), medium-voltage and low-voltage distribution systems. This is a market participant and not a role in Harmonised Role Model.	A50
Resource Capacity Mechanism Operator	Resource capacity mechanism operator is the party responsible to operate the resource capacity mechanism in a member state. It can either be the TSO or an independent party.	A51
Resource aggregator	A party that aggregates resources for usage by a service provider for energy market services.	A52
Cost sharing calculator	A party responsible for the mapping of the costs between areas and parties.	A53
Settlement responsible	A party responsible for settling the costs.	A54
Coordinated Capacity Calculator	Coordinated Capacity Calculator is the entity or entities with the task of calculating transmission capacity, at regional level or above.	A55
Flexibility service provider	A party that offers flexibility services based on acquired (aggregated) resources.	A56
Data access provider	A party responsible for facilitating access to data.	A57
Metered data administrator	A party responsible for storing and distributing validated measured data.	A58
Permission administrator	A party responsible for administrating a register of data access permissions for a set of metering points, making this information available to final customers and eligible parties in the sector, on request.	A59

ProcessTypeList

Indicates the nature of process that the document addresses.

Literal	Description	Code
Day ahead	The information provided concerns a day ahead process.	A01
Intra day incremental	The information provided concerns an intra day schedule.	A02
Inter-area transit	The information provided concerns an inter area transit schedule. The rules governing this process are market dependent	A03
System operation closure	The information provided concerns the closure of a given period of both scheduled and regulation information.	A04
Metered data aggregation	The information provided concerns the aggregation process of metered information.	A05
Imbalance settlement	The information provided concerns the imbalance settlement for a given period for a balance responsible party or parties.	A06
Capacity allocation	The information provided concerns the capacity allocation process.	A07
Central	The process carried out to finalise the imbalance settlement based on	

reconciliation	actual metered values against provisional values from profiled metering points.	A08
Released capacity allocation	The process concerns the notification of capacity rights that are being released.	A09
Proposed capacity allocation	The process concerns the proposed capacity to be allocated for a given border.	A10
Agreed capacity allocation	The process concerns the capacity that has been agreed for allocation for a border.	A11
Long term	The process concerns scheduling all schedules except daily and intraday contracts.	A12
Post scheduling adjustment	The process concerns the adjustments made to previous schedules after the period of execution.	A13
Forecast	The data contained in the document are to be handled in short, medium, long term forecasting process.	A14
Capacity determination	The process of determining the capacity for use.	A15
Realised	The process for the treatment of realised data as opposed to forecast data.	A16
Schedule day	The process concerns the day ahead, intraday and eventually ex-post scheduling in a single document. The schedule will be transferred within the total position including historic information.	A17
Intraday total	This process concerns an intraday schedule which contains the accumulated day ahead and intraday current position.	A18
Intraday accumulated	This process concerns a single intraday schedule process where only intraday evolutions occur through version changes.	A19
SOMA process	System Operator meter alignment process.	A20
SOVM process	System Operator validated measurement process.	A21
RGCE accounting process	The document provides ENTSO-E Regional Group Continental Europe accounting process information.	A22
CCSR RGCE Settlement	The process concerns the control center settlement report for the whole of the ENTSO-E Regional Group Continental Europe.	A23
CBSR Settlement	The process concerns the control block settlement report.	A24
CASR Settlement	The process concerns the control area settlement report.	A25
Outage information	The process concerns TSO publication of outages on its power system.	A26
Reserve resource process	The process being described is for general reserve resources.	A27
Primary reserve process	The process being described is for primary reserves.	A28
Secondary reserve process	The process being described is for secondary reserves.	A29
Tertiary reserve process	The process being described is for tertiary reserves.	A30
Week ahead	The process being described is for the week ahead.	A31
Month ahead	The process being described is for the month ahead.	A32
Year ahead	The process being described is for the year ahead.	A33
Contracted	The process being described is for contracted information.	A34
Network information	The process being described is for network information.	A35
Creation	The process being described is for the creation of information.	A36
Modification	The process being described is for the modification of information.	A37
Deactivation process	The process being described is for deactivation of information.	A38
Synchronisation process	The process being described is for the synchronisation of information.	A39
Intraday process	The process being described is for intraday process.	A40
Redispatch process	The process being described is for redispatch activation.	A41
Activation history process	The process being described is for the provision of an activation history.	A42

Flow based domain constraint day-ahead	The information provided concerns the flow-based process in day ahead.	A43
Flow based domain constraint intraday	The information provided concerns the flow-based process in intraday.	A44
Two days ahead	Two days ahead.	A45
Replacement reserve	A process being described is for replacement reserves (RR) to restore or support the required level of frequency restoration reserves.	A46
Manual frequency restoration reserve	A process being described is for manual frequency restoration reserves (mFRR).	A47
Day-ahead capacity determination	The process run at the day-ahead timeframe to determine the capacity for use.	A48
Intraday capacity determination	The process run at the intraday timeframe to determine the capacity for use.	A49
Long term capacity determination	The process run at the long term timeframe to determine the capacity for use.	A50
Automatic frequency restoration reserve	A process being described is for automatic frequency restoration reserves (aFRR).	A51
Frequency containment reserve	A process being described is for frequency containment reserves (FCR).	A52
Common Grid Model (CGM) merging process	The process for merging individual grid models to form the common grid model.	A53
Coordinated security analysis	The process being described is used for coordinated security analysis.	A54
Exchange of master data	A process for exchanging master data.	A55
Frequency restoration reserve	The process being described is for general frequency restoration reserve.	A56
FSKAR settlement	The information provided concerns the Financial Settlement of K?f, ACE and ramping period settlement for a given period.	A57
mFRR capacity market	Processes related to the Reserve option market to assure that there are enough available reserves for the manual FRR market.	A58
Internal trade reporting	The process related to internal trade reporting.	A59
Scheduled activation mFRR	mFRR being subject to scheduled activation.	A60
Direct activation mFRR	mFRR being subject to direct activation.	A61
Registration	A process related to the registration and management of object information.	A62
Imbalance Netting	The process described is for imbalance netting.	A63
Criteria application for instantaneous frequency	The process describes criteria application for instantaneous frequency.	A64
Criteria application for frequency restoration	The process describes criteria application for frequency restoration.	A65
Cost sharing	The process describes the cost sharing process for costly remedial actions.	A66
Central selection aFRR	aFRR subject to central selection of bids for activation.	A67
Local selection aFRR	aFRR subject to local selection of bids for activation.	A68
Common grid model alignment	The process for aligning bidding zone net positions.	A69
Pan-European verification function	The process for verifying bidding zone net positions.	A70
Outage planning coordination	The process being described is used for outage planning coordination.	A71

Short term adequacy	The process being described is used for short term adequacy calculations.	A72
Coordinated capacity calculation	The process being described is used for coordinated capacity calculation.	A73
Access to metered data	Access to meter readings of electricity consumption from or electricity feed into the grid.	A74
Permission administration	Administration of permissions to access and/or use data.	A75

ReasonCodeTypeList

The coded motivation of an act.

Literal	Description	Code
Errors not specifically identified	This code is used to identify errors that have not been specifically addressed in the Reason code list. It can be used at any level and refers to the level for which it has been identified.	999
Message fully accepted	The message has been fully accepted for application processing.	A01
Message fully rejected	No part of the message has been accepted for application processing, e.g. Global position incomplete.	A02
Message contains errors at the time series level	Part of the message contents, i.e. certain time series, has been accepted for application processing. It is necessary to look at the time series level to determine the time series that have been rejected. The time series is excluded from the global position.	A03
Time interval incorrect	The schedule time interval is not within the contractual agreement or the period does not agree with the schedule time interval.	A04
Sender without valid contract	The sender has no current valid contract with the TSO. The message consequently will be fully rejected.	A05
Schedule accepted	The schedule of the recipient as presented has been completely accepted.	A06
Schedule partially accepted	The schedule of the recipient as presented has been partially accepted. It is necessary to look at the time series level to determine the changes (time series rejected, modified, etc.).	A07
Schedule rejected	The schedule of the recipient as presented has been totally rejected. The cause could be the non presentation of a counter part for the involved trades.	A08
Time series not matching	Time series mismatches.	A09
Credit limit exceeded	The contractual credit limit has been exceeded and as such the message has been rejected.	A10
Time series fully rejected	The time series has been fully rejected. In the case of a confirmation report, this reason code is used in conjunction with either A26 or A30.	A20
Time series accepted with specific time interval errors	The time series has been accepted but some time interval quantities have been rectified or zeroed out.	A21
In party/Out party invalid	There is no contract for the parties indicated or the rules for cross border nominations are not being respected. The time series has been rejected.	A22
Area invalid	The area is unknown or not allowed. The time series has been rejected.	A23
A24 not applicable	This code is no longer applicable.	A24
A25 not applicable	This code is no longer applicable.	A25
Default time series applied	The time series has been rejected and replaced with a default time series profile. This reason code may not be used in conjunction with A30.	A26
Cross border capacity exceeded	The cross border capacity has been exceeded. The time series has been rejected or adjusted.	A27
	This provides an indication that the time series has not got a counterpart	

	time series.	
Counterpart time series missing	In the case of an Intermediate Confirmation Report this is advising the recipient that the time series may be rejected at nomination closure if the counterpart time series is not received. In the case of a Final Confirmation Report this is informing the recipient that the time series has been rejected because the counterpart time series has not been forthcoming.	A28
Counterpart time series quantity differences	The time series has been rejected as it does not match that of the counterpart who is considered by market rules to be correct.	A29
Imposed Time series from nominated party's time series (party identified in reason text)	The nominated party's time series has replaced the current time series. This reason code may not be used in conjunction with A26.	A30
Resolution inconsistency	The resolution is not coherent with the time interval, or resolution not valid.	A41
Quantity inconsistency	The quantity is not coherent. For example a time period with the same version number but different quantities or an non permitted number of digits after the decimal point, etc.	A42
Quantity increased	The quantity has been increased in order to satisfy minimum constraints.	A43
Quantity decreased	The quantity has been decreased in order to satisfy congestion constraints.	A44
Default quantity applied	The default quantity has been applied as the current quantity does not satisfy contractual obligations.	A45
Quantities must not be signed values	The quantity proposed is illegal since signed values are only permitted in specific circumstances.	A46
A47 not applicable	This code is no longer applicable.	A47
Modification reason	In an intraday transmission, the reason for the modification is as follows (in the reason text).	A48
Position inconsistency	A position is missing or too many.	A49
Senders time series version conflict	There is an error in the sender time series version, i.e. it could be superior to the message version or is inconsistent with the existing data. The time series has been rejected.	A50
Message identification or version conflict	The message identification is already in the receiving system. Or a higher version already exists. Message rejected.	A51
Time series missing from new version of message	A time series is not contained in a new version of the message. Message rejected.	A52
Receiving party incorrect	The receiving party is incorrect. Message rejected.	A53
Global position not in balance	The message does not balance out to zero. Market rules might require that the message is rejected.	A54
Time series identification conflict	The identification of the time series is duplicated or incorrect. Time series will be rejected.	A55
Corresponding Time series not netted	All corresponding time series must be netted. Time series rejected.	A56
Deadline limit exceeded/Gate not open	The deadline for receiving schedule messages has passed. Message or time series rejected.	A57
One to one nomination inconsistency	There is a one to one nomination inconstancy with the in/out parties or areas. Time series rejected.	A58
Not compliant to local market rules	The level in which this is identified is not in compliance with local market rules. The level in question has been rejected.	A59
Inter-area transit schedule exceeds nominated schedule	The inter-area transit schedule exceeds the nominated schedule for the same time interval. The inter-area transit schedule is rejected.	A60

Currency invalid	The currency is not in compliance with ISO 4217.	A61
Invalid business type	The business type does not belong to the valid set of business types for the process in question.	A62
Time Series modified	The time series has been modified.	A63
Resource Object Invalid	The Resource Object defined in the document is not valid.	A64
Reserve object Technical limits exceeded	Reserve objects aggregated values are not within technical/prequalified limits	A65
Planned reserves do not correspond with contractual data	Planned reserves do not correspond with contractual data.	A66
Limit Data is not available	Limit Data is not available.	A67
Reserve Object not qualified for reserve type	Reserve Object is not qualified for reserve type.	A68
Mandatory attributes missing	Mandatory attributes missing.	A69
Curtailment	The capacity in question has been curtailed.	A70
Linked bid rejected due to associated bid unsuccessful	The bid in question has been rejected because an associated bid has been unsuccessful.	A71
Original bid divided to permit acceptance	The original bid quantity has been divided to enable it to be accepted.	A72
Bid accepted	The bid in question has been accepted.	A73
Auction Status	The information in the Reason Text provides auction status information.	A74
Right status information	The information in the Reason Text provides status information concerning the transmission rights in question.	A75
Agreement identification inconsistency	There is an inconsistency between the contract type and the agreement identification.	A76
Dependency matrix not respected	There is an inconsistency between the document contents and the dependency matrix.	A77
Sender identification and/or role invalid	The identification of the sender or the sender/role combination is invalid.	A78
Process type invalid	The process type does not figure in the list of valid process types for this document.	A79
Domain invalid	The domain does not figure in the list of valid domains for this document and process.	A80
Matching period invalid	The period is not within the expected limits.	A81
In/Out area inconsistent with domain	The in and out area does not figure within the domain specified.	A82
Disagree with matching results	The matching results provided are not consistent.	A83
Confirmation ignored due to higher version already received	The report has been ignored since a higher version has been received.	A84
Confirmation without adjustment (time series have been matched without change)	The report has been successfully matched without any changes.	A85
Confirmation with adjustment (time series have been modified)	The report has been matched but required adjustment.	A86
For action (only in intermediate		

confirmation - time series need mutual agreement and action)	The report in question is only for action in an intermediate stage.	A87
Time series matched	The time series has been successfully matched.	A88
Time series ignored (note: this can only apply to time series that are set to zero - see matching principles)	The time series has been ignored and not matched since it does not figure in a counterparty transmission. All are correctly equal to zero.	A89
Modification proposal (intermediate confirmation)	The document is a proposal for change before finalization.	A90
Expected document not received	The document that is expected has not been received within the expected timeframe.	A91
Not possible to send document on time, but estimated delivery time is provided	The document that is due cannot be transmitted within the required timeframe. An estimated time of transmission is provided.	A92
Not possible to send document on time, and furthermore no expected time of return to normal situation	The document that is due cannot be transmitted within the required timeframe. The time of transmission of the document is unknown.	A93
Document cannot be processed by receiving system	The receiving system cannot process that document in question.	A94
Complementary information	Additional text is provided in order to further explain a condition, for example to provide details of an outage.	A95
Technical constraint	A technical constraint has been applied.	A96
Force majeure curtailment	Curtailment due to Force Majeure. A code that enables the identification of the curtailment reason for settlement purposes.	A97
Network security curtailment	Curtailment due to network security reasons A code that enables the identification of the curtailment reason for settlement purposes.	A98
Auction cancelled	The auction has been cancelled.	A99
Incomplete document	The document is incomplete and cannot be processed.	B01
Accounting Point (tie-line) Time Series missing	The document is incomplete as a time series for an accounting point is missing.	B02
Meter data Time series missing	The document is incomplete as a time series for meter data is missing.	B03
Estimated values not allowed in first transmission	The document is in its initial form and estimated values are not allowed.	B04
No quantity values allowed for a quality that is not available	No quantity values are allowed for a quality that is not available.	B05
Time series accepted	Time series accepted.	B06
Auction without bids being entered	The auction has terminated without any bids being submitted. The ReasonText may provide the identification of the auction in question.	B07
Data not yet available	It is not possible to perform the necessary action since the required data for this action is not yet available.	B08
Bid not accepted	The bid in question has not been accepted.	B09
Initiator area problem	The problem concerns the initiator area.	B10
Cooperating area problem	The problem concerns the cooperating area.	B11

Communication status currently active	The status within the system indicates that the communication capability is currently active.	B12
Communication status currently inactive	The status within the system indicates that the communication capability is currently inactive.	B13
Communication status currently restricted	The status within the system indicates that the communication capability is currently restricted.	B14
Problem associated with both areas	The problem concerns both areas.	B15
Tender unavailable in MOL list	A tender that has been requested is no longer available in the MOL.	B16
Price based on preliminary exchange rate	The price is based on a preliminary exchange rate.	B17
Failure	A failure has occurred.	B18
Foreseen maintenance	Maintenance is foreseen.	B19
Shutdown	A shutdown has occurred.	B20
Official exchange rate approved	The official exchange rate has been approved.	B21
System regulation	The information provided regards a regulation for system purposes.	B22
Frequency regulation	The information provided regards a regulation for frequency purposes.	B23
Load flow overload	Situation in the grid, where loading of a certain grid element, e.g. overhead line, is above defined technical limits.	B24
Voltage level adjustment	A TSO activity to maintain an acceptable voltage profile throughout the network. This is achieved by balancing of the respective reactive power requirements of the network and the customers.	B25
Emergency situation curtailment	Curtailment due to emergency situation. A code that enables the identification of the curtailment reason for settlement purposes.	B26
Calculation process failed	The calculation has not been performed.	B27
No capacity constraint impact on the market	The market position is such as no capacity constraint is applied to limit the cross border exchanges.	B28
Special Condition	Special condition need to be fulfilled.	B29
Unverified	Missing or not validated data.	B30
Verified	Data has successfully passed the verification process.	B31
CGM inconsistency	Describes an element which was not found in the CGM.	B32
Network dictionary inconsistency	Describes an element which was not found in the network dictionary.	B33
Capacity reduced by TSO	Describes a capacity that was reduced by a TSO.	B34
Overload	Describes an N-k or N state overload.	B35
GLSK limitation	Describes a situation in which there is not enough power adjustment in the GLSK file to cover the capacity.	B36
Voltage constraint	Describes an N-k or N state voltage violation.	B37
Angle constraint	Describes an N-k or N state angle violation.	B38
Stability	Describes a situation in which the dynamic behaviour of the network violated.	B39
Loadflow divergence	Describes a network situation in which the provided capacity values are part of a load flow divergence situation.	B40
Exclusion for SoS reasons	This is the adjustment applied to the capacity of a branch to have a minimum RAM (Remaining Available Margin) available for commercial exchanges.	B41
Constraint by the market	A constraint due to market restrictions.	B42
Ordinary	The contingency is ordinary (methodology for coordinating operational security analysis, article 6).	B43
	The contingency is exceptional (methodology for coordinating operational	

Exceptional	security analysis, article 6).	B44
Out of range	The contingency is out of range (methodology for coordinating operational security analysis, article 6).	B45
Internal congestion	A temporary congestion within a bidding zone or scheduling area.	B46
Operational security constraints	Operational security constraints identified by TSOs.	B47
Estimated value	Describes a situation where a calculation process has failed and extrapolated or interpolated values will be applied.	B48
Balancing	Activated for balancing purposes.	B49
Values shared	Values of this time series are also valid for counter-party.	B50
Outside price limits	The offered price is not within the valid limits.	B51
Previous timeframe data	In case of processing issue, sent data are based on the previous timeframe.	B52
MOL merging succesful	The merging of the Merit Order List has been successfully processed.	B53
MOL merging failed	The merging of the Merit Order List has failed.	B54
Because of redispatching	Because of redispatching according to Article 2(26) of Commission Regulation (EU) 543/2013	B55
Because of countertrading	Because of countertrading according to Article 2(13) of Commission Regulation (EU) 543/2013	B56
Because of other remedial action	Not available because of any remedial action.	B57
Insufficiency of reserves	The reserve capacity is not sufficient.	B58
Unavailability of reserve providing unit	The unit providing the reserve is subject to technical unavailability.	B59
Unavailability of automatic protection systems	Unavailability of tools to detect predetermined system conditions that have a high probability of causing unusual stress on the power system, for which pre-planned remedial action is considered necessary or for which automatic protective actions may be triggered such as special protection schemes or automatic load shedding.	B60
Physical cable or converter restrictions	Limitation due to physical cable or converter restrictions.	B61
Constraints in controller systems	Limitation due to constraints in controller systems.	B62
Adjusted because of expected violation of operational security	The capacity is adjusted because of an expected violation of operational security limits of physical transmission assets.	B63
Adjusted because already considered remedial actions are assessed as not sufficient	The capacity is adjusted because the remedial actions were assessed as not sufficient or ineffective to avoid the expected violation of operational security limit(s).	B64
Time series partially accepted	The time series is partially accepted.	B65
Demand fully netted	Demand was fully netted against other demand(s).	B66
Bid activated in same direction	One or several bids were activated in the same direction within the same uncongested area as the demand.	B67
Optimization in progress	The activation optimisation framework is being executed.	B68
Wrong energy market timeframe	The given energy market timeframe is invalid or wrong.	B69
Message partially accepted	The detailed transactions of the received document are partially accepted. It is necessary to look at the detailed (transaction) level to determine if the transaction is accepted, rejected etc.	B70
(Explicit)	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of	

Permission from the customer	processing: The data subject has given consent to the processing of his or her personal data for one or more specific purposes.	B71
In execution of a contract with the customer (Execution of contract)	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of processing: Processing is necessary for the performance of a contract to which the data subject is party or in order to take steps at the request of the data subject prior to entering into a contract.	B72
Legal obligations	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of processing: Processing is necessary for compliance with a legal obligation to which the controller is subject.	B73
In protection of vital interests of the customer	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of processing: Processing is necessary in order to protect the vital interests of the data subject or of another natural person.	B74
In order to perform a duty of common (national) interest	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of processing: Processing is necessary for the performance of a task carried out in the public interest or in the exercise of official authority vested in the controller.	B75
Justified interest of the dataprocessee	Based on the regulation (EU) 2016/679 (GDPR) Article 6, Lawfulness of processing: Processing is necessary for the purposes of the legitimate interests pursued by the controller or by a third party, except where such interests are overridden by the interests or fundamental rights and freedoms of the data subject which require protection of personal data, in particular where the data subject is a child	B76
Fulfilment of purpose	The purpose of the object or action has been fulfilled.	B77
Reach of end timestamp	The object or action has reached its end timestamp.	B78
Revocation	Revocation of the action or object.	B79
Termination	Termination of the action or object.	B80
No valid grid access contract	There is no valid grid access contract for a specific metering point. There is no valid grid access contract for a specific metering point.	B81
Customer move-out	A customer has moved out.	B82

MessageTypeList

The coded type of a document. The message type describes the principal characteristic of a document. This enumeration is used in the XML instances based on IEC 62325.

Literal	Description	Code
Balance responsible schedule	A schedule which has been prepared by a balance responsible party providing planned schedule information.	A01
Allocated capacity schedule	A schedule which has been prepared by a capacity allocator providing allocated capacity.	A02
Balance area schedule	A schedule that provides the planned schedule information for a balance area.	A03
System Operator area schedule	A compilation of all external schedules concerning two System Operator areas or a connector concerning two System Operator of all balance responsible parties.	A04
Control block area schedule	A compilation of all the exchange programs of all control areas for one control block with all neighbouring control areas of a neighbouring control block.	A05
Coordination center area schedule	A compilation of the exchange programs of all exchange blocks divided into UCTE south and north.	A06
Intermediate confirmation report	An intermediate confirmation report that may be produced between final cutoffs.	A07
Final confirmation		

report	A final confirmation report that is produced after a final cutoff.	A08
Finalised schedule	A compilation of a set of schedules that have been finalized after a given cutoff.	A09
Regulation data report	A compilation of the time series employed on a given day to ensure the balance of the system.	A10
Aggregated energy data report	A compilation of the time series of all the meter readings or their equivalent for a given period.	A11
Imbalance report	The report containing the complete situation of a given period for a party and including the schedules, regulation data and actual or calculated readings.	A12
Interconnection Capacity	Document for cross-border capacity exchanges.	A13
Resource Provider Resource Schedule	A document providing the schedules for resource objects submitted by a resource provider.	A14
Acquiring System Operator Reserve Schedule	A document providing reserve purchases submitted by an Acquiring System Operator.	A15
Anomaly Report	A document providing anomaly information for the receiving party to correct.	A16
Acknowledgement Document	A document providing acknowledgement information.	A17
Confirmation report	A document providing confirmation information.	A18
Capacity for Resale	A document providing information about capacity for resale.	A19
Approved Capacity Transfer	A document to approve a capacity transfer.	A20
Capacity transfer notification	A document notifying a capacity transfer.	A21
Transmission rights portfolio	A document providing the portfolio of the transmission capacity rights of a market participant.	A22
Allocations	A document providing the capacity allocations for a border.	A23
Bid document	A document providing bid information.	A24
Allocation result document	A document providing the allocation results of an auction.	A25
Capacity document	A document providing capacity information.	A26
Rights document	A document providing transmission capacity rights information.	A27
Generation availability schedule	This document contains information related to energy availability.	A28
Cross border schedule	This document contains the cross border schedules for all the borders of a given country where energy is exchanged.	A30
Agreed capacity	The capacity agreed between parties.	A31
Proposed capacity	The capacity proposed for agreement between parties.	A32
System vertical load	The sum of all flows out of the transmission grid via directly connected transformers and lines to distribution grids and end consumers as known by the System Operator.	A33
Escalation document	A document which requesting the escalation of a situation.	A34
Trouble shooting document	A document providing trouble shooting information for the resolution of a problem.	A35
Deactivation document	A document providing deactivation information.	A36
Reserve tender document	The document that is used for the tendering for reserves within the ERRP process.	A37
Reserve Allocation Result Document	The document used to provide the results of a Reserve auction.	A38
SATCR activation	The document is used to provide the activation of reserves through the SATCR process.	A39
DATCR activation	The document is used to provide the activation of reserves through the DATCR process.	A40

Activation response	The document is used to provide a response to a request to activate reserves.	A41
Tender reduction	The document is used to provide information concerning the reduction of a previously submitted tender.	A42
MOL Document	The document is used to provide Merit Order List information.	A43
Price Document	The document is used to provide market price information.	A44
Measurement Value Document	The document is used to provide measurement information from measurement devices.	A45
SOAM Document	The document is used to provide system operator accounting data for matching.	A46
SOVA Document	The document is used to provide system operator validated accounting data.	A47
CCVA Document	The document is used to provide coordination center validated accounting data.	A48
Daily settlement document	The document is used to provide daily settlement information.	A49
Weekly settlement document	The document is used to provide weekly settlement information.	A50
Capacity Auction Specification Document	The document is used to provide capacity auction specification information.	A51
Market Coupling Results Document	The document is used to provide the results of a market coupling auction.	A52
Outage publication Document	The document is used to provide the outage information for publication.	A53
Forced generation outage Document	A document providing information on forced generation outages.	A54
Summarised Market Schedule	A compilation of all external schedules concerning two Market Balance Areas of all balance responsible parties.	A55
Compensation Program Schedule	A schedule that provides the schedule information for the compensation of unintended deviation.	A56
Load Frequency Control Program Schedule	A schedule that provides the schedule information for the Load Frequency Control Program of a Control Area or a Control Block.	A57
Timeframe Independent Schedule	A compilation of all external Timeframe Independent Schedules concerning two System Operators.	A58
Information request	An information request being made concerning some specific information.	A59
status request for a position independently from a specific process	A status request concerning the position of an object independently of any ongoing processes.	A60
Estimated Net Transfer Capacity	The estimated net transfer capacity for a given border.	A61
Compensation rights	The capacity rights that have been allocated as compensation.	A62
Redispatch notice	A notice to confirm the actions agreed between System Operators to resolve a congestion situation through redispatch.	A63
Tender reduction response	A response to a tender reduction request that provides corrections to the initial document.	A64
System total load	Total load', including losses without power used for energy storage, is equal to generation deducted with exports, added with imports and deducted with power used for energy storage.	A65
Final MOL	A document providing the information concerning the situation of the MOL at the end of an activation period.	A66
Resource Provider Schedule for production/consumption	A document providing the schedules for production/consumption for resource objects submitted by a resource provider.	A67
Installed generation per type	A document providing the installed generation per generation type.	A68

Wind and solar forecast	A document providing the forecast of wind and solar generation.	A69
Load forecast margin	A document providing the load forecast margin for a period.	A70
Generation forecast	A document providing the generation forecast for a period.	A71
Reservoir filling information	A document providing information concerning the filling of reservoirs.	A72
Actual generation	A document providing the actual generation for a period.	A73
Wind and solar generation	A document providing the generation of wind and solar energy for a period.	A74
Actual generation per type	A document providing the actual generation per generation type for a period.	A75
Load unavailability	A document providing the unavailability of units providing load on the network.	A76
Production unavailability	A document providing the unavailability of production units providing energy to the network.	A77
Transmission unavailability	A document providing the unavailability of transmission capacity on the network.	A78
Offshore grid infrastructure unavailability	A document providing the unavailability of an offshore grid infrastructure to the network.	A79
Generation unavailability	A document providing the unavailability of generation units providing energy to the network.	A80
Contracted reserves	A document providing the reserves contracted for a period.	A81
Accepted offers	A document providing the offers of reserves that have been accepted for a period.	A82
Activated balancing quantities	A document providing the quantities of reserves that have been activated for balancing.	A83
Activated balancing prices	A document providing the prices of the reserves that have been activated for balancing.	A84
Imbalance prices	A document providing the prices of reserves due to imbalance for a period.	A85
Imbalance volume	A document providing the volume of the imbalance for a period.	A86
Financial situation	A document providing the financial situation for reserves.	A87
Cross border balancing	A document providing the cross border balancing requirements for a period.	A88
Contracted reserve prices	A document providing the price of reserves contracted for a period.	A89
Interconnection network expansion	A document providing information on the expansion of the interconnection network.	A90
Counter trade notice	A document providing information on counter trades for a period.	A91
Congestion costs	A document providing the cost of congestion for a period.	A92
DC link capacity	A document providing the DC links for a period.	A93
Non EU allocations	A document providing allocations made to non EU member states.	A94
Configuration document	A document providing configuration information.	A95
Redispatch activation document	A document enabling the activation of a redispatch notice.	A96
Detailed activation history document	A document enabling a detailed history of activations.	A97
Aggregated activation history document	A document enabling an aggregated history of activations.	A98
HVDC Link constraints	A document providing the information concerning the maximum and minimum active power flow through each link can limited.	A99
HVDC Configuration	A document providing the information concerning the power set point. The mode in which the HVDC is managed.	B01
HVDC Schedule	A document providing the information for operating DC links.	B02

EIC code request	A document providing the information requesting a new EIC code.	B03
EIC code information	A document providing EIC information in a central registry exchange or information to an EIC participant.	B04
EIC code publication	A document providing EIC publication information in a web site publication of a limited set of information.	B05
Critical network element determination	A document providing all the elements necessary for the capacity coordinator to determine the transfer capacity and the associated critical network elements.	B06
Critical network element publication	A document providing all the elements necessary for the market information aggregator and TSOs to know the critical network elements which limit the transfer capacity.	B07
Flow based domain	A document providing the capacity domain and its limits available for the TSO.	B08
Flow based domain publication	A document providing the capacity domain and its limits available for the market.	B09
Flow based domain market impact publication	A document providing the capacity domain and its impacts on the market to be published.	B10
Anonymized flow based parameters publication	A document providing all the relevant flow based parameters in case of flow based capacity allocation.	B11
Critical network element market impact publication	A document providing the critical network elements and its impacts on the market to be published.	B12
Weather document	An estimation or prediction in advance of the weather by analysis of meteorological data and the results of what actually happened with the weather.	B13
Energy prognosis document	A document to provide the prognosis of energy production/load for a given period.	B14
Network constraint document	A document providing the network constraint situations used for the load flow studies. A network constraint situation includes contingencies, monitored elements and remedial actions.	B15
Aggregated netted external market schedule document	A document used to report aggregated netted external market schedules for a given border.	B16
Aggregated netted external TSO schedule document	A document used to report aggregated netted external TSO schedules for a given border.	B17
Reporting status market document	A document used to report the status of aggregated netted external market schedules, aggregated netted external TSO schedules and compensation program schedules on a given border.	B18
Reporting information market document	A document used to report the information concerning aggregated netted external schedules, aggregated netted external market schedules, aggregated netted external TSO schedules, compensation program schedules, netted area position schedules and netted area AC position schedules to an interested party.	B19
Status request for a reporting information market document	A document requesting the provision of a reporting information document.	B20
Reserve need document	Used by a TSO to send its reserve needs.	B21
Generation and load shift keys document	A document providing the values of the generation and load shift keys to be used on network model.	B22
Offers to be activated	A document containing the outcome of the process, with the list of offers that are to be activated by the TSO concerned and the results for its reserve needs.	B23
Clearing price	A document containing the outcome of the process, with the clearing prices for a period.	B24
Security analysis		

report	A document providing a report on a performed security analysis.	B25
Aggregated netted external schedule document	A document used to report aggregated netted external schedules for a given border.	B26
External TSO schedule	A document used to report external TSO schedules for a given border or interconnector.	B27
Move of scheduled production	A document indication a move of scheduled production.	B28
PS&LC results document	A document providing Pole Splitting & Loss Calculation results.	B29
Notification data market document	A document used to notify data to any information receiver.	B30
Additional Constraint document	A document describing additional constraints for a capacity calculation process.	B31
Operational state document	A document used for exchanging operational states for grid assets.	B32
Published offered capacity	A document providing the most recent values of offered capacity.	B33
Market result document	Published prices and volumes	B34
Area Configuration document	A document containing the definition of areas.	B35
Area Composition document	A document containing the relations between areas, i.e which Metering Grid Areas a Bidding Zone composed of.	B36
Connected Areas document	A document containing which other areas an area is connected to i.e. which Metering Grid Areas a Metering Grid Area is connected to.	B37
Settlement document	A document providing settlement information.	B38
Imbalance prognosis document	A document to provide the prognosis of energy imbalances for a given period.	B39
Complete set of bids	Submission of complete set of bids. If there are existing bids, they should be replaced.	B40
Merged MOL notice	A notice providing information on the MOL merging process.	B41
K-factor document	A document providing K-factor values.	B42
Settlement coordination document	A document providing settlement information for coordination between different parties.	B43
Financial settlement document	A document providing financial settlement information.	B44
Bid availability document	A document providing the detailed reasons for changing the availability or volume of a bid.	B45
Resource capacity unit document	A document providing information about resource capacity units.	B46
Other market information	A document providing other market information.	B47
Permission document	A document that contains detailed information about permissions.	B48
Requested capacity	A document providing requested capacity (e.g. ATC, CZCL) value.	B49
Voltage control activation document	A document providing the number of generating units to activate for voltage control, by means of their operation in synchronous condenser mode.	B50
Transmission inventory document	A document providing a transmission inventory.	B51
Transmission inventory	A document providing statistics on the transmission grid.	B52

Compounds

ESMP_DateTimeInterval

This datatype enables to express the start date and time, and the end date and time of a time interval with a specific pattern. This pattern is the YYYY-MM-DDThh:mmZ.

!# shows all attributes of ESMP_DateTimeInterval.

Table !# - Attributes of ESMPDataTypes::ESMP_DateTimeInterval.

Attribute name	mult.	Attribute type	Description
start (Compound)	1..1	YMDHM DateTime	The start date and time of the interval with a minute resolution.
end (Compound)	1..1	YMDHM DateTime	The end date and time of the interval with a minute resolution.

Primitives

String

A string consisting of a sequence of 8 bit characters. The character encoding is UTF-8. The string length is unspecified and unlimited.

DateTime

Date and time as "YYYY-MM-DDThh:mm:ss.sssZ", which conforms with ISO 8601 UTC time zone.
Note: the time within ESMP is expressed in UTC.