

DAD FieldWorks

A Reusable Evidence Contract Architecture for Validation Aware Computational
Electromagnetics Software

Harun Aktas

Technical Whitepaper / Public Specification Draft
Version 0.5 draft
May 2026

Claim status: No external validation claim. No production readiness claim.

Copyright © 2026 Harun Aktas. All rights reserved.

No license is granted for reuse, redistribution, or derivative work without written permission
from the copyright holder.

Abstract

DAD FieldWorks is a private research and development project for evidence-aware computational electromagnetics software. This public specification draft describes a reusable evidence contract architecture that keeps numerical execution, evidence records, gate rows, decision classes, failure classes, reference comparisons, risks, required future work, and claim boundaries in one structured result model.

The document summarizes public-safe current status and selected internal evidence-path results. It does not publish private source code, private tests, notebooks, internal project-control files, or private artifact files. Numerical tables in this draft are internal research evidence and diagnostic comparisons only. They are not external validation evidence, not production readiness claims, and not commercial solver equivalence claims.

Contents

1	Introduction	4
2	Motivation	4
3	Relationship to CEM Verification and Validation Practice	5
4	Evidence Contract Architecture	5
5	Evidence Row Model	6
6	Gate Row Model	6

7	Decision and Failure Classification	7
8	Reference Comparison Model	8
9	Claim Boundary Model	8
10	Reusable VVUQ Patterns	9
11	Application to Solver Families	9
11.1	Eigenmode Solvers	9
11.2	FDTD Solvers	9
11.3	FEM Helmholtz Solvers	10
11.4	Method of Moments Antenna Solvers	10
11.5	External Comparison Workflows	10
12	C++ Evidence Contract Foundation	10
13	Current Public Technical Status	11
14	Case Study: PEC Cavity Evidence Chain	11
14.1	Reference Case	11
14.2	Scalar Helmholtz Route A Grid Refinement	12
14.3	Same-Grid Scalar Eigenmode Diagnostic	12
14.4	Internal Frequency Comparison	12
14.5	Current PEC Cavity Status	13
15	Solver Generated Public Diagnostic Visualization	13
16	Advantages of the Proposed Architecture	14
17	Limitations and Claim Boundaries	14
18	Roadmap	15
18.1	Near Term	15
18.2	Mid Term	15
18.3	Long Term	15
19	Conclusion	16

1 Introduction

Computational electromagnetics software often produces numerical output long before the output is safe to use as a claim. A field plot, residual, frequency estimate, or comparison table can be technically useful while still being insufficient for release, certification, external agreement, or engineering reliance. DAD FieldWorks treats this gap as an architectural problem.

The central idea in this whitepaper is an evidence contract: every solver-facing result should carry not only values, but also structured evidence, gate rows, decision labels, failure labels, reference-comparison rows, risks, required future work, and explicit claim boundaries. This keeps numerical success from silently becoming a claim that the available evidence does not support.

Version 0.5 extends the public whitepaper source with current public-safe project status, a C++ evidence contract foundation, current PEC cavity diagnostic evidence, and provenance for the public solver generated hero visualization.

Public boundary. This document is a public architecture and status draft. It is not validation evidence, not a production readiness claim, not a product release, and not an external solver equivalence claim.

2 Motivation

Electromagnetic solver work contains several distinct layers:

- numerical implementation,
- problem definition and geometry metadata,
- grid, mesh, basis, material, and boundary conventions,
- source and observable definitions,
- analytical or alternative computational code comparison rows,
- residual and convergence diagnostics,
- gate decisions and failure classification,
- risk and required future work,
- claim boundary review.

These layers should not be compressed into a single Boolean. A solver can execute without being comparison-ready. A comparison can be internally useful without allowing an external validation claim. A clean residual can coexist with a boundary convention ambiguity. A visualization can be solver generated and still remain diagnostic only.

The evidence contract architecture is motivated by that separation. It encourages each solver family to return structured evidence that makes the current decision state reviewable, repeatable, and conservative.

3 Relationship to CEM Verification and Validation Practice

Classical computational electromagnetics verification and validation practice distinguishes implementation correctness, numerical convergence, reference comparison, uncertainty, and model adequacy. The DAD FieldWorks evidence contract architecture does not replace those practices. It provides a reusable result shape for carrying their status through solver workflows.

The architecture is designed to support:

- analytical reference checks for simple cases,
- internal code-verification diagnostics,
- grid, mesh, and basis refinement evidence,
- source, probe, and observable metadata,
- bounded artifact reviews,
- alternative computational code comparison workflows,
- explicit limitations and claim boundaries.

The architecture deliberately separates the phrase “computed successfully” from any phrase implying release status. Computed values must be interpreted through the evidence rows and gate rows that produced them.

4 Evidence Contract Architecture

An evidence contract is a structured result object with four responsibilities:

1. carry solver and case metadata,
2. carry numerical values and evidence rows,
3. carry gate decisions and failure classes,
4. carry claim boundaries and future work rows.

The core public-safe type vocabulary used in the current architecture is:

Record type	Purpose
<code>EvidenceRow</code>	General structured evidence record for values, metrics, provenance, assumptions, or diagnostic facts.
<code>GateRow</code>	Named decision gate with pass flag, value, threshold, or notes.
<code>DecisionClass</code>	Controlled decision label for the result state.
<code>FailureClass</code>	Controlled failure or blocked-state label.
<code>ClaimBoundary</code>	Explicit allowed and disallowed public claim row.

Record type	Purpose
ReferenceComparisonRow	Analytical, manufactured, or alternative computational code comparison row.
RiskRow	Technical risk, mitigation, and residual uncertainty row.
RequiredFutureWorkRow	Work required before a stronger claim or next task can be opened.
SolverMetadata	Solver family, solver name, method, version, and case identity.
ValidationArtifactMetadata	Identifiers for reviewable artifacts or evidence bundles.
ResultContractSummary	Summary decision, failure class, and conservative claim flags.
SolverEvidenceResult	Top-level result container collecting metadata, rows, gates, comparisons, risks, future work, and claim boundaries.

The model is intentionally reusable. It can represent a scalar eigenmode prototype, a time-domain FDTD diagnostic, a FEM Helmholtz check, a Method of Moments antenna workflow, or an external comparison workflow without changing the result contract shape.

5 Evidence Row Model

An `EvidenceRow` records a specific fact that may be useful for review. Typical fields include an identifier, evidence class, quantity name, value, units, method note, and interpretation note.

Examples of evidence row content include:

- grid dimensions and physical dimensions,
- material and boundary convention records,
- eigenfrequency estimates and residual norms,
- FDTD source, probe, and ringdown metadata,
- field component availability rows,
- artifact readability rows,
- execution-boundedness rows.

Evidence rows are not themselves claims. They become actionable only when combined with gate rows, risk rows, and claim boundaries.

6 Gate Row Model

A `GateRow` is a named check. It should be specific enough that a reviewer can see why a decision passed, failed, or remained blocked.

Gate family	Typical state	Example interpretation
Execution gate	pass/fail	Did the bounded computation execute without non-finite output?
Residual gate	pass/fail	Is the residual below the stated internal threshold?
Reference gate	pass/fail/blocked	Is a reference comparison present and scoped?
Metadata gate	pass/fail/blocked	Are grid, boundary, source, and observable conventions recorded?
Claim gate	pass/fail	Are external validation and production flags still conservative?
Artifact gate	pass/fail	Are review artifacts readable and bounded?

The gate row model is deliberately granular. A result can pass residual gates and fail metadata gates. That is a useful state, not an error in the architecture.

7 Decision and Failure Classification

`DecisionClass` and `FailureClass` make result state explicit. They should not be anonymous strings hidden in log output. They should be part of the returned result contract.

Examples of conservative decision classes include:

- scalar grid refinement converging,
- same-grid scalar interpretation inconclusive,
- records-only policy audit passed,
- solver health issues found,
- comparison blocked pending metadata closure.

Examples of conservative failure classes include:

- none,
- source required,
- solver health issues found,
- validation data required,
- mapping ambiguity unresolved,
- comparison blocked.

The project currently treats decision and failure labels as typed string wrappers in the C++ evidence contract foundation. This allows solver-specific vocabularies while preventing decision state from dissolving into unstructured notes.

8 Reference Comparison Model

A `ReferenceComparisonRow` records comparison context. It should not be only a numerical difference. A useful comparison row should include:

- reference type,
- reference quantity,
- computed quantity,
- absolute and relative difference where meaningful,
- tolerance policy,
- scope of applicability,
- claim boundary.

Reference comparisons may involve analytical formulas, manufactured solutions, regression baselines, or alternative computational code comparisons. Each comparison must keep its scope. A comparison for one mode, mesh, observable, or source does not automatically generalize to a solver family.

9 Claim Boundary Model

The claim boundary model is where the architecture prevents accidental overstatement.

Boundary	Current conservative rule
External validation	Numerical success alone does not create an external validation claim.
Production readiness	Execution, residuals, and internal comparison rows do not create a production readiness claim.
Commercial solver equivalence	A scoped comparison row does not create a general commercial solver equivalence claim.
Measurement comparison	No measurement validation claim exists without traceable measurement artifacts and gates.
Scalar-to-vector transfer	Scalar Helmholtz prototypes do not establish a full vector Maxwell eigenmode solver claim.
Visualization	Solver generated visualization is diagnostic presentation only.

The current conservative defaults are:

Flag	Default
<code>ExternallyValidatedQ</code>	False
<code>ProductionAllowedQ</code>	False

These flags do not become true by numerical success alone. They require separate evidence, acceptance gates, and claim review.

10 Reusable VVUQ Patterns

The current evidence chain suggests reusable VVUQ patterns:

- **Bounded execution:** limit problem size, stored fields, time histories, and artifacts.
- **Records-only planning:** plan comparison or implementation gates before running new numerics.
- **Source and observable discipline:** record source type, source position, probe position, component, window, and observable.
- **Reference separation:** distinguish analytical reference, internal diagnostic estimate, and external comparison workflow.
- **Ambiguity rows:** preserve unresolved mapping, component, source, probe, and boundary ambiguity.
- **No silent promotion:** do not promote an internal frequency candidate into a claim without explicit gates.
- **Claim defaults:** keep external validation and production flags false unless a separate claim review changes them.

These patterns are reusable because they are independent of one solver method.

11 Application to Solver Families

11.1 Eigenmode Solvers

Eigenmode evidence should carry geometry, material, boundary, basis or grid convention, eigenvalue formulation, residual definition, normalization policy, nullspace treatment, and reference comparison rows. Scalar Helmholtz prototypes can be useful stepping stones, but they must not be used as proof of a full vector Maxwell eigenmode chain.

11.2 FDTD Solvers

FDTD evidence should carry time step, Courant factor, grid spacing, source type, source location, probe location, boundary treatment, component family, stored observable, ringdown window, peak-selection policy, and field snapshot limitations. Internal PEC cavity FDTD evidence remains diagnostic and comparison-blocked where mode ambiguity, component family disagreement, or metadata closure is unresolved.

11.3 FEM Helmholtz Solvers

FEM Helmholtz evidence should carry weak form, element family, mesh, material map, boundary condition, residual norm, manufactured-solution or analytical reference rows, and mesh refinement gates. A manufactured-solution check remains internal verification unless claim rows support more.

11.4 Method of Moments Antenna Solvers

Method of Moments evidence should carry integral equation choice, basis functions, mesh or segment metadata, feed model, impedance or radiation observable, convergence rows, and reference comparison rows. Feed and observable definitions are as important as numerical convergence.

11.5 External Comparison Workflows

External comparison workflows should carry artifact metadata, same-problem mapping evidence, normalization gates, quantity definitions, tolerance policy, risk rows, and claim boundary rows. The comparison should be scoped to the case, observable, and artifact quality available.

12 C++ Evidence Contract Foundation

The current C++ direction is a lightweight evidence-contract foundation rather than a released solver core. Public-safe current state:

- solver-agnostic C++ value types exist for the evidence contract vocabulary,
- the contract centers on `SolverEvidenceResult`,
- `ResultContractSummary` keeps conservative default claim flags,
- local C++ contract tests exercise the generic contract layer,
- a narrow non-numerical scalar Helmholtz demo result wrapper demonstrates how a future wrapper can populate metadata, evidence rows, gates, comparison readiness rows, risks, claim boundaries, and required future work,
- no C++ solver core is released in this public repository,
- no C++ eigenmode, FDTD, FEM, or Method of Moments numerical kernel is claimed as public release material.

The current C++ foundation is important because it moves evidence contracts toward future solver wrappers without requiring private implementation details in public material. It is infrastructure and shape discipline, not solver validation evidence.

13 Current Public Technical Status

DAD FieldWorks remains a private research and development project. The public showcase contains selected architecture material, public status notes, a public whitepaper PDF, public companion notes, and solver generated diagnostic visualization assets.

Current public-safe status from the private project state can be summarized as follows:

- Evidence contract architecture is the central reusable pattern.
- Conservative claim defaults remain active: `ExternallyValidatedQ = False` and `ProductionAllowedQ = False`.
- Scalar PEC cavity Helmholtz Route A refinement evidence is internally convergent for the bounded scalar model.
- Same-grid scalar PEC cavity diagnostics remain inconclusive because mapping policy ambiguity is material.
- FDTD PEC cavity internal evidence contains useful component and frequency-family diagnostics, but mode ambiguity and comparison-readiness gaps remain.
- Records-only Route A/C policy closure for PEC cavity native-Yee planning is complete at the policy layer, while derivative boundary policy, normal component disposition, residual policy, nullspace policy, mass/generalized eigenproblem policy, and native curl-curl implementation remain blocked.
- C++ currently provides evidence-contract infrastructure and a non-numerical demo wrapper, not a released solver core.

14 Case Study: PEC Cavity Evidence Chain

The PEC cavity case is useful because it is simple enough to have an analytical reference while still exposing real evidence-contract issues: grid interpretation, field component conventions, boundary policy, source/probe dependence, frequency-family ambiguity, and claim boundaries.

14.1 Reference Case

The current public-safe reference case is a rectangular PEC cavity with:

Quantity	Value
a	0.08 m
b	0.084 m
d	0.084 m
(m, n, p)	(1, 1, 1)
c_0	299792458 m/s
Analytical reference frequency	3.143165987503105 GHz

For a rectangular cavity reference, the frequency form is:

$$f_{mnp} = \frac{c_0}{2} \sqrt{\left(\frac{m}{a}\right)^2 + \left(\frac{n}{b}\right)^2 + \left(\frac{p}{d}\right)^2}.$$

This analytical reference is a scoped reference for the case. It does not by itself validate any solver family.

14.2 Scalar Helmholtz Route A Grid Refinement

The scalar Helmholtz Route A refinement evidence is a bounded homogeneous-Dirichlet scalar finite-difference diagnostic. It is useful scalar convergence evidence only.

Level	Grid	Frequency (GHz)	Relative error	Residual norm
0	{9, 8, 8}	3.128307359058	0.0047272809	2.63×10^{-15}
1	{18, 16, 16}	3.139012096545	0.0013215627	1.29×10^{-14}
2	{27, 24, 24}	3.141247276062	0.0006104391	1.68×10^{-14}

The relative error decreases monotonically for these three bounded levels. The optional larger row remains outside the bounded execution status used for this public draft.

14.3 Same-Grid Scalar Eigenmode Diagnostic

The same-grid scalar diagnostic compares multiple interpretations of grid metadata and scalar boundary convention. The numerical eigenvalue solves are clean, but interpretation remains the limiting factor.

Policy	Matrix size	Frequency (GHz)	Relative error	Residual norm
1	504×504	2.778104015200	0.1161446687	1.83×10^{-15}
2	336×336	3.122528486251	0.0065658325	1.14×10^{-15}
3	504×504	3.126946915965	0.0051601066	2.37×10^{-15}

The same-grid scalar diagnostic remains inconclusive because mapping policy ambiguity is material. Policy 1 is clean numerically but has a large relative error. Policies 2 and 3 are plausible, with Policy 3 closest to the analytical reference in this pass. No mapping policy is promoted by this evidence alone.

14.4 Internal Frequency Comparison

Route or diagnostic	Frequency (GHz)	Relative error
Analytical reference	3.143165987503	0
Route A scalar Helmholtz Level 0	3.128307359058	0.004727281

Route or diagnostic	Frequency (GHz)	Relative error
Route A scalar Helmholtz Level 1	3.139012096545	0.001321563
Route A scalar Helmholtz Level 2	3.141247276062	0.000610439
Same-grid scalar Policy 2	3.122528486251	0.006565833
Same-grid scalar Policy 3	3.126946915965	0.005160107
Numerical dispersion diagnostic	3.126477519038	0.005309445
FDTD EzHxFamily	2.950641806786	0.061251675
FDTD ExFamily	3.631559146814	0.155382554

This is an internal evidence path comparison. It is not external validation evidence. The FDTD family rows remain diagnostic because component-family disagreement, source/probe effects, peak-selection policy, and mode identification remain claim boundaries.

14.5 Current PEC Cavity Status

Current public-safe status for the PEC cavity evidence chain:

- Route A/C closure is records-closed as a policy layer.
- Normal electric component disposition remains unresolved.
- Boundary derivative policy remains partial.
- Residual metric policy remains partial.
- Mass or generalized eigenproblem policy remains partial.
- Nullspace and spurious-mode policy remains partial.
- Native Yee curl-curl eigenmode prototype planning remains blocked.
- CPML support is not claimed for the normal solver path.
- No internal frequency candidate is promoted to a validation claim.

15 Solver Generated Public Diagnostic Visualization

The public showcase includes a solver generated diagnostic visualization. Its public-safe provenance is:

Item	Public-safe description
Field family	2D FDTD TMz
Updated fields	Ez, Hx, Hy
Rendered quantity	Signed Ez
Object	Rectangular PEC-like object from the simulation mask
PEC condition	Ez held at zero inside the PEC mask

Item	Public-safe description
Source	Gaussian-modulated sine soft point source
Boundary handling	Graded loss layer with simple absorbing edge copy
External images	none
Screenshots	none
AI image generation	none
Private source code in public repo	none
Claim boundary	diagnostic visualization only; not validation evidence; not production readiness

The visualization is intended to communicate field diagnostic character: incoming wave, PEC interaction, reflection, scattering, shadowing, and time evolution. It does not establish validation, comparison agreement, or release readiness.

16 Advantages of the Proposed Architecture

The proposed architecture has several practical advantages:

- **Reviewability:** decisions and limitations are inspectable in structured rows.
- **Reusability:** one contract shape can serve multiple solver families.
- **Conservatism:** claim flags default to false and require explicit evidence to change.
- **Separation of concerns:** numerical execution, reference comparison, and public claims stay distinct.
- **Migration path:** mature research evidence patterns can be carried into future C++ wrappers.
- **Failure clarity:** blocked states become useful information rather than hidden weakness.

17 Limitations and Claim Boundaries

This draft makes the following limitations explicit:

- no external validation claim,
- no production readiness claim,
- no commercial solver equivalence claim,
- no formal external solver agreement or certification claim,
- no measurement validation claim,
- no full-vector Maxwell eigenmode solver claim from scalar prototypes,

- no native Yee curl-curl solver claim from the current scalar prototypes,
- no external FDTD validation claim,
- same-grid scalar mapping ambiguity remains open,
- FDTD PEC cavity component-family ambiguity remains open,
- public visualization is diagnostic only,
- C++ evidence contracts are infrastructure and do not release a numerical solver core.

18 Roadmap

18.1 Near Term

- keep validation and production flags conservative,
- continue same-grid scalar interpretation review,
- document grid convention and boundary mapping requirements,
- close boundary derivative route policy at records level before implementation,
- continue C++ compilation and contract testing for the evidence foundation,
- bind only narrow, reviewable solver wrappers to `SolverEvidenceResult`.

18.2 Mid Term

- define native Yee field component offsets and boundary masks,
- document native curl and curl-curl metadata requirements,
- plan a native Yee curl-curl eigenmode prototype only after metadata closure,
- develop independent FDTD reference cases that do not depend on PEC feature tracking alone,
- improve source, probe, ringdown, and peak-selection evidence rows,
- define FEM Helmholtz and Method of Moments evidence contract wrappers.

18.3 Long Term

- mature a full eigenmode solver evidence chain,
- establish independent FDTD validation cases under traceable gates,
- build external comparison pipelines with artifact metadata and same-problem mapping gates,
- migrate mature research kernels into C++ only when evidence contracts are mandatory,
- maintain claim boundary review as a release gate for each solver family.

19 Conclusion

DAD FieldWorks uses evidence contracts to keep computational electromagnetics research honest about what has been computed, what has been checked, what remains ambiguous, and what cannot yet be claimed. The architecture is reusable across eigenmode, FDTD, FEM Helmholtz, Method of Moments, and external comparison workflows.

The current public v0.5 draft documents meaningful progress: a reusable evidence row and gate row vocabulary, conservative claim defaults, scalar PEC cavity refinement evidence, same-grid scalar ambiguity, FDTD PEC cavity diagnostic family comparisons, a public solver generated visualization, and a C++ evidence contract foundation. The limitations are equally important: no external validation claim, no production readiness claim, no commercial solver equivalence claim, no private source code publication, and no solver-core release in the public showcase.

20 References

References

- [1] K. S. Yee, “Numerical solution of initial boundary value problems involving Maxwell’s equations in isotropic media,” *IEEE Transactions on Antennas and Propagation*, vol. 14, no. 3, pp. 302–307, 1966.
- [2] A. Taflov and S. C. Hagness, *Computational Electrodynamics: The Finite-Difference Time-Domain Method*. Artech House, third edition, 2005.
- [3] D. M. Sullivan, *Electromagnetic Simulation Using the FDTD Method*. IEEE Press, 2000.
- [4] A. Bondeson, T. Rylander, and P. Ingelstrom, *Computational Electromagnetics*. Springer, 2005.
- [5] C. A. Balanis, *Advanced Engineering Electromagnetics*. Wiley, second edition, 2012.
- [6] W. L. Oberkampf and C. J. Roy, *Verification and Validation in Scientific Computing*. Cambridge University Press, 2010.
- [7] P. J. Roache, *Verification and Validation in Computational Science and Engineering*. Hermosa Publishers, 1998.