

Development Report

Date: 09 May 2026

Prepared by: Islem

Work Completed

All work today landed on the web repository. The mobile app received no commits — every endpoint added today is consumed by the existing admin and advertiser surfaces, which live on web.

1. Publeader — Validations workflow (AD1)

- Built the combined admin validation queue: drivers, companies, and partners share a single backend pipeline with per-kind detail, approve / reject / request-info actions, and outbound email notifications on every decision.
 - Each entity carries a per-kind review trail (last action only — reviewer, timestamp, rejection reason, last info request) so the queue UI can render history without a separate audit table.
 - Web validation queue page lists pending submissions and exposes the detail view with documents.
-

2. Publeader — Finance & Invoicing (AD2)

- Built the invoice subsystem on top of the new admin finance area: CRUD with status machine (**brouillon** → **envoyée** → **payée**, derived **en retard** computed on read), atomic per-year invoice reference counter, per-line totals, configurable VAT.
 - Send-invoice route generates the PDF, emails the recipient via SMTP, and flips the invoice to **envoyée** in one transaction.
 - Driver commissions, internal expenses ledger (4 categories), and finance KPIs (MRR, collections, pending, commissions due, overdue) wired into a single admin finance page.
-

3. Publeader — Stripe payments (AD3)

- Integrated Stripe Checkout (hosted) for invoice payment. Choices: hosted (PCI-light), email + advertiser web dashboard pay surface, refund/dispute reverts the invoice to **envoyée** with timestamp + reason flag.
- Persistent pay link strategy: each click on the email link mints a fresh Checkout Session via `/api/pay/[id]/redirect` so emails never expire even past Stripe's 24h Checkout TTL.

- Webhook handler with signature verification and idempotency (the Stripe event id is the primary key on a dedicated `stripe_events` collection; duplicate deliveries are ignored). Events handled: checkout completed, async payment succeeded, payment intent failed, charge refunded, dispute created/closed (won/warning_closed clears the flag, lost is treated as a refund).
 - Advertiser web endpoints for listing own invoices and creating Checkout Sessions on demand. Send-invoice email body now embeds a Pay button when Stripe is configured.
-

4. Publeader — Reports (AD4)

- Six report builders, all generated inline (sync) and uploaded to Cloudinary as `raw` resources, with persisted history per request:
 - **Bilan mensuel** (PDF) — revenue, commissions, expenses, net margin, active campaigns, top advertisers.
 - **Export comptable** (ZIP of three CSVs) — invoices, commissions, expenses, RFC-4180 quoted, UTF-8 BOM for Excel.
 - **Performance Leader Borne** (PDF) — per-terminal sprays, impressions, refills, partner revenue using the same rates as the partner statements.
 - **Activité chauffeurs** (PDF) — top performers by commissions over the period, capped at 100.
 - **Rapport annonceurs** (PDF) — campaigns, budget, impressions, fill rate (flocage drivers + borne impressions), invoiced + collected.
 - **Audit RGPD** (PDF) — PII inventory by collection with retention policy and live row counts. Sourced from a single retention-policy const so legal review has one document to maintain.
 - Period picker per request (start/end). Admin web page replaces the old static mocks: builder card with 6 radio cards + date range, history grid with download/delete per entry.
-

5. Publeader — Dashboards & KPIs (AD5)

- Single admin dashboard endpoint runs ~9 parallel Mongo queries: finance KPIs (reusing AD2's service), counts (drivers, companies, partners, campaigns), borne fleet health (online/offline/maintenance from heartbeat freshness, monthly revenue, top terminals), city distribution, validation queue summary, recent campaigns, and month-over-month deltas on every headline metric.
- Revenue chart endpoint with hybrid data source: paid invoices for past days (attributed to flocage/borne via the linked campaign), accrued campaign budgets distributed linearly across active windows for today. Range selector supports 30 / 90 / 365 days.
- Advertiser dashboard endpoint: own impressions over the past 30 days with sparkline + delta vs prior 30, % toward `borne.targetImpressions`

goal, active campaigns, billing summary (paid this month + open + overdue), recent campaign events as activity feed.

- Wired all three screens ([DashboardGlass](#), [DashboardPro](#), [EnterpriseDashboard](#)) to live data, replaced the hard-coded mock arrays and the synthetic stacked-area generator.
-

6. Publeader — Global search palette (AD6)

- Admin-only [/api/admin/search](#) with case-insensitive regex (escaped) over campaigns (brand/title/domain/city), drivers (name/phone/city), companies (name/contact/SIRET/VAT/city), and terminals (code/name/address/city). Per-type cap of 5, total 20 max.
 - ⌘K palette wired to live search with 250 ms debounce and an [AbortController](#) cancelling in-flight requests on every keystroke. Mock entities removed; [Résultats](#) group only renders for queries ≥ 2 characters.
-

7. Publeader — User management & platform settings (AD7 + AD8)

- Admin user management page ([/utilisateurs](#)) backed by Better-auth's admin plugin. Filters by role / banned / search; per-row actions for ban (with optional reason + expiration in days), unban, force-logout (revoke all sessions). Self-ban is blocked at the route layer.
 - Platform settings page ([/parametres-plateforme](#)) edits the two existing [app_config](#) keys (wallet config and partner revenue rates) via a single [/api/admin/settings](#) endpoint. After save, the in-memory caches in [wallet.ts](#) and [partner-revenue-service.ts](#) are invalidated so live services pick up new values immediately.
 - Three Auth-section open items (admin force-logout / ban / unban UI, team member invite acceptance UI, SMTP credentials in prod) are now satisfied by this work plus the existing [/invite/\[id\]](#) route and Gmail App Password setup. Note: production should migrate to a dedicated transactional mail provider before public launch.
-

8. Publeader — Audit trail & GDPR (X4)

- Audit log collection + service. Twelve admin mutations now record audit entries (actor, action, target, before/after snapshots, IP): user ban/unban/revoke-sessions, invoice send/mark-paid/delete, validation approve/reject/request-info, withdrawal process/reject, partner payout mark-paid, settings update (with full before/after diff), reports generate/delete, and Stripe webhook processing as a system event.
- Admin [/audit](#) page: filter by action, actor, date range; expandable row shows the JSON payload (before / after / meta / IP).

- GDPR data export: `/api/me/gdpr/export` builds a ZIP of role-scoped JSON files (user, driver+transactions+withdrawals+vehicles+documents for drivers; company+invoices+campaigns+assets for advertisers; partner+terminals+payouts for partners; plus a manifest).
- GDPR account deletion (anonymization, not hard delete): `/api/me/gdpr/delete` zeroes PII on the user row + role-specific row, randomises the password hash and wipes sessions to block future logins, destroys uploaded documents and vehicle photos from Cloudinary, and writes a compliance record into a new `gdpr_deletions` collection. Financial records (transactions, withdrawals, invoices) are retained per the FR Code de commerce 10-year obligation, but no longer attributable to the user.
- New `/mes-donnees` page available to all logged-in roles: download ZIP button + delete-account modal that requires typing `SUPPRIMER`.
- Document retention policy moved to a single source of truth (`lib/retention-policy.ts`) consumed by both the GDPR audit report and this report. No automated purge — admins enforce manually.