

Karnain — Launch report

Date: 2026-06-07 · **Prepared by:** Achraf Arabi · **Audience:** product (PM) + engineering **Repository:** <https://github.com/DigitariaWebs/karnain-website> · **Live:** <https://karnain-website.vercel.app>

A refined, French-language website for the Karnain perfume house: an editorial homepage with a Blender-rendered 3D video hero, product pages with a guest shopping bag, a filterable collection, an Instagram-integrated brand story, and a Supabase-backed catalog with an admin back office. Built spec-by-spec on a Next.js harness where every change is gated, tested, and screenshot-evidenced.

Part 1 — For product (PM)

What it is

A premium brand + e-commerce storefront that makes a visitor feel the maison and move from discovery → a fragrance → the bag with no friction. Anchored on the restrained editorial luxury of the reference the client cited (Maison Francis Kurkdjian): ivory canvas, refined serif display, generous whitespace, large imagery, calm motion. French-only at launch, on i18n foundations so other locales are additive later.

Feature inventory

Spec	Feature	Status	Notes
001	Brand foundation & homepage	Live	Design system, header/footer shell, French i18n
002	Shop — product page & bag	Live	Gallery + lightbox, scent notes, guest cart (drawer + <code>/panier</code>)
003	Collection page	Live	Scent-family filters via shareable URLs
004	Editorial campaign + Instagram	Live	Campaign band + “Suivez-nous” lifestyle strip
005	Supabase data layer + admin	Live*	Catalog from Supabase with seed fallback; admin CRUD at <code>/admin</code>
007	3D video hero + contrast	Live	360° bottle video (Blender), legibility scrim
008	Brand logo	Live	KARNAIN · PARIS wordmark in header, footer, mobile menu

* Runs on a built-in seed catalog today; activates against Supabase the moment keys are added.

Commerce model

- **Cart / bag** (standard luxury e-commerce, LV / JPG style): add to bag → bag drawer → cart page. Guest bag, persisted locally — no customer login to shop. (Revised from an earlier WhatsApp-inquiry idea, which read as mass-market for the maison.)
- **Checkout / payment is intentionally deferred** (Stripe) pending the payment provider and legal/CGV. The cart page shows the order and a clear “paiement bientôt”.

Catalog & content

Seven fragrances at €195 under “Karnain Addicté”: Tobacco, Cuir 90, Rose des Îles, Tentation, Sucre Addictée, Rose des Bois, Cherry Je t’aime — grouped into scent families (Boisés & ambrés, Floraux, Gourmands) that power the collection filters. Real photography is wired for five; Sucre Addictée and Rose des Bois show tasteful placeholders until photos exist.

The 3D product video (Blender)


The hero background is a bespoke **3D product render created in Blender**. The source scene (`3d-showcase/karnain-tobacco.blend`) animates a 360° turntable of the Tobacco bottle on a marble pedestal; it is rendered to frames and exported to a web video. Only the optimized web assets are committed (1080p H.264, ~6 s loop, 1.6 MB) — the heavy Blender project and frames stay out of the repo. It autoplays muted and loops, with a still poster fallback for reduced-motion users, under a contrast scrim so the headline stays legible.

Outstanding (needs client input)


- **Supabase** project URL + publishable key → managed catalog + admin go live.
- **Real contact** — email + phone (placeholders today) and **legal / CGV** copy.
- **Payment** — decision + Stripe keys → enable checkout.
- **Photos** — Sucre Addictée + Rose des Bois (or a decision to drop them).
- **Domain** — point `karnain.fr` at the Vercel project when ready.

The experience


Homepage — 3D video hero



Product page — gallery, notes, add to bag



Collection — scent-family filters



Part 2 — For engineering

Stack

Next.js 16 (App Router, React Server Components), TypeScript strict (`noUncheckedIndexedAccess`), Tailwind CSS v4 + shadcn/ui, Zustand 5 (guest bag), Motion, Supabase (`@supabase/ssr`), Vitest + Testing Library, Playwright. Package manager pnpm. Hosting: Vercel.

Architecture & module boundaries

Layered, ESLint-enforced: `app` → `features` → `shared` (`components`, `hooks`, `lib`) → `core` . Features never import other features (admin uses structural props, not the catalog type). Feature slices:

- `catalog` — fragrance/collection types, data access (Supabase-or-seed), product UI (card, grid, gallery with keyboard lightbox, scent-notes).
- `cart` — SSR-safe Zustand store (`persist` , lines only) + provider; bag button (header), slide-over drawer, cart-page view.

- `admin` — Supabase-auth session guard, zod-validated server actions (upsert/delete), product table + form.

Routes use groups: `app/(site)` (public chrome — header/footer/cart) and `app/(admin)` (minimal admin chrome). Route groups don't change URLs.

Data layer & fallback

Catalog selectors are async and source-agnostic: when `NEXT_PUBLIC_SUPABASE_URL` + `NEXT_PUBLIC_SUPABASE_PUBLISHABLE_KEY` are present they read from Supabase (`features/catalog/supabase-repo.ts`, zod-parsed rows), otherwise they return the in-code seed (`features/catalog/data.ts`). The Supabase repo is a `server-only` module imported dynamically only when configured, so the site builds and runs with zero configuration and the selectors stay unit-testable.

Admin & security

- Supabase Auth, no public sign-up (authenticated == admin; create users in the dashboard).
- SQL migration `supabase/migrations/*_init_catalog.sql`: `collections` + `fragrances`, **RLS enabled** (public read, authenticated write), grants, and a seed insert.
- Only the URL + publishable key reach the browser; the service-role key stays server-side.
- `/admin` is `noindex`; when unconfigured it shows a “connect Supabase” notice, never a broken login.

3D video pipeline

`3d-showcase/karnain-tobacco.blend` → rendered frames → `karnain-tobacco-360.mp4`, exported to `public/video/hero.mp4` (+ poster `public/images/hero-poster.png`). Rendered by `components/layout/hero-background.tsx` (`autoplay/muted/loop/playsInline`; `useReducedMotion` falls back to the poster). The Blender source is git-ignored via `/3d-showcase/`.

Quality gates & CUJs

`pnpm verify` runs lint (+ boundaries), TypeScript, Prettier, docs-link integrity, copy/typography, unit tests, and a production build. Critical user journeys (Playwright):

- **CUJ-A** Discover the house · `e2e/home.spec.ts`
- **CUJ-B** Explore a fragrance, fill the bag · `e2e/product.spec.ts`
- **CUJ-C** Browse the collection · `e2e/collection.spec.ts`

Repository layout

```
src/app/(site)|(admin)  routes (public chrome / admin chrome)
src/features/           catalog · cart · admin (vertical slices, public API via index.f
src/components/         ui + layout (header, footer, hero-background)
src/core/               env, site config, i18n, supabase clients
supabase/migrations/    catalog schema (RLS + seed)
docs/ · specs/          knowledge tree + feature specs (constitution, ADRs)
e2e/ · artifacts/       Playwright CUJs → screenshot evidence
```

Run, test, deploy

```
pnpm install
pnpm dev                # http://localhost:3000
pnpm verify             # full local gate
pnpm e2e                # critical user journeys
pnpm report:pdf <slug>  # render docs/reports/<slug>.md → PDF
```

Deployed on Vercel (Next.js auto-detected, GitHub repo connected for auto-deploys on push). No environment variables required — it runs on the seed until Supabase keys are added in the Vercel project settings. Architecture decisions are recorded as ADRs in `../architecture/decisions/` (e.g. ADR-0005, Supabase with seed fallback).

Verification summary

```
pnpm verify green and CUJ-A/B/C green at time of writing; per-journey screenshots in
artifacts/screenshots/. Production smoke-checked: /, /collection, /parfums/[slug],
/video/hero.mp4, and /logo.png all return 200.
```