

Karnain — Launch report

Date: 2026-06-07 · **Owner:** progix · **Prepared for:** Karnain (Marouane)

A refined, French-language website for the Karnain perfume house: an editorial homepage with a 3D video hero, product pages with a guest shopping bag, a filterable collection, an Instagram-integrated brand story, and a Supabase-ready catalog with an admin back office. Built on a spec-driven Next.js harness; every change is verified and screenshot-evidenced.


What shipped

Spec	Feature	Highlights
001	Brand foundation & homepage	Luxury design system (ivory/ink + serif), app shell, French i18n
002	Shop — product page & bag	Gallery + keyboard lightbox, scent notes, guest cart (drawer + <code>/panier</code>)
003	Collection page	All fragrances, scent-family filters via shareable URLs
004	Editorial campaign + Instagram	Full-bleed campaign band and a “Suivez-nous” lifestyle strip
005	Supabase data layer + admin	Catalog from Supabase (seed fallback) + admin CRUD at <code>/admin</code> (Supabase Auth)
007	3D video hero + contrast fix	360° bottle video background, scrim + text-shadow for legibility
008	Brand logo	KARNAIN · PARIS wordmark in header, footer, and mobile menu


Real product photography is wired for 5 of the 7 fragrances; Sucre Addictée and Rose des Bois use intentional placeholders until photos exist.

The experience

Homepage — 3D video hero



Product page — gallery, notes, add to bag



Collection — scent-family filters



Verification

- `pnpm verify green` — ESLint (+ module boundaries), TypeScript strict, Prettier, docs link integrity, copy/typography, unit tests, and a production build.
- **End-to-end (Playwright) green** — the critical user journeys:
 - **CUJ-A** Discover the house (homepage)
 - **CUJ-B** Explore a fragrance and fill the bag (product → drawer → cart)
 - **CUJ-C** Browse the collection (filter by family → open a fragrance)
- Screenshots captured per journey in `artifacts/screenshots/`.

Architecture & decisions

- **Stack:** Next.js 16 (App Router, RSC), TypeScript strict, Tailwind v4 + shadcn/ui, Zustand (guest bag), Motion, Supabase (`@supabase/ssr`). Hosting: Vercel.
- **Layered module boundaries** (`app` → `features` → `shared` → `core`), ESLint-enforced; feature slices: `catalog`, `cart`, `admin`.
- **Commerce:** cart/bag (LV/JPG style). Online payment is deferred (Stripe) pending payment + legal.
- Decisions recorded as ADRs in `../architecture/decisions/` (e.g. ADR-0005, Supabase data layer with seed fallback).

Data & admin

The catalog reads from **Supabase when configured, and an in-code seed otherwise** — so the site runs with zero configuration today. To activate the managed catalog + admin: set `NEXT_PUBLIC_SUPABASE_URL` and `NEXT_PUBLIC_SUPABASE_PUBLISHABLE_KEY`, run `supabase/migrations/*_init_catalog.sql`, and create an admin user in the Supabase dashboard. The admin lives at `/admin` (Supabase Auth, no public sign-up).

Outstanding (needs client input)

- **Supabase** project URL + publishable key (then catalog + admin go live).
- **Real contact** — email + phone (placeholders today) and **legal/CGV** copy.
- **Payment** — decision + Stripe keys → enable checkout.
- **Photos** — Sucre Addictée + Rose des Bois (or drop them).

Run & deploy

```
pnpm install
pnpm dev      # http://localhost:3000
pnpm verify   # full local gate
pnpm e2e      # critical user journeys
```

Deployed on Vercel (Next.js auto-detected). The build needs no environment variables — it runs on the seed catalog until Supabase keys are added in the Vercel project settings.