xFact Design System

Brand Guidelines, Typography, and Component Architecture

VERSION 2.0 | WORDPRESS INTEGRATION

1. Design Philosophy

The xFact Design System is engineered to project authority, reliability, and modern technical excellence. It emphasizes **content clarity, precise typography, and a deliberate structural hierarchy** using fluid layouts. Built as a foundation for both the Next.js frontend and the WordPress Block Theme, this system ensures 1:1 parity across environments.

---

2. Design Tokens: Color System

Our color system leverages CSS custom properties to seamlessly adapt between **Light Mode** and **Dark Mode**. We utilize a restrained palette of deep navy blues, stark whites, and accessible grays, accented by an energetic brand blue.

Surface & Background Tokens

Token	Light Mode	Dark Mode	Usage Context
`--xfact-bg`	`#F5F7FA`	`#09172F`	Default page background
`--xfact-bg-alt`	`#FFFFFF`	`#022038`	Alternating sections (Case Studies, Industries)
`--xfact-bg-card`	`#FFFFFF`	`#06384F`	Card and modular component surfaces
`--xfact-border`	`#E2E8F0`	`rgba(255, 255, 255, 0.1)`	Subtle structural dividers and borders

Typography & Content Tokens

Token	Light Mode	Dark Mode	Usage Context
`--xfact-text`	`#1A202C`	`#FFFFFF`	Primary headings and body copy

`--xfact-text-secondary`	`#4A5568`	`rgba(255, 255, 255, 0.6)`	Subtitles, summaries, and meta data
`--xfact-text-muted`	`#718096`	`rgba(255, 255, 255, 0.45)`	Tertiary information, captions, breadcrumbs

Brand & Interactive Accents

Token	Color	Usage Context
`--xfact-accent`	`#5C8AE6`	Primary interactive elements, links, active states
`--xfact-accent-dark`	`#3A6BD4`	Hover states, focused elements
`--xfact-accent-darkest`	`#123E99`	Primary button backgrounds
`--xfact-dark-section`	`#0D2D6B`	High-impact hero sections, structural headers

3. Typography Hierarchy

The system utilizes **Inter** as its singular typeface, chosen for its exceptional legibility, precise letterforms, and variable weight capabilities that ensure optimal rendering across all viewports.

Global Configuration

- **Font Family**: `Inter`, sans-serif
- **Base Size**: `1rem` (16px) mapping with `1.7` line-height for body copy.
- **Fluid Scaling**: Typography scales dynamically based on viewport width (`clamp()` functions defined via `theme.json`).

Hierarchy

H1 HERO HEADING

Bold (700) · High-impact, page-level hierarchy. Utilizes `--wp--preset--font-size--hero`

H2 SECTION HEADING

Bold (700) · Defines major content regions. Utilizes `--wp--preset--font-size--xx-large`

H3 SUBSECTION HEADING

Bold (700) · Titles for cards, grid items, and subsections. Utilizes `--wp--preset--font-size--x-large`

BODY COPY

Regular (400) / Medium (500) · General paragraph text. Utilizes `--wp--preset--font-size--medium` (`1rem`)

---

4. Spacing & Spatial Rhythm

Consistent spatial rhythm is critical to the xFact aesthetic. We use a standardized rem-based scale for component padding and a distinct scale for structural sections.

- **Base Section Padding (`--xfact-spacing-section`)**: `5.625rem` (90px) — Standard top/bottom padding for most blocks.
- **Large Section Padding (`--xfact-spacing-section-lg`)**: `7rem` (112px) — Extended padding for Hero elements or highly dense content.
- **Component Gaps**: Elements typically utilize standard multi-rem increments (e.g., `1.5rem` internal card padding, `1rem` CSS grid gaps).

5. Component Library

Interactive Cards

Cards are the primary vehicle for modular content (Industries, Capabilities, Features).

- **Surface**: `var(--xfact-surface)` transitioning to slightly elevated states on interaction.
- **Border**: `1px solid var(--xfact-border)` outlining the perimeter.
- **Hover State**: Cards utilize `.xfact-card-interactive` to deploy a subtle drop shadow `box-shadow: 0 4px 6px -1px rgba(...)` and shift the border color to `--xfact-accent` at 40% opacity.

Call-to-Action Buttons

Buttons communicate action through high-contrast gradients and definitive boundaries.

- **Primary**: Linear gradient transitioning from `--xfact-btn-from` to `--xfact-btn-to`.
- **Hover**: The gradient shifts smoothly to `--xfact-btn-hover-from` providing tactile feedback.
- **Secondary**: Transparent background with a subtle border, inverting to accent colors upon hover.

Block Alignments

- **Case Study Grid**: Wrapped in `--xfact-bg-alt` to separate from primary flows. Features grid-based alignment scaling from 1 column on mobile to 2/3 on desktop.
- **Logo Strip**: Continuous horizontal marquee. Images are desaturated via CSS `filter: grayscale(1)` and transition to full color upon hover, minimizing visual noise while retaining brand identity.

---

6. Dark Mode Architecture

The theme ships with a native, zero-flicker dark mode.

Implementation Strategy

Dark mode is initiated by the `[data-theme="dark"]` attribute on the root HTML element, triggered by either the user's OS preference (`prefers-color-scheme: dark`) or manual toggling via the `dark-mode.js` controller.

Token Inversion

When activated, the system dynamically swaps the root CSS variables:

- Backgrounds drop to deep `#09172F` and `#022038`.
- Borders become translucent `rgba(255, 255, 255, 0.1)`, removing harsh delineations.
- Secondary/Muted text drops to `0.6` and `0.45` opacity whites, maintaining contrast without causing eye strain.

These tokens are directly wired into WordPress's `theme.json` preset values via `enqueue.php`, ensuring complete parity whether viewing the frontend or editing within the Gutenberg interface.