

GZ Sound Manager v3.0

SFX manager for the Pipeworks Godzilla trilogy

(Sound Options, Loop flags, Search Filter)

==Features==

- Full trilogy support: preview individual sounds, extract, replace/edit, and rebuild UBER (SDIR - DAMM) / SAMP audio files
 - Extract audio as raw (.dsp / .ps2adpcm) or .wav (PCM & IEEE Float Formats)
- Rebuild support from replacing matching file names, Must be in same location as Uber/SDIR & Samp files
 - Rebuild will auto convert to the correct sample rate, and supports longer/shorter sounds.

==Experimental==

- Clicking on a sound allows you to change its name and apply loop flags, **name changes will need updates to the files that used them to the new name.**

GZbuildr should show string names to change!

<https://github.com/Digitzaki/GZBuildr>

(Find the latest version on the right!)

[Usage Guide]

==SETUP==

1. Locate the **SAMP** and **UBER/SDIR** files you want to modify, then place them in a new folder.
(**DAMM**: Keep **SDIR** with its related files.)
 2. Drag or select the required files using the dropdown at the top of the tool.
 3. The tool will automatically detect them and populate the sound list for previewing and selection.
-


==EXTRACT==

1. Preview includes **Select All** and **Select None** options. Use the checkboxes to choose which sounds you want to extract. Extract will use names based on the **SHOW NAMES** option.
 2. When ready, select **Extract (RAW)** for the original raw file, or **Extract (WAV)** for a WAV version. **WAV is recommended for easier editing.**
 3. Extracted sounds will be saved in your chosen output location in a folder.
-

==REBUILD==

1. Following **Extract Step 3**, edited sounds can be placed anywhere, Rebuild will ask for an input directory.
 - a. Replacements must keep the same filename format: `Godzilla_sound_139` → `139_RAGE POWERUP.wav.wav` (Or `godzilla_sound_139.wav`, with names disabled)
 - b. New sounds can be appended at the end. Locate the last sound number and increase it by 1. (if last sound in table is 31, new sound should have id "32" in its name)
2. During rebuild, the program will automatically scan the **UBER/SDIR** location for valid sound files.
3. The tool will automatically rebuild and adjust the library to support longer or shorter sounds without corruption. However, in-game event tracks may still control playback length and may need to be updated separately.

The Image below shows how Rebuild/Setup works for PS2/WII. DAMM sounds go in the same folder the SDIR was extracted from.



(For modding Ps2 and Wii I recommend having the Samp and Uber together)

Green: Samp & UBER/SDIR

Blue: Edited Sound location chosen by Rebuild, Extract will be in its own folder.

