




GitBash Installation

NILESH GHULE @ SUNBEAM INFOTECH



Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Downloads



Older releases are available and the [Git source repository](#) is on GitHub.

GUI Clients

Git comes with built-in GUI tools ([git-gui](#), [gitk](#)), but there are several third-party tools for users looking for a platform-specific experience.

[View GUI Clients →](#)

Logos

Various Git logos in PNG (bitmap) and EPS (vector) formats are available for use in online and print projects.


[View Logos →](#)

Git via Git

If you already have Git installed, you can get the latest development version via Git itself:

```
git clone https://github.com/git/git
```

You can also always browse the current contents of the git repository using the [web interface](#).



🔍 Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

[Click here to download](#) the latest (**2.40.1**) **64-bit** version of **Git for Windows**. This is the most recent [maintained build](#). It was released **about 1 month ago**, on 2023-04-25.

Other Git for Windows downloads

Standalone Installer

[32-bit Git for Windows Setup.](#)

[64-bit Git for Windows Setup.](#)

Portable ("thumbdrive edition")

[32-bit Git for Windows Portable.](#)

[64-bit Git for Windows Portable.](#)

Using winget tool


Install [winget tool](#) if you don't already have it, then type this command in command prompt or Powershell.

```
winget install --id Git.Git -e --source winget
```

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



🔍 Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

[Click here to download](#) the latest (**2.40.1**) **64-bit** version of **Git for Windows**. This is the most recent [maintained build](#). It was released **about 1 month ago**, on 2023-04-25.

Other Git for Windows downloads

Standalone Installer

[32-bit Git for Windows Setup.](#)

[64-bit Git for Windows Setup.](#)

Portable ("thumbdrive edition")

[32-bit Git for Windows Portable.](#)

[64-bit Git for Windows Portable.](#)

Using winget tool

Install [winget tool](#) if you don't already have it, then type this command in command prompt or Powershell.

```
winget install --id Git.Git -e --source winget
```

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).


Now What?

Now that you have downloaded Git, it's time to start using it.

 Git-2.40.1-64-bit.exe

^

Show all x



🔍 Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

Git 2.40.1 Setup

Information

Please read the following important information before continuing.

When you are ready to continue with Setup, click Next.

GNU General Public License
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place - Suite 330, Boston, MA 02111-1307, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change

<https://gitforwindows.org/>


Next

Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



🔍 Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire **Pro Git book** written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

Git 2.40.1 Setup

Select Destination Location
Where should Git be installed?

📁 Setup will install Git into the following folder.

To continue, click Next. If you would like to select a different folder, click Browse.

At least 293.0 MB of free disk space is required.

<https://gitforwindows.org/>

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Git 2.40.1 Setup

Select Components

Which components should be installed?

Select the components you want to install; clear the components you do not want to install. Click Next when you are ready to continue.

- ☐ Additional icons
 - ☐ On the Desktop
- ☒ Windows Explorer integration
 - ☒ Git Bash Here
 - ☒ Git GUI Here
- ☒ Git LFS (Large File Support)
- ☒ Associate .git* configuration files with the default text editor
- ☒ Associate .sh files to be run with Bash
- ☐ Check daily for Git for Windows updates
- ☒ (NEW!) Add a Git Bash Profile to Windows Terminal

Current selection requires at least 292.9 MB of disk space.

<https://gitforwindows.org/>

Back Next Cancel

command prompt or

Now that you have downloaded Git, it's time to start using it.



command prompt or

Download for Windows

Git 2.40.1 Setup

Select Start Menu Folder

Where should Setup place the program's shortcuts?

☒ Setup will create the program's shortcuts in the following Start Menu folder.

To continue, click Next. If you would like to select a different folder, click Browse.

☐ Don't create a Start Menu folder


<https://gitforwindows.org/>

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.



Logos

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.



Git 2.40.1 Setup

Choosing the default editor used by Git

Which editor would you like Git to use?

Use Vim (the ubiquitous text editor) as Git's default editor

The [Vim editor](#), while powerful, [can be hard to use](#). Its user interface is unintuitive and its key bindings are awkward.

Note: Vim is the default editor of Git for Windows only for historical reasons, and it is highly recommended to switch to a modern GUI editor instead.

Note: This will leave the 'core.editor' option unset, which will make Git fall back to the 'EDITOR' environment variable. The default editor is Vim - but you may set it to some other editor of your choice.


<https://gitforwindows.org/>

Back Next Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

Git 2.40.1 Setup

Adjusting the name of the initial branch in new repositories
What would you like Git to name the initial branch after "git init"?

☐ Let Git decide

Let Git use its default branch name (currently: "master") for the initial branch in newly created repositories. The Git project [intends](#) to change this default to a more inclusive name in the near future.

☒ **Override the default branch name for new repositories**

NEW! Many teams already renamed their default branches; common choices are "main", "trunk" and "development". Specify the name "git init" should use for the initial branch:

This setting does not affect existing repositories.

<https://gitforwindows.org/>

Back Next Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Community

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read online for free. Dead tree versions are available on [Amazon.com](#).

Git 2.40.1 Setup

Adjusting your PATH environment

How would you like to use Git from the command line?

☐ Use Git from Git Bash only

This is the most cautious choice as your PATH will not be modified at all. You will only be able to use the Git command line tools from Git Bash.

☒ Git from the command line and also from 3rd-party software

(Recommended) This option adds only some minimal Git wrappers to your PATH to avoid cluttering your environment with optional Unix tools. You will be able to use Git from Git Bash, the Command Prompt and the Windows PowerShell as well as any third-party software looking for Git in PATH.

☐ Use Git and optional Unix tools from the Command Prompt

Both Git and the optional Unix tools will be added to your PATH.
Warning: This will override Windows tools like "find" and "sort". Only use this option if you understand the implications.


<https://gitforwindows.org/>

Back Next Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Git 2.40.1 Setup

Choosing the SSH executable

Which Secure Shell client program would you like Git to use?

☒ **Use bundled OpenSSH**

This uses ssh.exe that comes with Git.

☐ **Use (Tortoise)Plink**

To use PuTTY, specify the path to an existing copy of (Tortoise)Plink.exe:

C:\Program Files\PuTTY\plink.exe ...

☐ Set ssh.variant for Tortoise Plink

☐ **Use external OpenSSH**

NEW! This uses an external ssh.exe. Git will not install its own OpenSSH (and related) binaries but use them as found on the PATH.

<https://gitforwindows.org/>

Back **Next** Cancel


Windows. This is the most popular operating system for PCs. It is available in many versions, including Windows 94-95.

command prompt or

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

Git 2.40.1 Setup

Choosing HTTPS transport backend
Which SSL/TLS library would you like Git to use for HTTPS connections?

☒ **Use the OpenSSL library**
Server certificates will be validated using the ca-bundle.crt file.

☐ **Use the native Windows Secure Channel library**
Server certificates will be validated using Windows Certificate Stores. This option also allows you to use your company's internal Root CA certificates distributed e.g. via Active Directory Domain Services.

<https://gitforwindows.org/>

Back Next Cancel

Windows. This is the most
04-25.

command prompt or

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.




Logos

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read online for free. Dead tree versions are available on [Amazon.com](#).

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

Git 2.40.1 Setup

Configuring the terminal emulator to use with Git Bash

Which terminal emulator do you want to use with your Git Bash?

☒ Use MinTTY (the default terminal of MSYS2)

Git Bash will use MinTTY as terminal emulator, which sports a resizable window non-rectangular selections and a Unicode font. Windows console programs (such as interactive Python) must be launched via 'winpty' to work in MinTTY.

☐ Use Windows' default console window

Git will use the default console window of Windows ("cmd.exe"), which works with Win32 console programs such as interactive Python or node.js, but has a very limited default scroll-back, needs to be configured to use a Unicode font in order to display non-ASCII characters correctly, and prior to Windows 10 its window was not freely resizable and it only allowed rectangular text selections.

<https://gitforwindows.org/>

Back


Next

Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Logos

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.

Git 2.40.1 Setup

Choose the default behavior of `git pull`

What should `git pull` do by default?

☒ **Default (fast-forward or merge)**

This is the standard behavior of `git pull` : fast-forward the current branch to the fetched branch when possible, otherwise create a merge commit.

☐ **Rebase**

Rebase the current branch onto the fetched branch. If there are no local commits to rebase, this is equivalent to a fast-forward.

☐ **Only ever fast-forward**

Fast-forward to the fetched branch. Fail if that is not possible.


<https://gitforwindows.org/>

Back Next Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.

Git 2.40.1 Setup

Choose a credential helper

Which credential helper should be configured?

☒ **Git Credential Manager**

Use the [cross-platform Git Credential Manager](#).
See more information about the future of Git Credential Manager [here](#).

☐ **None**

Do not use a credential helper.


<https://gitforwindows.org/>

Back Next Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



🔍 Search entire site...

About

Documentation

Downloads

GUI Clients

Logos

Community

The entire [Pro Git book](#) written by Scott Chacon and Ben Straub is available to [read online for free](#). Dead tree versions are available on [Amazon.com](#).

Download for Windows

 Git 2.40.1 Setup

Configuring extra options

Which features would you like to enable?

☒ **Enable file system caching**

File system data will be read in bulk and cached in memory for certain operations ("core.fscache" is set to "true"). This provides a significant performance boost.

☐ **Enable symbolic links**

Enable [symbolic links](#) (requires the SeCreateSymbolicLink permission). Please note that existing repositories are unaffected by this setting.

<https://gitforwindows.org/>

Back

Next

Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from [the source code](#).


Now What?

Now that you have downloaded Git, it's time to start using it.



Logos

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.



Git 2.40.1 Setup

Configuring experimental options

These features are developed actively. Would you like to try them?

☐ **Enable experimental support for pseudo consoles.**
 (NEW!) This allows running native console programs like Node or Python in a Git Bash window without using winpty, but it still has known bugs.

☐ **Enable experimental built-in file system monitor**
 (NEW!) Automatically run a [built-in file system watcher](#), to speed up common operations such as `git status`, `git add`, `git commit`, etc in worktrees containing many files.

<https://gitforwindows.org/>

Back **Install** Cancel

The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Documentation

Downloads


GUI Clients

Logos

Community

The entire **Pro Git** book written by Scott Chacon and Ben Straub is available to read **online for free**. Dead tree versions are available on **Amazon.com**.


Download for Windows



The current source code release is version **2.40.1**. If you want the newer version, you can build it from the [source code](#).

Now What?

Now that you have downloaded Git, it's time to start using it.



Search entire site...

About

MINGW64/c/Users/Nilesh

```
Nilesh@DESKTOP-7HQSNA6 MINGW64 ~  
$ exit
```

ows. This is the most

hand prompt or

n, you can build it from [the](#)



Thank You!

NILESH GHULE <nilesh@sunbeaminfo.com>