


Assertions in Jmeter


1. Response assertion:

Take the junit Sampler request again \rightarrow right click on junit sampler and add \rightarrow assertion \rightarrow Response assertion










HTML Assertion

It captures errors and warnings on the HTML page that jmeter connects to

After which it can put those errors and warning in a file and save it.


Create a Thread group → add sampler HTTP request





Add HTMI assertion to http sampler




Create a new folder using browser button, also give the file name at the same time









XML assertion






The assertion will just check if the response of the https request is an XML or not.





XPATH assertion check for availability of XML path in the response from http request

```
<note>
<to>Tove</to>
<from>Jani</from>
<heading>Reminder</heading>
<body>Don't forget me this weekend!</body>
</note>
```

Here we can check and validate if we have xpath like: /not/to/from in the response







XML schema Assertion

It just check if xml response is having a schema or not

Take you XML file and generate the schema for it:

```
<note>
<to>Tove</to>
<from>Jani</from>
<heading>Reminder</heading>
<body>Don't forget me this weekend!</body>
</note>
```

```
<?xml version="1.0" encoding="utf-8"?>
<!-- Created with Liquid Technologies Online Tools 1.0 (https://www.liq
uid-technologies.com) -->
<xs:schema attributeFormDefault="unqualified" elementFormDefault="quali"</pre>
fied" xmlns:xs="http://www.w3.org/2001/XMLSchema">
 <xs:element name="note">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="to" type="xs:string" />
        <xs:element name="from" type="xs:string" />
        <xs:element name="heading" type="xs:string" />
        <xs:element name="body" type="xs:string" />
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

Save the XSD file in jmeter→bin→examples

