Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for services.html

Checker Input

Show ☐ source ☐ outline ☐ image report

[Options…]

Check by [file upload ∨] [Choose File] No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 4, column 5; to line 4, column 28

   ```
   head>↵     <meta charset="UTF-8" />↵     <
   ```

2. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 5, column 5; to line 5, column 59

   ```
   8" />↵     <meta http-equiv="X-UA-Compatible" content="IE=edge" />↵     <
   ```

3. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 6, column 5; to line 6, column 76

   ```
   e" />↵     <meta name="viewport" content="width=device-width, initial-scale=1.0"
   />↵     <
   ```

4. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

   From line 9, column 5; to line 9, column 48

   ```
   g -->↵     <link rel="stylesheet" href="service.css" />↵     <
   ```

5. **Error** **Element** `input` **not allowed as child of element** `ul` **in this context.**

(Suppressing further errors from this subtree.)

From line 31, column 15; to line 31, column 50

```
        <input type='checkbox' id='check' />↵
```

Contexts in which element <u>input</u> may be used:

   Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

   Zero or more <u>li</u> and <u>script-supporting</u> elements.

6. **Info** **Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with unquoted attribute values</u>.**

From line 31, column 15; to line 31, column 50

```
        <input type='checkbox' id='check' />↵
```

7. **Error** **Element** `span` **not allowed as child of element** `ul` **in this context.**

(Suppressing further errors from this subtree.)

From line 32, column 15; to line 32, column 33

```
        <span class="menu">↵
```

Contexts in which element <u>span</u> may be used:

   Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

   Zero or more <u>li</u> and <u>script-supporting</u> elements.

8. **Error** **Element** `label` **not allowed as child of element** `ul` **in this context.**

(Suppressing further errors from this subtree.)

From line 41, column 15; to line 41, column 51

```
        <label for="check" class="open-menu"><i cla
```

Contexts in which element <u>label</u> may be used:

   Where <u>phrasing content</u> is expected.

Content model for element <u>ul</u>:

   Zero or more <u>li</u> and <u>script-supporting</u> elements.

Document checking completed.

Used the HTML parser.

Total execution time 29 milliseconds.