```
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
qit$ echo "Halo. sava Nurfadila" > readme.md
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
qit$ echo "Ini adalah repo untuk menyelesaikan tugas mata kuliah" >> readme.md
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ ls
readme.md
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ cat readme.md
Halo. sava Nurfadila
Ini adalah repo untuk menyelesaikan tugas mata kuliah
```

```
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:
       git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /home/nurfadila/Documents/College/Semester 2/Praktikum Pemrograman Berorient
asi Objek/tugas git/.git/
```

```
git$ git status
On branch master
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
       readme.md
nothing added to commit but untracked files present (use "git add" to track)
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git's git add readme.md
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ git status
On branch master
No commits yet
Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
       new file: readme.md
```

nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas

```
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
qit$ git commit -m "my commit"
[master (root-commit) 8e666d2] my commit
1 file changed, 2 insertions(+)
create mode 100644 readme.md
```

```
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ git remote add origin https://github.com/DilaNurfadila/tugas-pbo-nurfadila.git
nurfadila@nurfadila-Aspire-A315-41:~/Documents/College/Semester 2/Praktikum Pemrograman Berorientasi Objek/tugas
git$ git push -u origin master
Username for 'https://github.com': DilaNurfadila
Password for 'https://DilaNurfadila@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 281 bytes | 281.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/DilaNurfadila/tugas-pbo-nurfadila.git
* [new branch]
                 master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
```