IJSE[®]

Institute of Software Engineering

Graduate Diploma in Software Engineering

```
Q1
class Example{
  public static void main(String args[]){
    System.out.println("Hello java");
}
Q2
class Example{
  public static void main(String args[]){
     System.out.println("Hello java");
     System.out.println("Hello java");
    System.out.println("Hello java");
    System.out.println("Hello java");
  }
}
Q3
class Example{
  public static void main(String args[]){
     System.out.println("A");
    System.out.println("B");
    System.out.println("C");
    System.out.println("D");
  }
}
Q4
class Example{
  public static void main(String args[]){
    System.out.println("1");
    System.out.println(1000);
     System.out.println(1.23);
  }
}
```

```
Q5
class Example{
  public static void main(String args[]){
     System.out.println("Hello Java");
     System.out.println("A");
     System.out.println(1234);
     System.out.println(-1234);
     System.out.println(1.2334);
     System.out.println(0.0032);
     System.out.println(-0.0023);
     System.out.println('A');
     System.out.println('6');
     System.out.println(true);
     System.out.println(false);
  }
}
Q7
class Example{
  public static void main(String args[]){
     System.out.print("A");
     System.out.print("B");
     System.out.print("C");
     System.out.print("D");
  }
}
Q8
class Example{
  public static void main(String args[]){
     System.out.print("A");
     System.out.print("B");
     System.out.println("C");
     System.out.print("D");
     System.out.println("E");
  }
}
```

Q9	Q13
<pre>class Example{ public static void main(String args[]){ System.out.print("A"); System.out.println("B"); System.out.println("C"); System.out.print("D"); }</pre>	<pre>class Example{ public static void main(String args[]){ int x; x=100; System.out.println("x"); } }</pre>
}	
<pre>Q10 class Example{ public static void main(String args[]){ System.out.println("A"); System.out.println("B"); System.out.println(); System.out.println("C"); System.out.println("D"); } } Q11 class Example{</pre>	<pre>Q14 class Example{ public static void main(String args[]){ int x; System.out.println(x); } } Q15 class Example{ public static void main(String args[]){ int x; System.out.println(x); x=100;</pre>
<pre>public static void main(String args[]){ System.out.println("A"); System.out.println("B"); System.out.print(); System.out.println("C"); System.out.println("D"); }</pre>	<pre> } Q16 class Example{ public static void main(String args[]){ int x; x=100; x=200; } </pre>
Q12 class Example{ public static void main(String args[]){ int x;	System.out.println(x); } }
<pre>x=100; System.out.println(x); } }</pre>	<pre>Q17 class Example{ public static void main(String args[]){ int x; x=100; System.out.println(x); x=200; System.out.println(x); }</pre>
	l '

```
Q18
                                                   Q22
class Example{
                                                   class Example{
  public static void main(String args[]){
                                                      public static void main(String args[]){
                                                        int x=100,y,z=200;
     int x;
     x=100;
                                                        System.out.println(x);
     System.out.println(x);
                                                        y = 300;
                                                        System.out.println(y);
     int y;
                                                        System.out.println(z);
     y = 200;
                                                      }
     System.out.println(y);
  }
                                                   }
}
                                                   Q23
Q19
                                                   class Example{
class Example{
                                                      public static void main(String args[]){
  public static void main(String args[]){
                                                        int x=100,y,z=200;
     int x;
                                                        System.out.println(x);
     x=100;
                                                        System.out.println(z);
     System.out.println(x);
                                                        int z;
     y = 200;
                                                        z = 400;
     System.out.println(y);
                                                        System.out.println(z);
  }
                                                      }
}
                                                   }
                                                   Q24
Q20
class Example{
                                                   class Example{
  public static void main(String args[]){
                                                      public static void main(String args[]){
                                                        int x=100;
     int x,y,z,total;
     x=100;
                                                        int y=200;
     System.out.println(x);
                                                        System.out.println(x);
     y = 200;
                                                        System.out.println(y);
     System.out.println(y);
                                                        x=y;
                                                        System.out.println(x);
}
                                                        System.out.println(y);
Q21
                                                   }
class Example{
  public static void main(String args[]){
                                                   Q25
     int x=100;
                                                   class Example{
     int y = 200;
                                                      public static void main(String args[]){
     System.out.println(x);
                                                        System.out.println('A');
                                                        System.out.println("A");
     System.out.println(y);
  }
                                                      }
}
```

Q26	Q32
<pre>class Example{ public static void main(String args[]){ System.out.println('A'); System.out.println("A"); System.out.println("AB"); System.out.println('AB'); }</pre>	<pre>class Example{ public static void main(String args[]){ System.out.println("AB\\CD"); System.out.println("AB\\CD"); System.out.println("AB\\"CD"); } }</pre>
}	,
•	Q33
Q27	class Example{
<pre>class Example{ public static void main(String args[]){ System.out.println('A'); //Character A System.out.println('7'); //Characrer 7 System.out.println(7); //Integer 7 } } Q28 class Example{ public static void main(String args[]){ System.out.println("AB\bCD"); } </pre>	<pre>public static void main(String args[]){ System.out.println("AB\nCD"); System.out.println("AB\tCD"); System.out.println("AB\bCD"); System.out.println("AB\rCD"); System.out.println("AB\rCD"); System.out.println("AB\'CD"); System.out.println("AB\'CD"); System.out.println("AB\"CD"); System.out.println("AB\"CD"); System.out.println("AB\"CD"); System.out.println("AB\"CD"); }</pre>
}	Q34
Q29 class Example{ public static void main(String args[]){ System.out.println("AB\tCD"); } }	<pre>class Example{ public static void main(String args[]){ System.out.print("A\nB"); System.out.println("CD"); System.out.print("\nEF\n"); System.out.print("G\nH"); } }</pre>
Q30	}
<pre>class Example{ public static void main(String args[]){ System.out.println("AB\nCD"); } }</pre>	Q35 class Example{ public static void main(String args[]){ System.out.println(10+20); System.out.println("10"+"20");
Q31	System.out.println("10"+20);
class Example{ public static void main(String args[]){ System.out.println("AB"CD"); }	System.out.println(10+"20"); } }
}	

```
Q36
                                               Q40
class Example{
                                               class Example{
  public static void main(String args[]){
                                                 public static void main(String args[]){
    System.out.println(4032016);
                                                    int x=10,y=20,z=30;
    System.out.println("04-03-2016");
                                                    System.out.println(x+y+z);
                                                    System.out.println("x"+"y"+"z");
}
                                                    System.out.println("x+y"+z);
                                                    System.out.println("x"+y+z);
Q37
                                                    System.out.println(x+y+"z");
class Example{
                                                    System.out.println(x+"y"+z);
  public static void main(String args[]){
    int x,y,z;
                                               }
    x=10;
    y=20;
                                               Q41
    z=x+y;
                                               class Example{
    System.out.println(x+"+"+y+"="+z);
                                                 public static void main(String args[]){
                                                    int x=10,y=20;
}
                                                    System.out.println(x+" "+y);
                                                 }
Q38
                                               }
class Example{
  public static void main(String args[]){
                                               Q42
    int x=10,y=20;
                                               class Example{
    System.out.println(x+y);
                                                 public static void main(String args[]){
    System.out.println("x"+"y");
                                                    int x=10;
    System.out.println("x+y");
                                                    System.out.println("Value of x is: "+x);
    System.out.println("x"+y);
                                                 }
    System.out.println(x+"y");
                                               }
  }
}
                                               Q43
                                               class Example{
Q39
                                                 public static void main(String args[]){
class Example{
                                                    int x,y;
  public static void main(String args[]){
                                                    x=10;
                                                    v=20;
    System.out.println(10+20+30);
                                                    System.out.println(x+"+"+y+"="+x+y);
    System.out.println("10+20+30");
                                                    System.out.println(x+"+"+y+"="+(x+y));
    System.out.println("10+20"+30);
                                                 }
    System.out.println("10"+"20"+"30");
    System.out.println("10"+20+30);
                                               }
    System.out.println(10+20+"30");
    System.out.println(10+"20"+30);
  }
}
```

```
Q48
Q44
class Example{
                                                   class Example{
  public static void main(String args[]){
                                                      public static void main(String args[]){
                                                        for(int i=0; i<10; i++){
     int x,y;
     x=10;
                                                           System.out.println(i);
     y = 20;
                                                        }
     System.out.println("x:",x);
                                                      }
     System.out.println("x:"x);
                                                   }
     System.out.println(x+ +y);
                                                   Q49
}
                                                   class Example{
                                                      public static void main(String args[]){
Q45
                                                        for(int i=0; i<10; i++)
                                                           System.out.println(i);
class Example{
  public static void main(String args[]){
                                                           System.out.println(i);
                                                      }
     int x,y,z;
                                                   }
     x=input.nextInt();
     y=input.nextInt();
     z=x+y;
                                                   Q50
     System.out.println(x+"+"+y+"="+z);
                                                   import java.util.*;
  }
                                                   class Example{
}
                                                      public static void main(String args[]){
                                                        Scanner input=new Scanner(System.in);
Q46
                                                        System.out.print("Input an integer : ");
class Example{
                                                        int num=input.nextInt();
  public static void main(String args[]){
                                                        int fact=1;
                                                        for (int i = num; i>0; i--){
     int x;
     System.out.println(x);
                                                           System.out.print(i+" * ");
                                                           fact*=i;
     x=100;
                                                        }
     System.out.println(x);
                                                        System.out.println("\b\b = "+fact);
}
                                                      }
                                                   }
Q47
import java.util.*;
class Example{
  public static void main(String args[]){
     Scanner input=new Scanner(System.in);
     int a=input.nextInt();
     int x;
     if(a>100){
       x=100;
     System.out.println(x);
  }
}
```