## **Html Links:**

HTML (Hypertext Markup Language) is the standard language used to create and design webpages. HTML documents consist of a series of elements, each represented by tags, and one common element is the anchor tag (`<a>`), which is used to create hyperlinks or links. Here's a detailed explanation of HTML links:

- 1. \*\*Anchor Tag (`<a>`):\*\*
  - The anchor tag is used to define hyperlinks in HTML.
- It doesn't create any visual output on its own but rather acts as a container for other elements.
- It has an `href` attribute, which specifies the URL (Uniform Resource Locator) of the linked resource.

## 2. \*\*Link Text:\*\*

- The text between the opening `<a>` tag and the closing `</a>` tag is the visible link text that users click on.
  - Example:

```
```html
```

<a href="https://www.example.com">Visit Example.com</a>

In this example, "Visit Example.com" is the link text.

- 3. \*\*Hyperlink Reference (`href` attribute):\*\*
  - The `href` attribute in the anchor tag specifies the URL of the linked resource.
- It can point to various resources such as other web pages, images, documents, or different sections within the same page.
  - Example:

```
```html
```

<a href="https://www.example.com">Visit Example.com</a>

In this case, the URL "https://www.example.com" is the hyperlink reference.

- 4. \*\*Absolute and Relative URLs:\*\*
- An absolute URL provides the full address of the linked resource, including the protocol (e.g., "http://" or "https://").
  - A relative URL specifies the path to the linked resource relative to the current document.
  - Example of an absolute URL:
    - ```html

<a href="https://www.example.com">Visit Example.com</a>

Example of a relative URL:

```html

<a href="/path/to/page.html">Visit Page</a>

...

- 5. \*\*Target Attribute:\*\*
  - The `target` attribute is optional and specifies where to open the linked resource.
- Common values for the `target` attribute include "\_blank" (opens the link in a new tab or window) and "\_self" (opens the link in the same tab or window).
  - Example:
  - ```html
  - <a href="https://www.example.com" target="\_blank">Visit Example.com</a>
- 6. \*\*Linking to Email Addresses:\*\*
- The `mailto` scheme in the `href` attribute allows you to create links that open the user's email client with a pre-filled email address.
  - Example:
  - ```html
  - <a href="mailto:info@example.com">Send Email</a>

HTML links are fundamental for navigation on the web, connecting different pages and resources to create a cohesive browsing experience.