CS201: Discrete Mathematics (Fall 2023) Written Assignment #6

(100 points maximum but 110 points in total)

Deadline: 11:59pm on Jan 7 (please submit via Blackboard) PLAGIARISM WILL BE PUNISHED SEVERELY

- Q.1 (10p) Let G be a *simple* graph with n vertices.
 - (a) (3p) What is the maximum and minimum number of edges G can have? Explain.
 - (b) (3p) What is the maximum and minimum degrees each vertex in G can have? Explain.
 - (c) (4p) Show that if the minimum degree of any vertex of G is greater than or equal to (n-1)/2, then G must be connected.
- Q.2 (8p) The complementary graph \overline{G} of a simple graph G has the same vertices as G. Two vertices are adjacent in G if and only if they are not adjacent in G. Describe each of the following graphs: $\overline{K_n}$, $\overline{K_{m,n}}$, $\overline{C_n}$, $\overline{Q_n}$.
- Q.3 (8p) Suppose that there are four employees in the computer support group of the School of Engineering of a large university. Each employee will be assigned to support one of four different areas: hardware, software, networking, and wireless. Suppose that Ping is qualified to support hardware, networking, and wireless; Quiggley is qualified to support software and networking; Ruiz is qualified to support networking and wireless, and Sitea is qualified to support hardware and software.
 - (a) (3p) Use a bipartite graph to model the four employees and their qualifications.
 - (b) (5p) Use Hall's marriage theorem to determine whether there is an assignment of employees to support areas so that each employee is assigned one area to support. If such an assignment exists, find one.
- Q.4 (5p) A simple graph G is called *self-complementary* if G and \overline{G} are isomorphic. Show that if G is a self-complementary simple graph with v vertices, then $v \equiv 0$ or 1 (mod 4).
- Q.5 (9p) Let G be a connected graph, with the vertex set V. The distance between two vertices u and v, denoted by dist(u, v), is defined as the minimum length of a path from u to v. Show that dist(u, v) is a metric, i.e., the following properties hold for any $u, v, w \in V$:
 - (a) $(3\mathbf{p}) \ dist(u, v) \ge 0$ and dist(u, v) = 0 if and only if u = v.
 - (b) $(3\mathbf{p}) \ dist(u,v) = dist(v,u).$
 - (c) $(3\mathbf{p}) \ dist(u,v) \le dist(u,w) + dist(w,v).$
- Q.6 (10p) In an *n*-player round-robin tournament, every pair of distinct players compete in a single game. Assume that every game has a winner there are no ties. The results of such a tournament can then be represented with a tournament directed graph where the vertices correspond to players and there is an edge $x \to y$ if and only if x beats y in their game.
 - (a) (3p) Explain why a tournament directed graph cannot have cycles of length 1 or 2.
 - (b) (3p) Is the "beats" relation for a tournament graph always/sometimes/never: antisymmetric? reflexive? irreflexive? transitive?

- (c) (4p) Show that a tournament graph represents a total ordering if and only if there are no cycles of length 3.
- Q.7 (5p) Let G be a connected simple graph. Show that if an edge in a connected graph is not contained in any simple circuit, then this edge is a *cut edge*.
- Q.8 (5p) Given a graph G, its line graph L(G) is defined as follows: every edge of G corresponds to a unique vertex of L(G); any two vertices of L(G) are adjacent if and only if their corresponding edges of G share a common endpoint. Prove that if G is regular (i.e., all vertices have the same degree) and connected, then L(G) has an Euler circuit.
- Q.9 (5p) Prove that every n-cube Q_n ($n \ge 1$) has a Hamilton circuit. (Hint: Q_{n+1} can be constructed from two copies of Q_n .)
- Q.10 (5p) Show that if G is simple graph with at least 11 vertices, then either G or \overline{G} is nonplanar.
- Q.11 (5p) Suppose that a connected planar simple graph with e edges and v vertices contains no simple circuits of length 4 or less. Show that $e \le (5/3)v (10/3)$ if $v \ge 4$.
- Q.12 (10p) There are 17 students who communicates with each other discussing problems in discrete math. They are only 3 possible problems, and each pair of students discuss one of these three 3 problems. Prove that there are at least 3 students who are all pairwise discussing the same problem.
- Q.13 (8p) The rooted Fibonacci trees T_n are defined recursively in the following way. T_1 and T_2 are both the rooted tree consisting of a single vertex, and for n = 3, 4, ..., the rooted tree T_n is constructed from a root with T_{n-1} as its left subtree and T_{n-2} as its right subtree. Answer the following questions: (you can write your answers in terms of the Fibonacci numbers f_n)
 - (a) (6p) How many vertices, leaves, and internal vertices does T_n ($n \ge 1$) have? Explain.
 - (b) (2p) What is the height of T_n ? Explain.
- Q.14 (5p) Calculate the value of the postfix expression "3 2 * 2 \uparrow 5 3 8 4 / * -" and show your computation steps.
- Q.15 (12p) Respectively use Prim's algorithm and Kruskal's algorithm to find the minimum spanning tree of the following weighted connected undirected graph. For every spanning step, draw the corresponding "subtree".

