
MODUL 9 ABSTRAK


Nama: Abdillah Ahmad NIM: L200180074

Kelas: B

Latihan

```
Abstrak - NetBeans IDE 8.0.2
                                                                                                                                                                                                                                                                                                                                                                                                                                                   ×
<u>F</u>ile <u>E</u>dit <u>V</u>iew <u>Navigate Source Refactor <u>R</u>un <u>D</u>ebug <u>P</u>rofile Tea<u>m T</u>ools <u>W</u>indow <u>H</u>elp</u>
                                                                                                                                                                                                                                                                                                                                                                                   Q ▼ Search (Ctrl+I)
 The state of the s
                                                                                                                                                                                                                                                                                                                                                                                                                                                  ...ava 💰 jajargenjang.java 🗴 💰 lingkaran.java 🗴 💰 persegipanjang.java 🗴 🔯 MethodAbstrak.java 🗴
         Members
                                                                                                                        Source History | 😭 👼 - 👼 - | 💆 🐉 🚭 📮 | 🔗 😓 | 💇 🛂 | ● 🔲 | 🐠 🚅
           □ ·· MethodAbstrak
                                                                                                                                        * and open the template in the editor
                         --- ⊚ getKell() : int
--- a getLuas(): int
                                                                                                                                               package abstrak;
 Files
                        --- o keliling(): int
                      uas(): int
                                                                                                                            8 戸 /**
                                                                                                                                              *
* @author LABRPL-28
*/
 Projects
                                                                                                                           10
                                                                                                                             (I)
                                                                                                                                               public abstract class MethodAbstrak {
                                                                                                                                                          public abstract int luas();
                                                                                                                             (I)
                                                                                                                                                            public abstract int keliling();
                                                                                                                           16 =
                                                                                                                                                        public int getLuas(){
                                                                                                                                                                       return luas();
                                                                                                                           17
                                                                                                                           19 📮
                                                                                                                                                              public int getKell() {
                                                                                                                           20
                                                                                                                                                                         return keliling();
                                                                                                                           22
            □ □ □ □ ♥ □ □ □
 Abstrak - NetBeans IDE 8.0.2
                                                                                                                                                                                                                                                                                                                                                                                   Q - Search (Ctrl+I)
<u>File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help</u>
   The state of the s
□ Navigator ×
                                                                                                                        ...ava 🚳 jajargenjang.java 🗴 🚳 lingkaran.java 🗴 🚳 persegipanjang.java 🗴 🔯 MethodAbstrak.java 🗴
                                                                                                                         Source History | 🚱 🖫 - 🐺 - 🔽 🖓 🐶 🖶 📮 | 🚱 😓 | 🛂 😂 | 🍏 🔲 | 👫 🚅
                                                                                                                                               * and open the template in the editor. \star/
                                                                                                                            4
5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                          ^ =
                      eliling(): int
-
                              luas(): int
                                                                                                                                               package abstrak;
 Files
                         lebar : int
                         panjang : int
                                                                                                                            8 🗏 /**
                                                                                                                                               * * @author LABRPL-28
                                                                                                                           10
                                                                                                                           11
                                                                                                                                             public class persegipanjang extends MethodAbstrak {
                                                                                                                           12
                                                                                                                                                           int panjang = 30;
int lebar = 25;
                                                                                                                           13
                                                                                                                           14
                                                                                                                           15
                                                                                                                           16
                                                                                                                             ◎ 📮
                                                                                                                                                              public int luas(){
                                                                                                                           18
19
                                                                                                                                                                         return panjang*lebar;
                                                                                                                           21
                                                                                                                                                              @Override
                                                                                                                            ② □
                                                                                                                                                              public int keliling() {
                                                                                                                                                                           return 2*(panjang*lebar);
                                                                                                                           24
                                                                                                                           25
                                                                                                                           26
            🗗 瑇 Output
```





```
Abstrak - NetBeans IDE 8.0.2
                                                                                                                                                                                                                                                                                                                                                                                   П
                                                                                                                                                                                                                                                                                                                             Q - Search (Ctrl+I)
<u>F</u>ile <u>E</u>dit <u>V</u>iew <u>N</u>avigate <u>S</u>ource Refactor <u>R</u>un <u>D</u>ebug <u>P</u>rofile Tea<u>m</u> <u>T</u>ools <u>W</u>indow <u>H</u>elp
   The second secon
□ Navigator ×
                                                                                                        ...ge 🚯 LatihanRun.java 🗴 🚳 jajargenjang.java 🗴 🚳 lingkaran.java 🗴 🔞 persegipanjang.java 🗴 🐼 MethodAbstra... 🚺 🛡 🗗
        Members v <empty>
 vices
                                                                                 ~ 🖽
                                                                                                        Source History | 🕝 🖫 → 🖟 → | 🔩 🖓 😓 📮 | 🔐 🚱 😓 | 🖆 💇 | 🥥 🔲 | 🐠 🚅
         Ser
                                                                                                                                                                                                                                                                                                                                                                                                       ^ =
                      ··· ( main(String[] args)
                                                                                                           8 - /**
暴
                                                                                                           9
Files
                                                                                                         10
                                                                                                                             * @author LABRPL-28
Ō
                                                                                                         11
                                                                                                                         public class LatihanRun {
                                                                                                         12
 Projects
                                                                                                         13 🖃
                                                                                                                                   public static void main(String[] args) {
                                                                                                         14
                                                                                                                                                   persegipanjang pepa = new persegipanjang();
                                                                                                         15
                                                                                                                                                     System.out.println("Keliling Persegi Panjang = " + pepa.getKell() );
                                                                                                         16
                                                                                                                                                    System.out.println("Luas Persegi Panjang
                                                                                                                                                                                                                                                                                              = " + pepa.getLuas()+"\n");
                                                                                                         17
          Output - Abstrak (run)
                         Keliling Persegi Panjang = 1500
         Luas Persegi Panjang
         Kelling Jajar Genjang = 40
         00g
                        Luas Jajar Genjang
                                                                                    = 105
                         Keliling Lingkaran = 31
                         Luas Lingkaran
                        Keliling Segitiga = 24
                        Luas Segitiga
                         BUILD SUCCESSFUL (total time: 0 seconds)
🗗 屆 Output
```

Tugas

```
NetBeans IDE 8.0.2
                                                                                                                  П
                                                                                                                        ×
                                                                                                  Q - Search (Ctrl+I)
<u>File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help</u>
 □ Navigator ×
                                ...ava 🔞 kerucut.java 🗴 🚳 bola.java 🗴 🚳 bangunruangRun.java 🗴 🚳 balok.java 🗴 🔯 bangunruang.java 🗴
   Members
              ✓ | <empty> ✓ [m]
                               Source History | 🚱 👼 ▼ 👼 ▼ | 🔩 🐶 🖶 📮 | 🚱 😓 😂 😂 ڬ 🗐 | 📵 🔲 | 🐠 🚅
   ⊟...  bangunruang
                                     * and open the template in the editor.  
*/
      ---- 🔵 getLuasPermukaan() : int
暴
      ... | getVolume(): int
                                6
                                    package abstrak:
Files
      ... | luasPermukaan(): int
      olume(): int
8 🖵 /**
Projects
                                10
                                     * @author LABRPL-28
                                11
                                    public abstract class bangunruang {
                                1
                                (I)
                                        public abstract int volume();
                                (B)
                                        public abstract int luasPermukaan();
                                15
                                16 📮
                                         public int getVolume(){
                                17
                                           return volume();
                                18
                                19
                                20 🖃
                                         public int getLuasPermukaan() {
                               22
                                21
                                           return luasPermukaan();
                                23
                                24
   🗗 屆 Output
                                                                                                                         INS
```

