PROGRAM: demonstrate the use of Intents to communicate between different activities

Program Code:

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
  xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:tools="http://schemas.android.com/tools"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  TextView
  android:layout width="wrap content"
  android:layout_height="wrap_content"
  android:layout_marginEnd="8dp"
  android:layout_marginStart="8dp"
  android:layout_marginTop="8dp"
  android:text="First Activity"
  app:layout_constraintBottom_toBottomOf="parent"
  app:layout_constraintEnd_toEndOf="parent"
  app:layout constraintHorizontal bias="0.454"
  app:layout_constraintLeft_toLeftOf="parent"
  app:layout_constraintRight_toRightOf="parent"
  app:layout_constraintStart_toStartOf="parent"
  app:layout_constraintTop_toTopOf="parent"
  app:layout_constraintVertical_bias="0.06" />
  <Button
    android:id="@+id/button"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginEnd="8dp"
    android:layout marginStart="8dp"
    android:layout_marginTop="392dp"
    android:onClick="callSecondActivity"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout constraintStart toStartOf="parent"
    app:layout constraintTop toTopOf="parent"/>
```

```
<Button
    android:id="@+id/button3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:onClick="show"
    android:text="implicit intent"
    tools:layout_editor_absoluteX="135dp"
    tools:layout_editor_absoluteY="204dp" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

Main_activity.java

```
package com.example.pgm6;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
public class MainActivity extends AppCompatActivity {
  Button button:
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    button=findViewById(R.id.button);
//button.setOnClickListener(this);
  public void show(View view){
    Intent intent = new Intent(Intent.ACTION VIEW);
    intent.setData(Uri.parse("https://www.fisat.ac.in"));
    startActivity(intent);
  public void callSecondActivity(View view){
    Intent j=new Intent(getApplicationContext(),MainActivity3.class);
    startActivity(j);
```

activity_main2.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
   xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"</pre>
```

MainActivity3.java

```
package com.example.pgm6;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
public class MainActivity3 extends AppCompatActivity {
  Button button:
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main2);
    Bundle extras = getIntent().getExtras();
    button=findViewById(R.id.button);
  public void callFirstActivity(View view){
    Intent i=new Intent(getApplicationContext(),MainActivity.class);
    startActivity(i);
```

OUTPUT:





