



Select a definition

default

Api Documentation 1.0

[Base URL: localhost:8010/]
<http://localhost:8010/v2/api-docs>

Api Documentation

[Terms of service](#)

[Apache 2.0](#)

basic-error-controller Basic Error Controller

>

buyer-controller-impl Buyer Controller Impl

▼

GET

/api/v1/buyer findAll

Parameters

Try it out

No parameters

Responses

Response content type

/

Code

Description

Code	Description
200	OK
	<div>Example ValueModel</div> <pre>[{ "id": "string", "list": [{ "id": "string", "name": "string", "phone": "string" }], "resMessage": { "id": "string", "textMessage": "string" } }]</pre>
401	Unauthorized
403	Forbidden
404	Not Found

POST

/api/v1/buyer

Create

Parameters

Try it out

Name	Description
buyer * required	
object (body)	buyer
	<div>Example ValueModel</div> <pre>{ "id": "string", "name": "string", "phone": "string" }</pre>
	<div>Parameter content type</div> <div>application/json</div>

Responses

Response content type

/

Code	Description
201	Created
	Example Value Model
	<pre>{ "id": "string", "name": "string", "phone": "string"}</pre>
401	Unauthorized
403	Forbidden
404	Not Found

GET /api/v1/buyer/{id} find

Parameters

Try it out

Name	Description
id * required	id
string (path)	<div>id - id</div>

Responses

Response content type

/

Code	Description
------	-------------

Code	Description
200	OK
	<div>Example ValueModel</div> <pre>[{ "id": "string", "list": [{ "id": "string", "name": "string", "phone": "string" }], "resMessage": { "id": "string", "textMessage": "string" } }]</pre>
401	Unauthorized
403	Forbidden
404	Not Found

PUT

/api/v1/buyer/{id} update

Parameters

Try it out

Name	Description
buyer * required	
object (body)	buyer
	<div>Example ValueModel</div> <pre>{ "id": "string", "name": "string", "phone": "string" }</pre>
	<div>Parameter content type</div> <div>application/json</div>

id - id

Not Found

Try it out

id - id

Responses

Response content type

$**$

Code	Description
------	-------------

200

OK

Example Value	Model
---------------	-------

```
[
  {
    "id": "string",
    "list": [
      {
        "id": "string",
        "name": "string",
        "phone": "string"
      }
    ],
    "resMessage": {
      "id": "string",
      "textMessage": "string"
    }
  }
]
```

204

No Content

401

eureka-controller Eureka Controller



GET

/ status

Parameters

Try it out

Name	Description
------	-------------

NameDescription

model
object
(*query*)

model

{ }

Responses

Response content type

/

CodeDescription

200

OK

Example Value

Model

string

401

Unauthorized

403

Forbidden

404

Not Found

GET

/lastn lastn

Parameters

Try it out

Name	Description
------	-------------

model object (<i>query</i>)	model { }
-------------------------------------	------------------

Responses

Response content type

/

Code	Description
------	-------------

200	OK Example Value Model string
401	Unauthorized
403	Forbidden
404	Not Found

operation-handler Operation Handler



GET

/actuator/health

handle

Parameters

Try it out

Name	Description
body object (body)	body
	Example Value Model
	<pre>{ "additionalProp1": "string", "additionalProp2": "string", "additionalProp3": "string" }</pre>
	Parameter content type
	<div>application/json</div>

Responses

Response content type

application/vnd.spring-boot.actuator.v3+json

Code	Description
200	OK
	Example Value Model
	<pre>{}</pre>
401	Unauthorized
403	Forbidden
404	Not Found

GET /actuator/health/** handle

Parameters

Try it out

Name	Description
------	-------------

body object (body)	body
--------------------------	------

Example Value Model

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

Parameter content type

application/json

Responses

Response content type

application/vnd.spring-boot.actuator.v3+json

Code	Description
------	-------------

200	OK
-----	----

Example Value Model

```
{}
```

401	Unauthorized
-----	--------------

403	Forbidden
-----	-----------

404	Not Found
-----	-----------

GET /actuator/info handle

Parameters

Try it out

Not Found

Models



```
Buyer {
  id          string
  name        string
  phone       string
}
```

```
Link {
  href         string
  templated    boolean
}
```

```
Map<<string,Link>> {
  < * >:
    Link {
      href         string
      templated    boolean
    }
}
```

```
Message {
  id          string
  textMessage string
}
```

```
ModelAndView {
  empty      boolean
  model      {
  }
  modelMap   {
    < * >:
      {
      }
  }
  reference  boolean
  status     string
  Enum:
    Array [ 68 ]
  view       View {
    contentType string
  }
  viewName   string
}
```

```
ReturnValue {
  id string
  list [Buyer {
    id string
    name string
    phone string
  }]
  resMessage Message {
    id string
    textMessage string
  }
}

View {
  contentType string
}
```