Select a definition

default

Api Documentation 1.0

[Base URL: localhost:8020/]

http://localhost:8020/v2/api-docs

Api Documentation

Terms of service

Apache 2.0

basic-error-controller Basic Error Controller ❯

eureka-controller Eureka Controller ⌄

GET	/ status

Parameters   Try it out

Name	Description
model **object** *(query)*	model {}

Responses

Response content type

/

Code	Description
200	OK

Example Value   Model

```
string
```

401	Unauthorized

403	Forbidden

404	Not Found

GET   **/lastn**   lastn

Parameters   Try it out

Name	Description
model **object** *(query)*	model

```
{}
```

Responses

Response content type   `*/*`

Code	Description
200	OK

Example Value   Model

```
string
```

Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

operation-handler Operation Handler   ⌄

GET	/actuator/health handle

Parameters   Try it out

Name	Description
body **object** *(body)*	body

Example Value   Model

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

Parameter content type

`application/json`

Responses   Response content type   application/vnd.spring-boot.actuator.v3+json

Code	Description
200	

OK

Example Value   Model

```
{}
```

| 401 | |

Unauthorized

| 403 | |

Forbidden

| 404 | |

Not Found

GET   `/actuator/health/**` handle

Parameters   Try it out

Name	Description

body
object
(body)

body

Example Value   Model

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

Parameter content type

application/json

Responses   Response content type   application/vnd.spring-boot.actuator.v3+json

Code	Description

200

OK

Example Value   Model

```
{}
```

401

Unauthorized

403

Forbidden

404

Not Found

GET   `/actuator/info`   handle

Parameters   **Try it out**

Name	Description

body
object
(body)

body

Example Value   Model

```
{
  "additionalProp1": "string",
  "additionalProp2": "string",
  "additionalProp3": "string"
}
```

Parameter content type

application/json

Responses   Response content type | application/vnd.spring-boot.actuator.v3+json |
|---|

Code	Description

Code	Description

200

OK

Example Value   Model

```
{}
```

401

Unauthorized

403

Forbidden

404

Not Found

seller-controller-impl seller Controller Impl   ⌄

GET   /api/v1/seller findAll

Parameters   Try it out

No parameters

Responses   Response content type   */*

Code	Description

Code	Description
200	OK

Example Value Model

```
[
  {
    "id": "string",
    "list": [
      {
        "id": "string",
        "name": "string",
        "phone": "string"
      }
    ],
    "resMassage": {
      "id": "string",
      "textMassage": "string"
    }
  }
]
```

401	Unauthorized
403	Forbidden
404	Not Found

POST   **/api/v1/seller**   Create

Parameters

[Try it out]

Name	Description
seller * required **object** **(body)**	seller **Example Value** Model ```{ "id": "string", "name": "string", "phone": "string" }``` **Parameter content type** [application/json]

Responses   Response content type   `*/*`

Code	Description
201	Created

Example Value Model

```
{
  "id": "string",
  "name": "string",
  "phone": "string"
}
```

Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

GET   `/api/v1/seller/{id}` find

Parameters   Try it out

Name	Description
id * required **string** **(path)**	id `id - id`

Responses   Response content type   `*/*`

Code	Description

Code	Description
200	OK

Example Value   Model

```
[
  {
    "id": "string",
    "list": [
      {
        "id": "string",
        "name": "string",
        "phone": "string"
      }
    ],
    "resMassage": {
      "id": "string",
      "textMassage": "string"
    }
  }
]
```

Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

PUT   `/api/v1/seller/{id}` update

Parameters   Try it out

Name	Description
id * required **string** **(path)**	id [id - id]

Name	Description

seller * required

object

(body)

seller

Example Value   Model

```
{
  "id": "string",
  "name": "string",
  "phone": "string"
}
```

Parameter content type

```
application/json
```

Responses

Response content type   `*/*`

Code	Description

200

OK

Example Value   Model

```
[
  {
    "id": "string",
    "list": [
      {
        "id": "string",
        "name": "string",
        "phone": "string"
      }
    ],
    "resMassage": {
      "id": "string",
      "textMassage": "string"
    }
  }
]
```

201

Created

401

Unauthorized

403

Forbidden

Code	Description
404	Not Found

DELETE   `/api/v1/seller/{id}` delete

Parameters

<div align="right">

Try it out

</div>

Name	Description
id * required **string** **(path)**	id id - id

Responses

Response content type   `*/*`

Code	Description
200	OK **Example Value** Model

```
[
  {
    "id": "string",
    "list": [
      {
        "id": "string",
        "name": "string",
        "phone": "string"
      }
    ],
    "resMassage": {
      "id": "string",
      "textMassage": "string"
    }
  }
]
```

204	No Content
401	Unauthorized

Code	Description
403	Forbidden

web-mvc-links-handler Web Mvc Links Handler 〉

Models ⌄

Link {
   href   string
   templated   boolean
}

Map«string,Link» {
   < * >:   **Link** {
                    href   string
                    templated   boolean
               }
}

Massage {
   id   string
   textMassage   string
}

ModelAndView   {

```
empty                   boolean
model
                           {
                        }
modelMap
                           {
                           < * >:
                                                      {...}
                        }
reference               boolean
status                  string
                        Enum:

                            [ CONTINUE, SWITCHING_PROTOCOLS, PROCESSING,
                        CHECKPOINT, OK, CREATED, ACCEPTED,
                        NON_AUTHORITATIVE_INFORMATION, NO_CONTENT, RESET_CONTENT,
                        PARTIAL_CONTENT, MULTI_STATUS, ALREADY_REPORTED, IM_USED,
                        MULTIPLE_CHOICES, MOVED_PERMANENTLY, FOUND,
                        MOVED_TEMPORARILY, SEE_OTHER, NOT_MODIFIED, USE_PROXY,
                        TEMPORARY_REDIRECT, PERMANENT_REDIRECT, BAD_REQUEST,
                        UNAUTHORIZED, PAYMENT_REQUIRED, FORBIDDEN, NOT_FOUND,
                        METHOD_NOT_ALLOWED, NOT_ACCEPTABLE,
                        PROXY_AUTHENTICATION_REQUIRED, REQUEST_TIMEOUT, CONFLICT,
                        GONE, LENGTH_REQUIRED, PRECONDITION_FAILED,
                        PAYLOAD_TOO_LARGE, REQUEST_ENTITY_TOO_LARGE, URI_TOO_LONG,
                        REQUEST_URI_TOO_LONG, UNSUPPORTED_MEDIA_TYPE,
                        REQUESTED_RANGE_NOT_SATISFIABLE, EXPECTATION_FAILED,
                        I_AM_A_TEAPOT, INSUFFICIENT_SPACE_ON_RESOURCE,
                        METHOD_FAILURE, DESTINATION_LOCKED, UNPROCESSABLE_ENTITY,
                        LOCKED, FAILED_DEPENDENCY, TOO_EARLY, UPGRADE_REQUIRED,
                        PRECONDITION_REQUIRED, TOO_MANY_REQUESTS,
                        REQUEST_HEADER_FIELDS_TOO_LARGE,
                        UNAVAILABLE_FOR_LEGAL_REASONS, INTERNAL_SERVER_ERROR,
                        NOT_IMPLEMENTED, BAD_GATEWAY, SERVICE_UNAVAILABLE,
                        GATEWAY_TIMEOUT, HTTP_VERSION_NOT_SUPPORTED,
                        VARIANT_ALSO_NEGOTIATES, INSUFFICIENT_STORAGE,
                        LOOP_DETECTED, BANDWIDTH_LIMIT_EXCEEDED, NOT_EXTENDED,
                        NETWORK_AUTHENTICATION_REQUIRED ]
view
```

View   {

```
    contentType             string
}
```

```
viewName                string
}
```

ReturnValue   {

```
id                      string
list
```

       [### Seller   {

```
    id                      string
    name                    string
    phone                   string
  }]
```

```
resMassage
```

Massage   {

```
    id                      string
    textMassage             string
}
```

```
}
```

Seller   {
```
    id                    string
    name                  string
    phone                 string
}
```

View   {
```
    contentType           string
}
```