

SETUP INSTRUCTIONS FILE

- **Project overview**

- The **Bookstore Management System** helps employees manage and track book inventory efficiently. The system provides user authentication, book addition, updates, deletion, image viewing, and report generation using JasperReports.

- **System Requirements**

- **Operating System:** Windows 10 or higher, macOS, or Linux
- **Java Development Kit (JDK):** Version 22
- **NetBeans IDE:** Version 23
- **Database Management:** XAMPP v3.3.0 with MySQL
- **Reporting Tool:** Jaspersoft Studio v7.0.0

- **Installation Steps**

- **Step 1: Install Java JDK**
 - Download JDK 22 from the official [Oracle website](#).
 - Install it and set up the environment variable JAVA_HOME.
- **Step 2: Install NetBeans**
 - Download NetBeans 23 from the [Apache NetBeans website](#).
 - Install and configure NetBeans to recognize the JDK 22 installation.
- **Step 3: Install XAMPP**
 - Download XAMPP v3.3.0 from the Apache Friends website.
 - Install and start the MySQL service through the XAMPP control panel.
- **Step 4: Set Up the Database**
 - Open phpMyAdmin through XAMPP (<http://localhost/phpmyadmin>).
 - Create a new database named InventoryManagement.
 - Execute the SQL to create the tables:

```
CREATE TABLE `employees` (  
  `EmployeeID` VARCHAR(20) PRIMARY KEY,  
  `Password` VARCHAR(50) NOT NULL  
);
```

```
CREATE TABLE `books` (  
  `BookID` VARCHAR(20) PRIMARY KEY,
```

```
`BookName` VARCHAR(100) NOT NULL,  
`Author` VARCHAR(100),  
`Price` DECIMAL(10,2) NOT NULL,  
`BookImage` LONGBLOB,  
`AddedDate` TIMESTAMP NOT NULL DEFAULT  
CURRENT_TIMESTAMP,  
`UpdatedDate` TIMESTAMP NULL DEFAULT NULL ON UPDATE  
CURRENT_TIMESTAMP  
);
```

Step 5: Configure Jaspersoft Studio

- Download Jaspersoft Studio 7.0.0 from the TIBCO website.
- Install and configure report templates as needed.

Step 6: Clone/Download Project Files

- Clone or download the project files to your machine.
- Open the project in NetBeans and configure the database connection strings to match your local MySQL setup.

• Running Application

- Launch XAMPP and start the MySQL service.
- Open NetBeans and run the project.
- Log in using a valid username and password, or create a new account if necessary.

• Troubleshooting Tips

- **Database Connection Errors:**
 - Ensure XAMPP is running and the database configuration in the code matches localhost, 3306, and database credentials.
- **Report Generation Issues:**
 - Confirm that Jaspersoft Studio is correctly installed and the .jasper files are accessible.

JAR LIBRARY:

https://drive.google.com/drive/folders/1Pccm4RyNVgv475xE1k62EdBt3A_ASaIB?usp=drive_link