COURS : Analyse de Données par Comparaison de Modèles

Dimitri Naczaj 2019-06-03

Contents

1	Introduction à l'analyse des données 1.1 Esquisse de l'analyse des données	5 5				
2	2 Modèles simples : définitions de l'erreur et des paramètres estimés 3 Methods					
3						
4	Applications4.1 Example one4.2 Example two					
5	Final Words	13				
_						

Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation

$$a^2 + b^2 = c^2$$

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.name/tinytex/.

4 CONTENTS

Introduction à l'analyse des données

1.1 Esquisse de l'analyse des données

$$DONN\acute{E}ES = MOD\grave{E}LE + ERREUR$$

Estimateur de β_0

ERREUR =
$$\sum_{i=1}^{n} w_i e_j^2 = \sum_{i=1}^{n} w_i (Y_i - \widehat{Y}_i)^2 = \sum_{i=1}^{n} w_i (Y_i - b_0)^2$$

Modèles simples : définitions de l'erreur et des paramètres estimés

You can label chapter and section titles using {#label} after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in figure and table environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the fig: prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from knitr::kable(), e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2019) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 2.1: Here is a nice figure!

Table 2.1: Here is a nice table!					
Sepal.Length	${\bf Sepal. Width}$	Petal.Length	Petal.Width	Species	
5.1	3.5	1.4	0.2	setosa	
4.9	3.0	1.4	0.2	setosa	
4.7	3.2	1.3	0.2	setosa	
4.6	3.1	1.5	0.2	setosa	
5.0	3.6	1.4	0.2	setosa	
5.4	3.9	1.7	0.4	setosa	
4.6	3.4	1.4	0.3	setosa	
5.0	3.4	1.5	0.2	setosa	
4.4	2.9	1.4	0.2	setosa	
4.9	3.1	1.5	0.1	setosa	
5.4	3.7	1.5	0.2	setosa	
4.8	3.4	1.6	0.2	setosa	
4.8	3.0	1.4	0.1	setosa	
4.3	3.0	1.1	0.1	setosa	
5.8	4.0	1.2	0.2	setosa	
5.7	4.4	1.5	0.4	setosa	
5.4	3.9	1.3	0.4	setosa	
5.1	3.5	1.4	0.3	setosa	
5.7	3.8	1.7	0.3	setosa	
5.1	3.8	1.5	0.3	setosa	

Methods

We describe our methods in this chapter.

Applications

Some significant applications are demonstrated in this chapter.

- 4.1 Example one
- 4.2 Example two

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). Dynamic Documents with R and knitr. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2019). bookdown: Authoring Books and Technical Documents with R Markdown. R package version 0.11.