
Web3Edu
LEARN · EXPLORE · BUILD

LM02

Why Blockchain?

When Does It Make Sense?



Start with the problem, not the technology.

When Does Blockchain Make Sense?

Extended Reading
Web3Edu - LM02: Why Blockchain?

Blockchain is often introduced through its technical characteristics: distributed ledgers, cryptographic links, consensus mechanisms, and replicated state. Understanding these mechanisms is important, but it does not answer a more practical question:

> **Why should a system use blockchain in the first place?**

The existence of a technically feasible blockchain solution does not mean that blockchain is the right architectural choice. In many cases, a conventional database operated by a trusted organization may be simpler, faster, less expensive, and easier to maintain.

The purpose of this reading is to develop a critical skill: evaluating whether blockchain is actually justified for a particular problem.

1. Start With the Problem, Not the Technology

A common mistake in technology projects is to begin with a preferred technology and then search for a problem that can be solved with it.

For blockchain, this often produces the wrong starting question:

> **How can we use blockchain for this application?**

A better question is:

> **What problem are we trying to solve, and what kind of trust and coordination does that problem require?**

Consider a university that needs to maintain the official grades of its students. The university is already the recognized authority responsible for issuing those grades. A conventional information system controlled by the university may therefore be entirely appropriate.

Adding blockchain would not automatically make the grades more correct, more trustworthy, or more useful. It could simply introduce additional infrastructure and operational complexity.

Now consider a different situation. Several independent organizations need to maintain or verify a shared record, but none of them should have unilateral control over that record. Their problem is no longer simply data storage. It also involves coordination and control between independent participants.

This is the type of situation in which blockchain becomes worth evaluating.

KEY IDEA

> **"Blockchain could be used" is not the same as "blockchain should be used."**

2. What Can Blockchain Offer?

Shared state

Multiple participants can maintain or verify a common state rather than relying exclusively on a database controlled by one participant. This may be useful when several independent organizations need a consistent view of records or transactions.

Independent verification

Participants may be able to verify parts of the system state or transaction history independently instead of accepting the claims of a single database operator. This changes the trust model of the system.

Auditability and provenance

An append-oriented, cryptographically linked record can make historical changes detectable and can provide useful evidence about when records or transactions were created and how they evolved. This can support auditing and provenance.

Reduced dependence on a single intermediary

Some blockchain architectures allow participants to coordinate without assigning complete control of the shared state to one central intermediary.

This does not mean that trust disappears. Trust is redistributed across mechanisms such as consensus, software, governance, validators, cryptographic keys, and the organizations participating in the network.

> **The important question is not "Does blockchain remove trust?" but "How does blockchain change where trust is placed?"**

3. Capabilities Come With Trade-offs

The potential capabilities of blockchain should never be evaluated in isolation. Each architectural choice introduces costs, assumptions, and limitations.




Figure 1. Potential blockchain capabilities should be evaluated together with the governance, privacy, operational, and security trade-offs they introduce.

Statements such as "blockchain provides transparency" or "blockchain removes intermediaries" are not enough to justify its use.

The relevant question is whether those properties provide sufficient value for this particular problem to justify the additional complexity.

A centralized architecture is not inherently inferior. If there is a legitimate and trusted authority, centralized control may be exactly what the system needs.

Likewise, a distributed architecture is not automatically decentralized. A system can distribute data across many machines while decision-making power remains concentrated in one organization.

> **KEY IDEA**
> **Architecture should follow requirements, not ideology.**

4. A Framework for Deciding

Rather than asking whether an application can use blockchain, we can evaluate the problem through a sequence of questions.




Figure 2. A simplified architecture-first decision framework. The process can legitimately end with a centralized solution, a blockchain candidate, or a need for more information.

Question 1 - Is there a shared-state problem?

Do multiple participants actually need to create, update, or verify a common set of records? If the application is essentially controlled and consumed by one organization, blockchain may offer little additional value.

Question 2 - Are the participants meaningfully independent?

Having many users does not necessarily create a decentralized trust problem. A university information system may serve thousands of students and teachers while the university remains the legitimate authority over the records. Blockchain becomes more interesting when independent participants or organizations must coordinate around shared information.

Question 3 - Is there an acceptable trusted authority?

Suppose all participants already trust one organization to maintain the authoritative database. If that organization is able and expected to perform this role, introducing distributed consensus may solve a problem that does not exist. If, however, no participant should have unilateral control - or the participants specifically need to reduce their dependence on one central operator - then blockchain may deserve further consideration.

Question 4 - What would blockchain allow participants to verify independently?

This is one of the most useful questions in the decision process. If the answer is unclear, the justification for blockchain may also be unclear.

Examples might include verifying that:

- a record existed at a particular point in time,
- a transaction was included in an agreed history,
- a credential was issued by a recognized issuer,

- multiple organizations are working from the same agreed state.

Question 5 - What are the trade-offs?

A blockchain architecture may introduce:

- additional infrastructure,
- consensus and governance requirements,
- key-management responsibilities,
- privacy challenges,
- performance limitations,
- operational complexity,
- new security assumptions.

These costs must be compared with the value gained from changing the trust model. If the same requirements can be satisfied more simply by a conventional architecture, blockchain may not be justified.

5. Integrity Is Not Truth

One of the most important limitations to understand is the difference between protecting a record and proving that the recorded information is true.

Imagine a food supply-chain system. A temperature sensor reports 4°C. The value is submitted to a blockchain and becomes part of a tamper-evident history.

Later, participants may be able to verify that the recorded value has not been silently changed. But what if the sensor was defective? What if it was incorrectly calibrated? What if somebody submitted a false value?

The blockchain can help protect the integrity and provenance of the record. It cannot, by itself, prove that the physical-world event represented by that record was true.




Figure 3. Blockchain can protect the integrity and provenance of a digital record after submission, but it does not by itself establish the truth of the original real-world observation.

This boundary between external reality and blockchain is sometimes described as an oracle problem: a blockchain can process and protect information according to its protocol, but it still requires some mechanism for bringing information from outside the blockchain into the system.

> **KEY IDEA**
> **Tamper-evident data is not necessarily truthful data.**

This distinction is especially important in systems involving sensors, human declarations, supply chains, identity claims, and other real-world information.

6. Three Valid Conclusions

A good blockchain evaluation does not need to end with blockchain. There are at least three legitimate outcomes.

1. A centralized architecture is sufficient

There is an accepted authority, the trust model is clear, and conventional infrastructure can satisfy the requirements more simply. This is not a failed blockchain project. It is a successful architectural decision.

2. Blockchain is justified

Several independent participants need shared state or independent verification, reliance on a single controlling intermediary is undesirable, and the benefits justify the additional complexity and trade-offs. Only after reaching this conclusion should questions such as permissioning, consensus, governance, and specific blockchain platforms become central.

3. There is not enough information

Sometimes the correct answer is neither blockchain nor centralized database. The requirements may simply be incomplete.

For example, before choosing an architecture we may need to know:

- Who writes the records?
- Who is allowed to verify them?
- Who currently controls the authoritative data?
- Do the participants trust that authority?
- Which information must remain private?
- What exactly must be independently verifiable?
- Who is responsible when incorrect information enters the system?

> **KEY IDEA**
> **"Not enough information" is a valid engineering conclusion.**

Choosing a technology before answering these questions would be premature.

7. Putting It Together

Blockchain should not be selected because a system needs a database, because several users participate, or because greater "trust" sounds desirable.

The stronger justification appears when a problem combines requirements such as:

> **multiple independent participants + shared state + meaningful verification requirements + a reason not to rely entirely on one controlling authority**

Even then, blockchain is only a candidate architecture.

Its benefits must still be weighed against governance, privacy, performance, operational complexity, security assumptions, and cost.

> **KEY IDEA**
> **Most importantly, blockchain changes the trust architecture of a system; it does not eliminate trust.**

The goal of architectural reasoning is therefore not to maximize the use of blockchain. It is to make a defensible decision about whether blockchain provides enough value for the problem being solved.

Before You Continue

For any proposed blockchain application, try to answer four questions:

> **Who controls the data today?**
>
> **Why is that control a problem?**
>
> **What would blockchain allow another participant to verify independently?**
>
> **What new costs or trust assumptions would blockchain introduce?**

If those questions do not have convincing answers, the system may not need blockchain at all.

Textbook Reading

This Web3Edu resource is original instructional material developed for LM02. It complements, rather than adapts or translates, the course textbook.

Recommended textbook reading: Patrikakis, C. Z., Leligou, E.-A., & Kogias, D. G. (2023). Αλυσίδες Συστοιχιών (Blockchain) - Εισαγωγή στην τεχνολογία και παραδείγματα. Kallipos Open Academic Editions. Chapter 1, especially §§1.2 and 1.5.

The textbook provides the broader academic treatment of blockchain advantages, limitations, and the evaluation of whether a blockchain-based solution is appropriate.

Licensing note: Original Web3Edu instructional material - © 2026 Dimitris Kogias · CC BY 4.0. The referenced textbook retains its own licensing terms.