

STRATEGY • PRODUCT • TECHNICAL ARCHITECTURE

CopySight × Soneium: Product and Architecture Integration Opportunities

A product strategy and technical architecture proposal for a verifiable IP trust and rights layer | CopySight × Soneium | Confidential Discussion Draft

Prepared for CopySight, Soneium, Sony and prospective ecosystem partners

5 August 2026

**CONFIDENTIAL DISCUSSION
DRAFT**

Table of Contents

Executive Summary	4
Recommended initial deployment	4
1. Evidence Model and Research Boundaries	6
2. Strategic Prioritization	7
3. Shared Architecture Principles	8
3.1 CopySight offchain analysis layer	8
3.2 Soneium onchain trust layer	8
3.3 Privacy-preserving data design	9
3.4 Canonical JSON and hashing	9
3.5 Identity, wallet abstraction and sponsored gas	9
3.6 API, relay and operational reliability	10
3.7 Revocation, versioning and corrections	10
3.8 Mainnet versus Minato	10
4. CopySight Certified & Insurance-Ready Compliance Passport	11
The strongest short-term product for a joint CopySight-Soneium launch	11
A. Detailed Observation and Concept	11
B. How the Product Would Work	11
C. Why This Opportunity Is Attractive	13
D. Architectural Integration with Soneium	14
E. Required Visual Materials	16
F. Technical Requirements	16
G. Implementation Estimate	16
5. Onchain IP Rights Vault	18
A structured rights-evidence and chain-of-title layer without overstating legal ownership	18
A. Detailed Observation and Concept	18
B. How the Product Would Work	18
C. Why This Opportunity Is Attractive	19
D. Architectural Integration with Soneium	20
E. Required Visual Materials	22
F. Technical Requirements	22
G. Implementation Estimate	23
6. Soneium IP Compliance Layer	24
The most valuable network-level integration opportunity	24
A. Detailed Observation and Concept	24
B. How the Product Would Work	24
C. Why This Opportunity Is Attractive	25
D. Architectural Integration with Soneium	26
E. Required Visual Materials	28
F. Technical Requirements	28
G. Implementation Estimate	28
7. AI Provenance & Rights-Cleared Asset Marketplace	29
A commerce layer where provenance and permitted use travel with the asset	29
A. Detailed Observation and Concept	29

B. How the Product Would Work.....	29
C. Why This Opportunity Is Attractive.....	30
D. Architectural Integration with Soneium	31
E. Required Visual Materials	32
F. Technical Requirements	33
G. Implementation Estimate.....	33
8. Programmable Licensing Registry	34
A long-term infrastructure layer for machine-readable IP commerce	34
A. Detailed Observation and Concept.....	34
B. How the Product Would Work.....	34
C. Why This Opportunity Is Attractive.....	35
D. Architectural Integration with Soneium	36
E. Required Visual Materials	37
F. Technical Requirements	38
G. Implementation Estimate.....	38
9. Dynamic Monitoring, Revocation & Revalidation.....	39
A recurring compliance layer that keeps certificates and rights states current	39
A. Detailed Observation and Concept.....	39
B. How the Product Would Work.....	39
C. Why This Opportunity Is Attractive.....	40
D. Architectural Integration with Soneium	41
E. Required Visual Materials	42
F. Technical Requirements	43
G. Implementation Estimate.....	43
10. Consolidated Architecture: CopySight Trust and Rights Layer on Soneium.....	44
11. Shared Technical Components	45
12. Implementation Roadmap.....	46
Phase 1: Sandbox and Joint Demonstration	46
Phase 2: Enterprise Pilot.....	46
Phase 3: Rights Commercialization	47
Phase 4: Continuous IP Infrastructure	47
13. Consolidated Estimate Matrix	48
14. Recommended Initial Proposal to Soneium	49
15. Assumptions and Limitations	50
16. Glossary	51
17. Source Notes	52

Executive Summary

CopySight and Soneium are strategically aligned around a practical problem: generative and digitally composed content is moving into commercial production faster than existing IP clearance, provenance and rights-management workflows can adapt. CopySight can provide the offchain intelligence and operational workflow - similarity detection, IP findings, risk scoring, policy checks, reporting and human review - while Soneium can provide a public, independently verifiable trust layer for timestamps, attestations, rights-state events, approvals, revocations and programmable permissions. The combination is stronger than either component alone because analysis becomes portable and auditable without exposing the underlying creative work or confidential evidence.

The public CopySight API currently documents image analysis that returns face presence, detected IP objects, categories, normalized bounding boxes and similarity values. The public legal materials describe the service as a technical similarity tool rather than legal advice, state that available data sources are limited and non-exhaustive, and say uploaded assets are not retained beyond what is necessary to provide the service.¹²³ A July 2026 company announcement describes CopyScore V2, frame-level video analysis and chain-of-creation documentation; however, these capabilities are not yet fully represented in the public API documentation, so this document treats video support and richer report objects as confirmed at the product-announcement level but not as a confirmed public API contract.⁴

Soneium is a general-purpose Ethereum Layer 2 founded by Sony Group and Startale, with an explicit creator, entertainment, gaming and mainstream-adoption orientation.⁵⁶ Its official documentation confirms Soneium Mainnet (chain ID 1868), Soneium Minato testnet (chain ID 1946), Ethereum settlement, EVM compatibility, deployed Ethereum Attestation Service (EAS) and Schema Registry contracts, and account-abstraction tooling that can support embedded wallets and gas sponsorship.⁷⁸⁹ Soneium also operates an IP and contract protection process that can warn and restrict addresses associated with unresolved IP concerns, giving the proposed collaboration a direct ecosystem-governance relevance.¹⁰¹¹

The recommended strategy is to build one shared technical foundation and launch two limited products first: **CopySight Certified & Insurance-Ready Compliance Passport** and a **limited Onchain IP Rights Vault**. Both should launch on Minato with a co-branded verification portal, three to ten representative records and strict legal wording. EAS should be used for certificates, statements and status references. A small custom rights contract should be introduced only where a stateful claim, assignment, counter-signature or dispute lifecycle cannot be represented cleanly by attestations alone.

The six consolidated opportunities are organized into three horizons:

- **Short-term / top priority:** CopySight Certified & Insurance-Ready Compliance Passport; Onchain IP Rights Vault.
- **Mid-term / medium priority:** Soneium IP Compliance Layer; AI Provenance & Rights-Cleared Asset Marketplace.
- **Long-term / strategic:** Programmable Licensing Registry; Dynamic Monitoring, Revocation & Revalidation.

The commercial model evolves with the roadmap. The first products create certification, verification and enterprise workflow revenue. The mid-term products add platform API, policy and marketplace distribution revenue. The long-term products create recurring licensing, monitoring and revalidation revenue. For Soneium, the same roadmap creates meaningful, non-speculative onchain activity tied to creator protection, enterprise adoption, entertainment workflows and measurable verification events.

Recommended initial deployment

1. Register a **CopySight Compliance Passport** EAS schema on Minato and issue sample attestations from a dedicated CopySight issuer smart account.
2. Deploy a narrow **RightsVault** contract supporting submitted claims, verification status, evidence-root updates, mutually accepted assignments and disputes.
3. Launch a **co-branded verification portal** that reads Soneium records and validates offchain report or evidence hashes without publishing the underlying documents.

4. Demonstrate **3-10 representative records** across an AI advertisement, an anime or game asset, a brand campaign and an enterprise production file.
5. Define the integration API and policy model required to progress toward the **Soneium IP Compliance Layer**.

1. Evidence Model and Research Boundaries

This proposal uses four evidence labels to prevent product assumptions from being confused with confirmed functionality.

Label	Meaning	Use in this document
Confirmed - CopySight	Explicitly supported by public CopySight product, API, privacy or legal materials	Current service and integration baseline
Confirmed - Soneium / standard	Explicitly supported by official Soneium, EAS, C2PA or OP Stack documentation	Available infrastructure and network behavior
Architectural assumption	Reasonable inference required to design the integration but not publicly confirmed	Must be validated during discovery
Proposed extension	New functionality designed for the collaboration	Requires product, engineering and legal approval

The publicly accessible Pitch viewer exposes the deck title but did not provide reliable slide-level content to the research workflow used for this document. No deck-only metric, customer claim or architecture statement is therefore treated as confirmed. The deck should be reviewed directly in the joint discovery phase and used to replace or enrich assumptions where appropriate.¹²

A second boundary concerns legal meaning. An onchain record can prove that a specific issuer signed structured data at or before a particular blockchain time and that the referenced data has not been changed without detection. It does not automatically prove authorship, copyrightability, ownership, chain of title, permission, fair use or non-infringement. Those conclusions depend on evidence, identity, applicable law and, in some cases, legal or judicial review. Every proposed UI and schema therefore distinguishes a submitted claim, a verified claim, a contractual assignment and an authoritative legal determination.


2. Strategic Prioritization

Idea	Horizon / priority	Business value	Value for Soneium	Complexity
CopySight Certified & Insurance-Ready Compliance Passport	Short / top	Certification SKU, enterprise evidence and partner reliance	Immediate attestations and verification activity	Medium
Onchain IP Rights Vault	Short / top	Rights workflow, higher ACV and studio/legal adoption	Stateful creator and rights activity	Medium-high
Soneium IP Compliance Layer	Mid / medium	Platform API revenue and distribution	Ecosystem-wide compliance differentiation	High
AI Provenance & Rights-Cleared Asset Marketplace	Mid / medium	Transaction and catalogue revenue	Entertainment and creator commerce	High
Programmable Licensing Registry	Long / strategic	Licensing and royalty infrastructure	Durable rights commerce	Very high
Dynamic Monitoring, Revocation & Revalidation	Long / strategic	Recurring compliance revenue	Ongoing status and policy transactions	High

Idea	First deployment	Key dependencies	Recommended next action
Compliance Passport	8-12 weeks for Minato MVP	Stable report object, legal wording, issuer keys	Joint schema and portal workshop
IP Rights Vault	10-16 weeks for limited MVP	Identity, claim states, evidence model, legal review	Define claim and assignment lifecycle
IP Compliance Layer	12-20 weeks after Passport API	Platform pilot, policy engine, SLA	Select one ecosystem launch partner
Provenance Marketplace	16-28 weeks for pilot	Provenance ingest, rights supply, marketplace operations	Run asset-supply and C2PA discovery
Licensing Registry	6-12 months after Rights Vault	Standardized legal terms, payments, rights data	Establish legal-template working group
Monitoring & Revalidation	4-8 months after prerequisite products	Monitoring triggers and platform enforcement	Define monitoring policy and pilot cadence

3. Shared Architecture Principles

The shared architecture uses CopySight as the analysis and workflow system of record and Soneium as the verifiable trust and state layer. This division is essential. CopySight must retain the ability to improve models, correct assessments, conduct manual review and enforce client-specific policies. Soneium must hold only the minimum durable facts needed to verify what was assessed, by whom, under which policy, at what time, and whether the result is still active.



3.1 CopySight offchain analysis layer

The CopySight layer receives assets or platform references, authenticates the customer, resolves the applicable policy, performs analysis, produces findings and creates a report. The confirmed public API accepts an image as multipart data and returns detected IP objects with category, creator or owner information when available, bounding boxes and similarity scores.¹³ The target integration requires a richer normalized result object, but that object is a **proposed extension** until CopySight confirms its internal report schema and versioning model.

The analysis layer should also own manual review, client-specific thresholds, case notes, false-positive handling and any legal or insurance workflow. These elements change over time and may contain confidential or personal information; they are poor candidates for public-chain storage.

3.2 Soneium onchain trust layer

Soneium should record attestations, timestamps, rights-state events and revocations. Its deployed Schema Registry and EAS contracts use the standard OP Stack predeploy addresses `0x4200000000000000000000000000000000000000000000000000000000000020` and `0x4200000000000000000000000000000000000000000000000000000000000021` on both Mainnet and Minato.¹⁴ EAS is designed for structured signed claims, supports schemas, recipients, expiration, references and revocation, and can also anchor hashes while private data remains in an authorized store.¹⁵¹⁶

Custom Solidity contracts are justified only when the product needs stateful, multi-party transitions - for example, a proposed assignment that must be accepted by the assignee, a rights record with a current controller, or a license that must be amended, revoked or checked by another contract.

3.3 Privacy-preserving data design

- **Keep offchain:** original images and videos, prompts, complete reports, legal documents, personal data, internal comments, dispute materials and confidential commercial terms.
- **Store onchain:** cryptographic hashes, compact identifiers, issuer and claimant addresses, policy and model version references, score/status fields where disclosure is intentional, timestamps, expiry, revocation and parent-record references.
- **Use private links carefully:** do not place a stable private-storage URL onchain. Store a non-resolving locator identifier or hash; require authenticated API access to resolve it.
- **Treat hashes as potentially identifying:** a hash of a known public asset can still reveal linkage. Use domain-separated hashing and, where appropriate, salted commitments for sensitive material.

3.4 Canonical JSON and hashing


Every report-bound record should be canonicalized before hashing. The recommended approach is JSON Canonicalization Scheme or an equivalent deterministic serializer, UTF-8 encoding, explicit null handling, normalized timestamps, sorted keys and versioned schemas. The hash input should include a domain prefix such as `COPYRIGHT_REPORT_V1`, the network environment and the tenant or policy context to reduce cross-protocol replay. SHA-256 is suitable for asset and document hard bindings and aligns with C2PA implementation guidance; Keccak-256 may be used for Solidity-native identifiers. The choice must be explicit and encoded in the record version.¹⁷

3.5 Identity, wallet abstraction and sponsored gas

Enterprise users should authenticate through conventional SSO or social login. A wallet may be created or linked behind the scenes only when a signature is required. Soneium documentation lists Alchemy Account Kit support on Mainnet and Minato, including embedded wallets, ERC-4337 smart accounts and gas sponsorship, while noting that the account-abstraction section is still under active development.¹⁸ The architecture should therefore abstract the provider and avoid making any one account-abstraction vendor part of the core record format.

CopySight official attestations should be signed by an issuer smart account controlled through KMS or HSM-backed keys and, for production, a multisig or policy-controlled signing process. Claimant statements should be distinguishable from CopySight assessments and legal-reviewer attestations by issuer role and schema.

3.6 API, relay and operational reliability



The transaction path should be asynchronous. The CopySight API returns a job identifier, analysis proceeds, a canonical payload is committed to a queue, and a relay submits the transaction. The relay records the idempotency key, transaction hash, nonce, target contract, payload hash and final receipt. Failed transactions are retried with bounded backoff; ambiguous submissions are reconciled by searching for the expected event or attestation UID before resubmission. This matters because public Soneium RPC endpoints are rate-limited and are not intended for high-demand indexing workloads.¹⁹

Production deployment should use an approved infrastructure provider or dedicated RPC service. Soneium also restricts permissionless write-capable sequencer paths while keeping user transaction submission available through public and private RPC endpoints; the relay design must follow the current network notice and provider requirements.²⁰

3.7 Revocation, versioning and corrections

Records should be append-only at the evidence level and mutable only through explicit status transitions. A corrected report creates a new report hash and new attestation referencing the prior UID. The original is revoked or marked superseded; it is never silently overwritten. Revocation reasons should be compact public codes, while detailed reasons remain offchain. A disputed assessment may remain visible but should return **DISPUTED** rather than **ACTIVE** from the verification API.

3.8 Mainnet versus Minato

Minato should be used for schema experiments, sample records, wallet and relay tests, failure simulations and partner acceptance. Mainnet deployment should occur only after the schema is frozen, public wording is approved, signer recovery is tested, the contract or resolver has been audited, data-protection review is complete and production RPC/indexing agreements are in place. Mainnet uses chain ID 1868 and Minato uses chain ID 1946.²¹

4. CopySight Certified & Insurance-Ready Compliance Passport

The strongest short-term product for a joint CopySight-Soneium launch

Evidence classification

Confirmed baseline: CopySight similarity analysis, detected IP categories, face detection, bounding boxes, similarity output and legal disclaimers. **Proposed extension:** policy-aware certification, report canonicalization, public verification, insurance reliance, expiry and revocation.

A. Detailed Observation and Concept

Commercial content teams often perform IP checks through disconnected screenshots, emails, legal notes and vendor reports. Even when a check is completed, a downstream publisher, insurer or distributor may not know which file was reviewed, which engine and policy were used, whether the report was altered, or whether the assessment is still current. A normal PDF report can be copied, renamed or separated from the asset it describes.

CopySight already addresses the first part of the problem by detecting similarity and returning structured findings. Its Terms expressly position the service as a limited technical analysis rather than legal advice and state that the result is not exhaustive.²² This limitation should not be hidden; it should become a core part of the product design. The Passport would certify the **process and integrity of the check**, not guarantee that the content is legally safe.

The proposed product is a portable verification record for a specific asset version and intended-use policy. The customer receives a human-readable certificate, a public verification URL, a private full report, and an onchain attestation proving the report digest, engine and policy version, issue time, expiry and current status. A separate reliance attestation can state that an insurer, indemnification provider, studio legal team or distributor used that Passport as one input to its decision.

The Passport differs from a timestamp because it expresses structured facts, issuer identity, versioned checks, status and revocation. It differs from an NFT because it is not a transferable collectible or ownership token. Its value is verification and evidence portability.

B. How the Product Would Work

1. An enterprise user signs in through SSO, selects an asset, identifies intended use and chooses or inherits a policy profile.
2. The asset is uploaded privately or referenced through a controlled storage link. CopySight performs supported detections and generates a versioned report.
3. The policy engine converts findings into a normalized status such as `PASS`, `PASS_WITH_CONDITIONS`, `MANUAL_REVIEW`, or `REJECT`. A reviewer resolves ambiguous or high-value cases.
4. The final report and certificate payload are canonicalized and hashed. The original asset and report remain off-chain.
5. A CopySight issuer signs an EAS attestation on Minato or Mainnet. Gas is sponsored and the user does not need to manage ETH.
6. The verification portal displays public fields, the Soneium transaction or attestation UID, active/expired/revoked status and a hash-match result when an authorized user provides the report.
7. A reliance party may issue a second attestation referencing the Passport UID and its own policy or insurance identifier.
8. A material content change, new report, expiry, dispute or issuer correction triggers reissue, supersession or revocation.

Realistic user journey - AI-generated advertisement. A global brand prepares an AI-generated campaign image containing a stylized mascot. The marketing team submits the final high-resolution file and selects “paid digital advertising, United States and Japan, 90 days.” CopySight identifies a moderate character-similarity signal and a low logo signal. The internal policy routes the asset to manual review. After the team modifies the mascot, a second version passes. The final Passport proves which version was checked and allows the agency, brand legal team and insurer to verify the unchanged report and current status without receiving the asset publicly.

Compliance Passport Architecture

CopySight-certified checks with report integrity, policy status, expiry and insurance reliance




Figure 3. Compliance Passport architecture, separating private analysis and reports from Soneium attestations and public verification.

Compliance Passport End-to-End Flow

Certification is evidence of performed checks, not a legal guarantee of non-infringement




Figure 4. End-to-End Passport issuance and verification flow, including policy review and gas-sponsored attestation.

CopySight Certified - Verification Page Mockup

Illustrative product concept; wording requires legal approval

CopySight Certified
Insurance-Ready Compliance Passport

STATUS

ACTIVE

Certificate ID	CSP-2026-000184
Asset fingerprint	0xa91f...72e4
CopyScore	82 / 100 - Moderate
Checks performed	Character, logo, art/style, likeness
Engine / policy	CopyScore v2 / Studio Policy 3.1
Issued	05 Aug 2026 Expires 05 Nov 2026
Full report	Private - authorized access only
Insurance reliance	Policy evidence attached: yes

This record confirms the checks and report integrity shown above. It is not legal advice and does not guarantee non-infringement.

Figure 5. Illustrative public verification page for an active Compliance Passport. Final wording requires legal approval.

C. Why This Opportunity Is Attractive

CopySight

- Creates a premium certification SKU above one-time analysis.
- Supports recurring revenue through expiry, revalidation, policy updates and enterprise verification APIs.
- Improves enterprise defensibility by making CopySight the issuer of portable process evidence.
- Creates a structured entry point for insurer, indemnification, studio and law-firm partnerships.
- Moves the brand from detection-only tooling toward trusted IP infrastructure without making legal guarantees.

Soneium

- Creates immediate, understandable onchain activity tied to real commercial content workflows.
- Provides a visible responsible-AI and creator-protection narrative relevant to Sony, anime, gaming and entertainment.
- Demonstrates EAS, sponsored transactions and walletless UX in an enterprise setting.
- Creates a reusable certificate pattern for other ecosystem validation providers.

End users and enterprise customers

- Independent integrity verification for a report and asset version.
- Faster legal, procurement, distribution and insurance review.
- A portable audit record of performed checks, policy and expiry.
- Controlled access to private evidence rather than public disclosure.
- Clear status when a report is expired, superseded, disputed or revoked.

D. Architectural Integration with Soneium

1. System boundaries

CopySight retains the asset upload, analysis engine, findings, policy rules, complete report, reviewer notes and customer permissions. Soneium stores the attestation, issuer, recipient, public score/status fields approved for disclosure, report and asset hashes, expiry, policy references and revocation. Private enterprise storage holds the original file, full report, insurance documents and any personal information. The public portal exposes only a minimal certificate view; authorized customers can request a report hash check and download the full evidence package.

2. Core components

Component	Role and interaction
CopySight web application	Collects asset, intended use, policy and user declarations; displays workflow and certificate status
API gateway	Authenticates enterprise and platform requests, enforces quotas and produces idempotency keys
CopyScore analysis engine	Performs supported similarity and detection analysis; returns versioned findings
Validation and policy engine	Maps findings to customer policy thresholds and manual-review rules
Report canonicalization service	Produces deterministic certificate and report JSON, validates schema version and removes private fields from the public object
Hashing service	Computes asset, report, metadata and policy hashes with domain separation
Attestation orchestrator	Encodes the EAS payload, resolves recipient and expiry, and requests signing
Relayer and signer	Uses KMS/HSM-backed keys, sponsored gas, queueing, nonce management and retries
Private report vault	Encrypts full reports and evidence; maps private record IDs to onchain references
Indexer	Reads EAS events, revocations and block confirmations; serves low-latency verification
Verification portal	Displays public certificate fields and performs authorized hash-match verification
Reliance integration	Lets insurer/legal partners reference a Passport UID without modifying the Passport itself

3. Onchain data model

The MVP should use an EAS schema rather than a custom certificate contract. A compact schema can include `bytes32 certificateId`, `bytes32 assetHash`, `bytes32 reportHash`, `bytes32 metadataHash`, `bytes32 policyHash`, `bytes32 engineVersionHash`, `uint16 copyScoreBps`, `uint8 riskTier`, `uint32 checksBitmap`, `uint8 decisionCode`, `bool manualReview`, `bytes32 parentCertificateId` and `bytes32 privateLocatorCommitment`. EAS already provides attester, recipient, time, expiration, revocation and reference UID.

Public fields should be limited to certificate identifier, issuer, issue/expiry, active status, decision, risk tier, check categories, engine/policy references and hashes. A score may be public by customer choice; some enterprises may prefer a public pass/review status and keep the numerical score private. Full finding names, detected celebrity or character names, bounding boxes, prompts, intended campaign details and insurer terms should be omitted or represented only by commitments.

4. Offchain data model

The full report object should contain the original CopySight findings, policy evaluation, reviewer actions, generated evidence, source timestamps and an immutable audit log. The report is encrypted per tenant and stored under retention rules consistent with CopySight contracts and privacy policy. The onchain `reportHash` is computed over the final canonical report. If the report is exported, the verification service re-canonicalizes it and compares the digest to the attestation.

5. Smart contracts and attestations

MVP recommendation: register one `CopySightCompliancePassportV1` EAS schema and one optional `CopySightRelianceV1` schema. The Passport must be revocable. The reliance schema should include the referenced Passport UID, relying-party identifier hash, reliance type, policy reference, effective/expiry time and private evidence hash. No custom contract is required for certificate issuance because EAS already provides identity, schema, reference, expiry and revocation.

CopySight controls an `ISSUER` smart account; a separate `REVOCATION_AUTHORITY` can be configured through multisig policy. Insurers or legal reviewers sign their own reliance attestations. For production, the issuer key should not be a developer EOA. The recommended upgrade model is schema versioning rather than an upgradeable attestation contract.

6. API and data flow

Proposed APIs: `POST /v1/passports`, `GET /v1/passports/{id}`, `GET /v1/passports/{id}/verification`, `POST /v1/passports/{id}/revoke`, `POST /v1/passports/{id}/reissue`, and `POST /v1/reliance`. The creation request returns a job ID. When analysis and review are complete, the orchestrator produces an idempotency key from tenant, asset hash, report version and policy hash. Before submitting, it checks the database and indexer for an existing attestation. The verification endpoint reads the indexed EAS record, validates issuer allowlists and revocation, and optionally checks an uploaded report digest.

Sequence failures are handled through an outbox pattern: the database commits the certificate state and outbound transaction request atomically; a worker submits to Soneium; a reconciler confirms events. The API never marks a Passport `ACTIVE` until the configured confirmation threshold is reached.

7. Identity, wallets, and transaction experience

Customers use enterprise accounts and do not need to see a wallet. The EAS recipient can be an enterprise smart account, a platform account or zero address where the certificate is asset-centric. Claimant signatures are optional for the Passport because the key assertion is issued by CopySight. A reliance partner signs separately. Gas is sponsored by CopySight or a partner paymaster under volume and tenant controls.

8. Security and privacy

- KMS/HSM-backed issuer keys, separate production and Minato keys, and multisig-controlled signer-policy changes.
- Role-based access for analyst, reviewer, issuer, revoker and insurer roles; no single analyst can both modify a report and issue the final attestation.
- MIME validation, malware scanning and isolated processing for uploads.
- Domain-separated hashes and idempotency keys to prevent replay and duplicate issuance.
- No raw PII, prompts, report URLs, detected-person names or confidential policy terms onchain.
- Incident procedure for compromised issuer keys: pause new issuance, rotate issuer allowlist, revoke affected attestations and publish a signed incident notice.
- Disputed assessments remain auditable; the public state changes to disputed or revoked rather than deleting history.

9. Scalability and operational design

High-volume customers should use asynchronous batch submission. Multiple Passports can be issued through EAS multi-attestation calls where supported, while each asset retains its own UID. For video or large campaigns, the report may include a Merkle root over frame-level or asset-level findings; only the root and summary status go onchain. The indexer

should cache issuer and schema allowlists, confirmation state and revocation. Enterprise SLAs require transaction queue depth monitoring, RPC failover, rate limiting, reconciliation alerts and evidence-vault availability independent of chain indexing.

10. Integration dependencies

- Stable CopySight report and engine-version format; decision on whether CopyScore is public.
- Soneium RPC provider suitable for production writes and event reads.
- EAS schema registration and explorer/indexer support.
- Account abstraction or relayer/paymaster provider tested on Minato and Mainnet.
- Legal approval of certificate, reliance and disclaimer wording.
- Insurance or indemnification partner willing to define reliance criteria.
- Private encrypted storage and enterprise identity/SSO.

E. Required Visual Materials

Figures 3-5 provide the required system architecture, sequence flow and certificate concept. The portal should also expose a machine-readable JSON verification response suitable for insurers, publishers and platform integrations.

F. Technical Requirements

Domain	MVP requirements	Production hardening
Blockchain	Minato deployment; EAS schema; revocable attestations; test issuer smart account; Blockscout links	Mainnet schema; multisig issuer administration; monitored RPC; verified integration code; independent review
Backend	Passport API; canonical JSON; hashing; queue; relayer; receipt reconciliation; encrypted report database	HA services; tenant isolation; batch endpoints; observability; disaster recovery; evidence export
Frontend	Registration flow; policy selector; certificate page; verification portal; status/revocation views	SSO; white-label portal; insurer access; accessibility; localization
Security	KMS; secrets manager; RBAC; immutable audit logs; threat model	HSM or hardened KMS; pen test; incident drill; smart-account policy review
Product/legal	Certificate taxonomy; disclaimers; retention policy; dispute flow	Partner reliance terms; insurance wording; jurisdiction review; public verification terms
Integrations	CopySight engine; Minato RPC; EAS SDK; indexer; storage	Enterprise SSO; production RPC; insurer/legal APIs; webhooks and partner SDK

G. Implementation Estimate

Phase	Duration	Recommended team	Dependencies, complexity and confidence
Discovery and specification	2-3 weeks	Product lead, solution architect, backend lead, CopySight report owner, legal counsel, Soneium engineer	Real report examples and score semantics; medium complexity; high confidence
Prototype / proof of concept	3-5 weeks	2 backend/Web3 engineers, 1 frontend engineer, product designer	Minato RPC, issuer wallet and draft schema; medium complexity; high confidence

Phase	Duration	Recommended team	Dependencies, complexity and confidence
Testnet MVP	4-6 weeks	2 backend, 1 Web3, 1 frontend and QA	Canonical report, relayer, portal and RBAC; medium complexity; medium-high confidence
Partner pilot	4-8 weeks	Core team, solutions engineer, partner success and legal/insurance reviewer	Pilot assets, policy and evidence-access agreement; medium complexity; medium confidence
Mainnet production	4-6 weeks after pilot	Platform/SRE, security engineer, contract reviewer and legal	Final schema, production RPC, key ceremony and runbooks; medium-high complexity; medium confidence
Security and legal review	Parallel 3-6 weeks; external audit lead time excluded	Security, privacy, external counsel and optional contract reviewer	Wording and key controls; medium complexity; medium confidence
Ongoing maintenance	0.5-1.5 FTE plus support	Backend/SRE, product operations and compliance reviewer	Volume, new policies and schema versions; medium complexity; medium confidence

Directional total: 8-12 weeks to a credible Minato MVP; 12-20 weeks to a partner pilot; 18-26 weeks to a production-ready Mainnet release. This assumes the existing CopySight engine can produce a stable versioned report and excludes the lead time for an insurance product, external legal opinion or extensive smart-contract audit.

5. Onchain IP Rights Vault

A structured rights-evidence and chain-of-title layer without overstating legal ownership

Evidence classification

Confirmed baseline: CopySight describes originality, infringement detection and proof-of-authorship support in its privacy materials, but the public API is focused on similarity findings. **Proposed extension:** claim intake, evidence commitments, verification states, assignments, rights metadata, disputes and chain-of-title records.

A. Detailed Observation and Concept

Rights records are usually fragmented across contracts, emails, production systems, registrations and private drives. A creator may have evidence of creation, a studio may hold an assignment, a distributor may hold territorial rights and a platform may only see an uploaded file. The absence of a shared status and chain-of-title view creates repetitive due diligence and makes it difficult to distinguish an unsupported ownership assertion from a reviewed or mutually executed transfer.

The proposed Onchain IP Rights Vault is not a copyright registry replacement. It is a structured evidence and state system that lets participants submit claims, commit supporting documents, identify claimed rights and record later verification or assignments. CopySight contributes asset analysis, evidence workflows, identity and document integrity. Soneium provides public timestamps, signatures, state transitions and a verifiable relationship graph.

The central product rule is explicit status semantics: a **submitted claim** is a unilateral declaration; a **verified claim** means a defined reviewer checked specified evidence; a **mutually signed assignment** means both parties signed a contractual transition represented by the record; a **legally confirmed ownership record** requires an authoritative legal source, such as a court order or recognized registry, and must be labelled separately.

B. How the Product Would Work

1. A creator, studio or rights administrator creates a rights record and identifies the work, claimant, claimed rights, territory, media and effective dates.
2. Evidence documents are uploaded to a private vault. Each document and the complete evidence package receive deterministic hashes or a Merkle root.
3. The claimant signs a declaration. CopySight may analyze the associated asset for similarity and provenance signals but does not infer ownership from similarity alone.
4. The record is written as a submitted claim. Public status clearly shows `CLAIMANT_DECLARED` and whether identity or evidence has been reviewed.
5. An authorized reviewer may issue a verification attestation referencing the claim and evidence root. The verification describes scope, not a universal legal conclusion.
6. For an assignment, the current rights controller proposes the transfer; the assignee accepts it with a second signature. The RightsVault contract then records the new current record and preserves the prior link.
7. Disputes, corrections, partial assignments and superseding records are represented as new events. Sensitive materials remain private.
8. A third party can verify the current public state and request authorized evidence access from CopySight.

Realistic user journey - anime character rights. An independent illustrator creates a character and submits source files, dated sketches and an employment-status declaration. The initial record is claimant-declared. A studio later commissions a series and signs an assignment limited to animated production in defined territories, while merchandising rights remain with the illustrator. Both parties sign the transition. A game publisher verifies the chain, sees that game rights are not included, and requests a separate license rather than relying on a generic “owner” label.

Onchain IP Rights Vault Architecture

A structured evidence and chain-of-title registry with explicit verification states




Figure 6. Rights Vault architecture with private evidence, claim review and stateful Soneium records.

Rights Claim and Chain-of-Title Lifecycle

Legal meaning depends on evidence and verification; onchain status is explicit and non-conclusive by default

State transitions require role-based signatures and references to private evidence hashes



A court order or authoritative registry may be attached as evidence, but the contract must not label every submitted claim as legal ownership.

Figure 7. Rights claim and chain-of-title lifecycle, emphasizing distinct legal and verification states.

C. Why This Opportunity Is Attractive

CopySight

- Expands into high-value rights administration and evidence workflows.
- Raises enterprise ACV through private vault, review, identity and chain-of-title modules.

- Creates reusable rights data that improves later licensing and monitoring products.
- Builds partnerships with studios, legal teams, registries, insurers and rights holders.
- Creates a defensible bridge between content analysis and commercial rights infrastructure.

Soneium

- Creates creator and entertainment use cases aligned with Soneium vision and Sony relevance.
- Produces meaningful state transitions rather than one-time minting.
- Supports transparent IP-governance signals that complement Soneium IP protection policies.
- Establishes the rights identity model required for future licensing and marketplaces.

End users and enterprise customers

- A visible distinction between claims, verification, assignments and authoritative determinations.
- Portable chain-of-title and evidence-integrity records.
- Less repetitive document exchange and more targeted due diligence.
- Private evidence with public, minimal rights-state verification.
- Clear dispute and supersession history.

D. Architectural Integration with Soneium

1. System boundaries

CopySight manages identity, declarations, evidence upload, document hashing, reviewer access, manual case workflow and private legal documents. Soneium holds the rights-record identifier, asset or work commitment, parties, status, claimed-rights summary, evidence root, parent/child relationships, signatures and lifecycle events. The public sees a minimal rights graph and status. Only authorized parties see contracts, addresses, personal data and detailed territorial schedules.

2. Core components

Component	Role
Rights Vault portal	Claim, work, party, rights-scope and assignment workflow
Identity and organization service	Enterprise SSO, verified organization profiles, signer authority and optional KYC
Evidence ingestion service	File hashing, metadata capture, malware scanning and evidence manifests
Private document vault	Tenant-encrypted contracts, registrations, source files and legal opinions
CopySight analysis adapter	Optional similarity and provenance checks linked to the work record
Claim review engine	Verification checklist, reviewer scope, opinion expiry and conflict controls
Rights graph service	Maps works, versions, parties, territories, media, assignments and disputes
RightsVault smart contract	Stateful records, accepted assignments, current pointer, status and events
EAS verification schemas	Reviewer statements, identity verification and authoritative-source references
Indexer and verification API	Resolves current state and complete historical graph

3. Onchain data model

A `RightsRecord` should include `bytes32 recordId`, `bytes32 workId`, `bytes32 assetHash` or collection root, `address claimant`, `address currentController`, `bytes32 evidenceRoot`, `bytes32 rightsScopeHash`, `bytes32 territorySetHash`, `uint64 effectiveFrom`, `uint64 effectiveTo`, `uint8 claimType`, `uint8 verificationStatus`, `uint8 disputeStatus`, `bytes32 parentRecordId` and `bytes32 authoritativeReferenceHash`. The public rights summary may also use bitmaps for media categories, but complex territory schedules and exceptions remain in a canonical offchain rights document referenced by hash.

The contract must never expose a generic boolean named `isOwner`. It should expose precise states such as `SUBMITTED`, `CLAIMANT_DECLARED`, `REVIEWED`, `MUTUALLY_ASSIGNED`, `AUTHORITY_CONFIRMED`, `DISPUTED`, `SUPERSEDED` and `REVOKED`. Reviewer scope and identity belong in EAS attestations referencing the record.

4. Offchain data model

Offchain objects include the work manifest, party profiles, source files, registrations, employment and contractor agreements, licenses, assignments, signatures, legal opinions, dispute correspondence and reviewer notes. A canonical evidence manifest lists each file hash, evidence type, issuer, date, retention class and access policy. Its Merkle root is anchored onchain. Evidence can be added by publishing a new root and version event rather than editing prior evidence.

5. Smart contracts and attestations

The Rights Vault requires a combination of EAS and a custom contract. EAS is used for unilateral declarations, reviewer verification, identity checks and authoritative-source references. A custom `RightsVault` contract is used for stateful current-record pointers and bilateral assignments.

Major functions: `createRecord`, `updateEvidenceRoot`, `proposeAssignment`, `acceptAssignment`, `cancelAssignment`, `setDispute`, `resolveDispute`, `supersedeRecord`, and `setAuthorityReference`. Roles include claimant, current controller, assignee, CopySight reviewer, dispute administrator and contract admin. Assignment acceptance must validate both party signatures, rights scope and effective dates. Events should include `RecordCreated`, `EvidenceUpdated`, `VerificationReferenced`, `AssignmentProposed`, `AssignmentAccepted`, `DisputeOpened`, `DisputeResolved` and `RecordSuperseded`.

For the MVP, use a non-upgradeable versioned contract or a narrowly governed UUPS proxy only if requirements cannot be frozen. Given legal sensitivity, immutable versioned deployments with a registry of approved versions are preferable to broad upgrade authority.

6. API and data flow

Proposed APIs: `POST /v1/rights-records`, `POST /v1/rights-records/{id}/evidence`, `POST /v1/rights-records/{id}/verify`, `POST /v1/rights-records/{id}/assignments`, `POST /v1/assignments/{id}/accept`, `POST /v1/rights-records/{id}/disputes`, and `GET /v1/rights-records/{id}/graph`. Each write uses a version and idempotency key. Before an assignment is submitted, the backend verifies that the source record remains current and that the same rights scope has not already been transferred in an incompatible way. The indexer rebuilds the graph from events and checks it against the application database.

7. Identity, wallets, and transaction experience

Claimants and assignees must sign declarations. The experience can remain walletless through embedded smart accounts, but legal workflows may require stronger identity evidence and organization-authority checks. High-value assignments should support institutional multisig, dual approval and an optional qualified electronic signature outside the chain; the signed agreement hash is then referenced onchain. CopySight reviewer signatures must be separate from party signatures.

8. Security and privacy

- No home addresses, government identifiers, signatures, contract text or personal contact details onchain.
- Evidence access requires tenant authorization, purpose logging and time-limited links.
- Signer authority checks for organizations; revoked employees cannot execute assignments.

- Contract prevents replay of an assignment signature across record, chain or scope.
- Duplicate work claims are allowed but linked as potentially conflicting claims; the system must not silently choose one owner.
- Dispute administrators can change status but cannot rewrite evidence or transfer rights.
- Authoritative legal records are represented by source type, reference hash and reviewer statement, not copied publicly.

9. Scalability and operational design

Rights writes are lower volume than content scans but operationally heavier. The system needs strong workflow queues, evidence upload resilience, long-term document retention, relationship indexing and audit export. Large evidence sets should use Merkle roots. The indexer must support historical queries and “rights as of date” resolution. Enterprise SLAs focus on evidence availability, signer workflows and graph correctness rather than raw transaction throughput.

10. Integration dependencies

- Clear legal taxonomy for claim, verification, assignment and authority-confirmed states.
- Organization identity and signer-authority model.
- Canonical rights-scope, media and territory data structures.
- Private document vault and retention policy.
- Soneium contract deployment, monitoring and indexer.
- Reviewer network and dispute process.
- Optional integrations with copyright registries, e-signature providers and studio rights systems.

E. Required Visual Materials

Figures 6 and 7 show the system boundaries and claim lifecycle. The product UI should additionally render a relationship graph with filters for work version, party, territory, media and effective date.

F. Technical Requirements

Domain	MVP requirements	Production hardening
Blockchain	Minato RightsVault; versioned events; EAS reviewer schema; test multisig	Mainnet contract audit; registry of approved contract versions; monitoring; emergency pause limited to new writes
Backend	Rights records, evidence manifests, assignment workflow, graph indexer, SSO	Organization authority, e-signature adapters, conflict analysis, long-term archive
Frontend	Claim wizard, evidence upload, status semantics, assignment approval, public graph	Advanced territory/media views, bulk portfolio tools, legal review workspace
Security	Encryption, RBAC, audit trails, signer separation, replay protection	HSM, privacy impact assessment, pen test, disaster recovery, privileged-access reviews
Product/legal	Rights taxonomy, declarations, assignment wording, dispute rules	Jurisdiction-specific templates, registry integrations, authoritative-source policy
Integrations	CopySight analysis, storage, Minato RPC, EAS, indexer	Enterprise SSO, e-signature, registries, studio DAM/MAM and rights systems

G. Implementation Estimate

Phase	Duration	Recommended team	Dependencies, complexity and confidence
Discovery and specification	3-5 weeks	Product lead, rights counsel, solution architect, backend and contract leads, UX	Rights taxonomy and sample agreements; high complexity; medium-high confidence
Prototype / proof of concept	4-6 weeks	2 backend/Web3 engineers, 1 frontend engineer and designer	Limited record and assignment model; medium-high complexity and confidence
Testnet MVP	6-10 weeks	2 backend, 1 contract, 1 frontend, QA and DevOps	Evidence vault, identity and graph indexer; high complexity; medium confidence
Partner pilot	6-10 weeks	Core team, solutions engineer, rights operations and legal	Studio/creator partner and real evidence; high complexity; medium confidence
Mainnet production	6-10 weeks after pilot	Security, SRE, contract audit and legal operations	Audit, key ceremony, retention and dispute runbooks; high complexity; medium-low confidence
Security and legal review	Parallel 4-8 weeks plus external audit lead time	Privacy/security, external counsel and contract auditor	Data protection and legal semantics; high complexity; medium confidence
Ongoing maintenance	1-3 FTE plus rights operations	Backend/SRE, support and legal operations	Evidence retention and dispute volume; high complexity; medium confidence

Directional total: 10-16 weeks to a limited Minato MVP; 18-30 weeks to a partner pilot; 28-44 weeks to production. The estimate assumes a narrow initial rights taxonomy and excludes building a universal copyright registry, automated legal conclusions or integrations with every national authority.

6. Soneium IP Compliance Layer

The most valuable network-level integration opportunity

Evidence classification

Confirmed baseline: CopySight exposes a verification API and Soneium supports EVM applications, EAS, smart contracts and IP protection processes. **Proposed extension:** configurable platform policy, SDKs, audit decisions, enforcement hooks and ecosystem-level provider status.

A. Detailed Observation and Concept

Creator and entertainment platforms face IP risk at the moment of publication, minting, listing or distribution. A standalone scanning dashboard helps individual teams but does not prevent risky content from entering a platform workflow. Each platform also has different tolerances: a fan-art community, a studio production pipeline and a global advertising marketplace cannot use one universal score threshold.

The Soneium IP Compliance Layer would make CopySight a reusable validation provider for Soneium applications. Platforms call a synchronous or asynchronous SDK before a protected action. CopySight resolves a platform policy, performs analysis, returns a pass/review/reject decision and optionally issues an EAS attestation. A smart contract can require a valid attestation for high-risk actions, but most integrations should begin as application-level policy rather than irreversible onchain blocking.

This is not a claim that Soneium itself legally clears content. The platform remains responsible for policy and legal decisions. CopySight supplies technical evidence and workflow; Soneium supplies portable auditability and optional enforcement.

B. How the Product Would Work

1. A platform registers an integration, allowed content types, regional rules, thresholds, manual-review conditions and attestation requirements.
2. A creator uploads or generates content. The platform calls the CopySight SDK with a private asset reference, intended action and policy ID.
3. CopySight analyzes the asset and returns findings, decision, policy version and job status.
4. High-risk or ambiguous content enters a manual-review queue. An authorized platform or CopySight reviewer records a reasoned decision.
5. For passed or conditionally approved content, the attestation service publishes a compact result digest to Soneium.
6. The platform publishes, mints or lists the asset. It records the attestation UID and can recheck it on later actions.
7. Rejected content receives actionable remediation guidance. Override events are logged and separately attributable.
8. A later revocation or policy change is delivered by webhook and reflected in the platform UI or contract hook.

Use case - game asset marketplace. A developer submits a character skin for listing. The marketplace policy rejects high-confidence celebrity likenesses, routes known franchise-character similarity to manual review and allows low-risk original designs. The CopySight decision and policy hash are attested. The listing contract checks only that an approved decision exists and is not expired; it does not interpret the similarity findings itself.

Soneium IP Compliance Layer

A reusable pre-publication policy service for creator, gaming and entertainment platforms





Figure 8. Network-level compliance architecture for platforms, policy resolution, CopySight analysis and optional Soneium enforcement.

Pre-Publication Compliance Gate

Platform-configured decisions with manual-review and audit paths



Every decision returns a policy version, CopySight result digest, reviewer status and immutable audit reference.

Figure 9. Pre-publication compliance gate with manual review, override and immutable audit output.

C. Why This Opportunity Is Attractive

CopySight

- Platform API and SDK revenue

- Distribution through Soneium ecosystem partners
- Usage-based recurring revenue and policy-management fees
- Higher switching cost through embedded workflow and audit history
- Positioning as an infrastructure provider rather than a standalone scanner

Soneium

- Differentiated creator-safety and responsible-AI tooling
- Potential reduction in preventable IP incidents
- Frequent attestations tied to real platform activity
- Developer adoption through a ready-made SDK
- A bridge between Soneium IP protection policy and proactive prevention

End users and enterprise customers

- Checks occur inside existing tools
- Configurable thresholds and human-review path
- Portable audit record across platforms
- Consistent verification API
- Fewer late-stage takedowns and remediation costs

D. Architectural Integration with Soneium

1. System boundaries

Platforms control publishing and enforcement. CopySight controls analysis and decision evidence. Soneium stores policy references and approval attestations. The asset, findings and platform-specific rules remain private. Public visibility may be reduced to policy ID, decision code, asset commitment, issuer and expiry.

2. Core components

- Platform SDK and API gateway
- Tenant and policy registry
- CopySight analysis adapter
- Manual-review console
- Decision service
- EAS attestation orchestrator
- Optional `ComplianceGate` contract
- Webhook and notification service
- Indexer and developer dashboard

3. Onchain data model

A compliance attestation can include `assetHash`, `platformIdHash`, `policyHash`, `decisionCode`, `riskTier`, `checks-Bitmap`, `reportHash`, `engineVersionHash`, `contentActionCode`, `expiresAt` and `parentUID`. Platform identity and thresholds are represented by a separately versioned policy attestation or registry record. Sensitive findings remain off-chain.

4. Offchain data model

Offchain data includes the asset, findings, policy rules, manual-review notes, override reason, platform user identity, remediation history and full report. The platform stores its own content ID; CopySight stores a tenant-scoped mapping to the onchain UID.

5. Smart contracts and attestations

Use EAS for policy and decision attestations. Add an optional `ComplianceGate` contract only for platforms that require contract-level checks. Its responsibilities are narrow: trusted issuer/schema allowlist, policy allowlist, expiry/revocation check, optional asset-to-attestation binding and an emergency bypass governed by platform multisig. The gate must not contain proprietary scoring logic.

6. API and data flow

Proposed endpoints: `POST /v1/platform-checks`, `GET /v1/platform-checks/{job}`, `POST /v1/platform-checks/{job}/review`, `GET /v1/attestations/{uid}/decision`, and webhook events for `approved`, `review_required`, `rejected`, `revoked`, and `expired`. The SDK supports pre-signed upload URLs and callback tokens. Duplicate detection uses tenant, content ID, asset hash and policy version.

7. Identity, wallets, and transaction experience

Creators should not need wallets. The platform or CopySight relayer sponsors attestations. Platform administrators use SSO and role-based review. Contract-level integrations may bind an attestation to a creator smart account, but this should be optional.

8. Security and privacy

- Per-platform data isolation and policy confidentiality
- Signed webhooks and short-lived upload credentials
- No public detected-IP names or user identifiers
- Issuer and schema allowlists
- Manual-review separation and override audit
- Rate limiting and abuse detection
- Graceful behavior when CopySight or RPC services are unavailable

9. Scalability and operational design

The layer is the highest-volume concept. It requires asynchronous processing, priority queues, batch analysis, cached policy resolution, multi-attestation transactions, webhook retries, regional API endpoints and platform-specific SLAs. Video should use frame sampling or Merkleized findings rather than one attestation per frame. Public RPC endpoints should not be used as the indexer backend.

10. Integration dependencies

- One or more Soneium ecosystem launch platforms
- Stable CopySight latency and batch behavior
- Platform policy taxonomy
- SDK languages and upload model
- Production RPC/indexer
- Manual-review operating model
- Soneium ecosystem governance alignment

E. Required Visual Materials

Figures 8 and 9 provide the target architecture and decision sequence. Each pilot should add a platform-specific integration map showing the exact publish or mint action being gated.

F. Technical Requirements

Domain	Requirements
Blockchain	EAS policy and decision schemas; optional ComplianceGate; Minato integration tests; trusted issuer management
Backend	Platform API, policy engine, async jobs, webhook service, manual review, relayer, indexer, SLA monitoring
Frontend	Developer dashboard, API keys, policy editor, review queue, audit view, verification widgets
Security	Tenant isolation, signed callbacks, rate limits, KMS, incident fail-open/fail-closed policy, pen test
Product/legal	Platform responsibility model, override terms, developer documentation, content appeal process
Integrations	Creator/minting SDKs, Soneium RPC, EAS, account abstraction, platform content systems

G. Implementation Estimate

Phase	Duration	Team / assumptions
Discovery	3-5 weeks	Product, platform architect, CopySight API lead, partner engineer, legal
Prototype	4-6 weeks	2 backend engineers, 1 frontend/SDK engineer, 1 Web3 engineer
Testnet MVP	6-10 weeks	Adds policy engine, manual review, webhooks and indexer
Partner pilot	8-12 weeks	One platform, one content type, defined policy and volume
Production	6-10 additional weeks	SLA, security review, failover, Mainnet and partner launch
Ongoing	1-3 engineering FTE plus review operations	Volume and partner count drive cost

Directional delivery is 12-20 weeks to a meaningful single-platform pilot and 24-36 weeks to a hardened multi-platform service. Confidence is medium because platform workflow and latency requirements are not yet known.

7. AI Provenance & Rights-Cleared Asset Marketplace

A commerce layer where provenance and permitted use travel with the asset

Evidence classification

Confirmed baseline: C2PA defines signed manifests, assertions, content bindings and provenance validation; CopySight provides IP similarity analysis. **Proposed extension:** provenance ingestion, rights-cleared catalogue, acquisition workflow and license-aware verification.

A. Detailed Observation and Concept

AI assets can have complex creation histories: a human brief, model and version, prompt, reference images, editing steps, contributors and later derivatives. A marketplace that stores only a preview and seller description cannot reliably show which provenance statements are cryptographically bound to the file, whether CopySight checks were run, or what commercial uses are permitted.

C2PA provides a complementary standard for provenance. A C2PA Manifest binds assertions, a claim and a claim signature into a verifiable Content Credential, and hard bindings connect the manifest to the asset.²³²⁴ CopySight should not replace C2PA; it should ingest and validate available C2PA data, add CopySight assessment evidence, and anchor a compact record on Soneium.

The marketplace can catalogue rights-cleared assets without turning every asset or version into an NFT. The commercial object is a listing and license, not necessarily a token. An onchain catalogue record proves the listing state, provenance digest, CopySight status and rights summary; private storage delivers the original asset and full license.

B. How the Product Would Work

1. A creator or studio submits an asset, contributor declarations, provenance metadata and rights offered.
2. The provenance service validates a C2PA manifest where present or creates a separate creation record where not present. Absence of C2PA is shown, not treated as fraud.
3. CopySight analyzes the final asset version and produces a policy result.
4. A rights reviewer validates the seller authority and commercial-use scope.
5. The catalogue publishes a minimal provenance and rights record on Soneium and a searchable offchain listing.
6. A buyer filters by content type, permitted use, territory, exclusivity, AI-training permission and CopySight status.
7. Checkout creates an acquisition or license record; private asset delivery occurs through authorized storage.
8. The buyer or a third-party platform verifies that the asset hash, listing, license and permitted use align.

Use case - licensed game environment art. A studio lists an AI-assisted environment pack with a C2PA manifest covering generation and editing. CopySight reports no high-risk character or logo matches. The studio offers commercial game use worldwide but excludes model training and merchandise. A game developer buys the license, receives the original files privately and can later prove the specific permitted use through the license record.

AI Provenance and Rights-Cleared Asset Marketplace

C2PA-compatible provenance, CopySight assessments and license-aware catalogue records




Figure 10. Provenance and marketplace architecture combining C2PA validation, CopySight assessment, catalogue and Soneium records.

Provenance-to-Marketplace Flow

An asset can be catalogued and licensed without being tokenized as an NFT




Figure 11. Flow from asset creation and provenance through CopySight assessment, listing, licensing and verification.

C. Why This Opportunity Is Attractive

CopySight

- Transaction and catalogue revenue

- Distribution of CopySight checks as a prerequisite to trusted listings
- Access to rights-cleared asset supply and demand signals
- Higher-value studio and platform partnerships
- Foundation for programmable licensing

Soneium

- Creator and entertainment commerce aligned with ecosystem positioning
- Onchain catalogue, provenance and license activity
- C2PA-compatible responsible-content narrative
- Potential Sony ecosystem use cases without forcing NFT mechanics

End users and enterprise customers

- Searchable rights and provenance
- Clear permitted commercial use
- Private original delivery
- Portable verification of purchase and policy
- Reduced uncertainty around AI-assisted production assets

D. Architectural Integration with Soneium

1. System boundaries

The marketplace database and private storage hold previews, originals, prompts where voluntarily disclosed, contributor information, C2PA manifests, licenses and financial records. Soneium holds hashes, catalogue state, seller/issuer identities, provenance digest, CopySight status, rights-summary commitments and acquisition references. Public users see listing metadata chosen for publication.

2. Core components

- Creator onboarding and seller verification
- C2PA manifest validator and provenance graph
- CopySight assessment service
- Rights review workflow
- Catalogue and search index
- Private preview/original storage
- Checkout and license issuance
- EAS provenance schema
- Catalogue and acquisition contracts or attestations
- Verification and delivery API

3. Onchain data model

Fields may include `listingId`, `assetHash`, `manifestHash`, `provenanceRoot`, `copySightAttestationUID`, `seller`, `rightsSummaryHash`, `licenseTemplateId`, `status`, `createdAt`, `updatedAt`, `parentListingId` and `deliveryCommitment`. Public tool/model information should be optional and consent-based; raw prompts and personal contributor data remain offchain.

4. Offchain data model

Offchain objects include original and preview assets, C2PA manifest store, detailed actions and ingredients, prompt and generation settings where disclosed, contributor agreements, full rights schedule, price, payment details and access logs. The asset hash and manifest hash connect these objects to the Soneium record.

5. Smart contracts and attestations

Use EAS for provenance and CopySight assessment references. Use a lightweight catalogue contract only if onchain listing state and acquisition events are required. Initial checkout may remain conventional; an acquisition attestation can record license ID and terms hash. A full programmable license contract belongs to the next horizon.

6. API and data flow

Proposed APIs include seller submission, C2PA validation, CopySight check, listing publication, search, checkout, private delivery and `verify-use`. The verification response combines current catalogue state, provenance validation status, CopySight Passport status and license scope. Every layer returns its own result so that one failed provenance assertion does not masquerade as a failed rights license.

7. Identity, wallets, and transaction experience

Sellers need verified accounts and signing authority. Buyers can use normal login and payment; a smart account is created only when an onchain receipt is desired. Gas is sponsored. High-value sellers may use multisig approval for listing and license-template changes.

8. Security and privacy

- Watermarked previews and private originals
- No prompt or contributor PII onchain
- C2PA trust status displayed without overstating truthfulness
- Seller fraud and rights-review controls
- Malware scanning and secure delivery
- Payment and sanctions compliance where applicable
- Takedown, dispute and delisting process

9. Scalability and operational design

Search and media delivery remain offchain and CDN-backed. Soneium writes occur at listing, material update, acquisition and revocation rather than every page view. Large provenance graphs and version histories use Merkle roots. Indexing must support fast verification and delisting propagation.

10. Integration dependencies

- Rights-cleared supply partners
- C2PA SDK and trust-list policy
- Seller verification and licensing templates
- Payments and tax operations
- Private media storage/CDN
- Soneium indexer and RPC
- Marketplace moderation and dispute operations

E. Required Visual Materials

Figures 10 and 11 show the system architecture and user flow. The pilot should also include listing and “verify permitted use” mockups based on the selected asset category.

F. Technical Requirements

Domain	Requirements
Blockchain	EAS provenance schema, catalogue or listing record, acquisition attestation, Minato pilot
Backend	C2PA validation, CopySight adapter, rights review, search, checkout, delivery, indexer
Frontend	Seller workflow, catalogue, filters, provenance view, license summary, verification page
Security	Seller identity, secure storage, watermarking, access logging, takedown controls
Product/legal	Seller warranties, license templates, C2PA presentation, refund/dispute terms
Integrations	C2PA SDK, CopySight API, payment provider, storage/CDN, Soneium RPC/indexer

G. Implementation Estimate

Phase	Duration / team	Main uncertainty
Discovery	4-6 weeks; product, marketplace, rights counsel, C2PA and Web3 architects	Asset supply and legal model
Prototype	6-8 weeks; 3 engineers, designer	C2PA ingest and listing workflow
Testnet MVP	8-12 weeks; 4-6 engineers plus QA	Search, delivery and rights review
Partner pilot	8-12 weeks	Seller onboarding and real transactions
Production	8-14 additional weeks	Payments, moderation, legal coverage and security
Ongoing	3-6 FTE plus marketplace/rights operations	Supply, support and disputes

Directional delivery is 16-28 weeks to a narrow Minato pilot and 32-52 weeks to production. Confidence is medium-low because marketplace operations and rights supply are larger dependencies than the blockchain integration.

8. Programmable Licensing Registry

A long-term infrastructure layer for machine-readable IP commerce

Evidence classification

Proposed strategic extension: machine-readable licenses and runtime validation. It depends on a mature Rights Vault, standardized legal templates and partner adoption.

A. Detailed Observation and Concept

CopySight can detect that an asset resembles protected IP, but similarity alone cannot answer the decisive commercial question: is the use authorized? Licensing data is often trapped in prose contracts and rights-management systems that third-party platforms cannot query. A programmable registry would represent a legally reviewed subset of license terms in a machine-readable form while keeping the full contract private.

The registry would identify rights holder, licensee, asset or work, permitted uses, territory, media, exclusivity, modification, AI generation, model training, merchandising, effective period and royalty reference. Third-party platforms could ask whether a specific proposed use is valid at a specific time. CopySight could then evolve from “similarity detected” to “similarity detected and a matching license exists” - while preserving a manual-review outcome for ambiguous legal language.

B. How the Product Would Work

1. A verified rights holder selects a legally approved license template and configures machine-readable terms.
2. The full agreement is negotiated and signed offchain; its canonical hash and template version are recorded.
3. The licensee accepts. The registry activates the license for the defined work, use, territory and period.
4. A third-party platform sends an asset/work identifier and intended-use context to the resolver.
5. The resolver checks current rights, active license, territory, dates, restrictions and revocation state.
6. The response is `VALID`, `INVALID`, or `MANUAL_REVIEW`, with policy and evidence references.
7. Amendment, renewal, expiry, revocation or assignment creates explicit new state and events.
8. Optional payment and royalty adapters record settlement references without publishing confidential economics.

Use case - character merchandising. A rights holder licenses a character to a manufacturer for apparel in South Korea for twelve months, excluding AI model training and digital avatars. A marketplace can validate apparel listings but rejects a request to use the same character in a game skin. The full royalty schedule remains private; only the permission scope and active status are machine-readable.

Programmable Licensing Registry

Machine-readable rights terms and third-party validation over a trusted rights baseline




Figure 12. Programmable licensing architecture with rights resolution, license composition, Soneium state and platform validation.

Programmable License Lifecycle

Stateful permissions with explicit terms, signatures, expiry and revocation




Figure 13. License lifecycle from template and validation through activation, amendment, expiry and audit verification.

C. Why This Opportunity Is Attractive

CopySight

- Licensing SaaS and validation API revenue
- Ability to resolve detected similarity against permissions

- Royalty and transaction partnerships
- Deep rights-holder and platform integration
- Long-term infrastructure defensibility

Soneium

- Durable IP commerce and stateful transactions
- Entertainment, anime, gaming and merchandising relevance
- Contract-composable permissions
- Potential ecosystem standard for licensed content

End users and enterprise customers

- Faster license validation
- Reduced ambiguity and duplicate due diligence
- Portable active/expired/revoked status
- Automated platform policy checks
- Auditable amendments and renewals

D. Architectural Integration with Soneium

1. System boundaries

Legal documents, royalty economics, negotiation and personal data remain private. Soneium stores license identifiers, parties, work references, machine-readable scope, terms hash, effective dates, status and events. Copyright runs the resolver and maps detected IP or asset records to rights and licenses.

2. Core components

- License template service
- Rights and party resolver
- Contract canonicalization and hash service
- LicenseRegistry smart contract
- Permission-validation API
- Royalty/payment adapter
- Private agreement vault
- Indexer and notification service

3. Onchain data model

A license record may include `licenseId`, `workId`, `rightsHolder`, `licensee`, `templateId`, `termsHash`, `usageBitmap`, `territorySetHash`, `mediaBitmap`, `exclusivityCode`, `modificationRights`, `aiGenerationRights`, `trainingRights`, `merchandisingRights`, `effectiveFrom`, `effectiveTo`, `royaltyReferenceHash`, `status` and `parentLicenseId`. Complex exceptions remain offchain and force manual review.

4. Offchain data model

Full agreements, royalty schedules, payment details, negotiation history, identities, tax records and jurisdiction-specific clauses remain in the private vault. The canonical contract hash and machine-readable schedule hash connect them to the license record.

5. Smart contracts and attestations

A custom `LicenseRegistry` is required for grant, acceptance, amendment, renewal, expiry and revocation. EAS can represent reviewer approval, template certification and payment or compliance statements. Contract functions include `createOffer`, `acceptLicense`, `amendLicense`, `renewLicense`, `revokeLicense`, `terminateLicense`, `recordSettlementReference` and `isUseAuthorized`. The contract returns deterministic facts; the offchain resolver interprets legal exceptions.

6. API and data flow

The key API is `POST /v1/licenses/validate-use` with work or asset reference, licensee, intended use, territory, media and time. The response includes matched license, machine-readable decision, manual-review flags, current block and policy version. Writes use party signatures and idempotent state transitions.

7. Identity, wallets, and transaction experience

Rights holders and licensees need verified organization accounts and authorized signers. High-value licenses use multisig or dual approval. Wallet abstraction can hide gas but should not weaken signer evidence.

8. Security and privacy

- No confidential economics onchain
- Strict signer authority and revocation
- Replay-safe typed signatures
- Jurisdiction and template version validation
- Manual-review outcome for ambiguous clauses
- Payment adapter isolation
- Contract audit and formal property testing

9. Scalability and operational design

Validation queries are high volume but mostly read-only and should be served from a verified index/cache with periodic chain reconciliation. Writes are lower volume. Batch licenses and territory sets should use reusable identifiers. Royalty settlement should be modular rather than embedded in the first contract.

10. Integration dependencies

- Mature Rights Vault and work identity
- Legally approved templates
- Rights-holder participation
- Platform validation demand
- Payment and royalty partners
- Contract audit
- Cross-jurisdiction legal analysis

E. Required Visual Materials

Figures 12 and 13 provide the architectural direction and lifecycle. Detailed contract state diagrams should be produced only after the legal template model is agreed.

F. Technical Requirements

Domain	Long-term requirements
Blockchain	LicenseRegistry, versioned templates, multisig roles, audit, Mainnet monitoring
Backend	Rights resolver, validation API, contract canonicalization, payment adapters, indexer
Frontend	License composer, negotiation status, signer approvals, platform validation console
Security	HSM/multisig, typed signatures, formal tests, contract audit, incident response
Product/legal	Standard licenses, jurisdiction policy, royalty and termination semantics
Integrations	Rights Vault, marketplaces, payment/royalty systems, studio rights systems

G. Implementation Estimate

Prerequisites are more important than raw coding time. After the Rights Vault and at least one marketplace/platform integration are operating, discovery and legal modelling would likely require 6-10 weeks; a limited Minato prototype 8-12 weeks; a single-template pilot 12-20 additional weeks; and production hardening, audit and partner rollout another 12-20 weeks. A realistic launch horizon is **6-12 months after prerequisite products**, with a 5-8 person cross-functional team plus specialist rights counsel. Complexity is very high and estimate confidence is low-to-medium because standardized terms and partner adoption are unresolved.

9. Dynamic Monitoring, Revocation & Revalidation

A recurring compliance layer that keeps certificates and rights states current

Evidence classification

Proposed strategic extension: scheduled and event-triggered rescans, score changes, rights changes, expiry, dispute and platform enforcement. It depends on operational Passports, rights records and partner webhooks.

A. Detailed Observation and Concept

A one-time certificate becomes stale. Reference libraries grow, a brief logo may be discovered in a video, the asset may be edited, a license may expire, a consent may be withdrawn, a rights holder may change or a dispute may open. Without revalidation, a valid historical statement can be misread as a current approval.

The proposed monitoring product turns each certificate or rights record into a lifecycle subscription. CopySight schedules rescans and listens for content, policy, license, consent, dispute and rights-holder events. When a material change occurs, it produces a new report and attestation, updates the public status and notifies connected platforms. Soneium provides a durable sequence of active, expired, superseded and revoked states.

This model creates recurring compliance revenue and aligns economic incentives with ongoing accuracy. It also allows platforms to enforce proportionate actions: request review, pause distribution, hide a listing or revoke a prior approval - rather than treating every change as permanent deletion.

B. How the Product Would Work

1. A customer defines monitoring cadence and triggers for each asset, certificate, license or portfolio.
2. The scheduler checks time-based expiry, content-version changes, rights feeds, disputes, policy updates and reference-library changes.
3. CopySight re-runs affected scans or targeted checks and compares the result to the prior report.
4. A materiality engine decides whether the change is informational, requires review, changes status or requires revocation.
5. A reviewer resolves ambiguous changes and selects remediation or grace period.
6. A new EAS attestation records revalidation; the prior certificate may remain active, become superseded, expire or be revoked.
7. Webhooks and dashboard alerts notify owners, insurers, platforms and rights administrators.
8. Connected platforms apply configured actions and later restore status after successful remediation.

Use case - licensed celebrity likeness campaign. A campaign Passport was issued for a six-month licensed likeness. Thirty days before expiry, the system alerts the brand. If no renewal is recorded, the Passport moves to expiring and then expired. If the campaign is still active, the platform policy pauses publication until a new license and revalidation are attached.

Dynamic Monitoring, Revocation and Revalidation

Recurring compliance that reacts to content, policy, rights and reference-library changes




Figure 14. Monitoring architecture with scheduled rescans, rights and reference-library triggers, Soneium status and partner enforcement.

Continuous Revalidation Cycle

A recurring loop that creates subscription and compliance-operations revenue




Figure 15. Continuous revalidation cycle from active certificate through trigger, analysis, decision, notification and updated status.

C. Why This Opportunity Is Attractive

CopySight

- Recurring portfolio subscription revenue

- Ongoing scan and review usage
- Higher retention and integration depth
- Insurance and enterprise compliance automation
- Growing longitudinal risk and rights data

Soneium

- Recurring status and revocation transactions
- Visible lifecycle integrity rather than static certificates
- Direct linkage to ecosystem protection and platform enforcement
- Long-term infrastructure differentiation

End users and enterprise customers

- Current rather than historical compliance status
- Automated expiry and rights alerts
- Clear remediation and revalidation path
- Portfolio-level oversight
- Reduced risk of continued use after permission changes

D. Architectural Integration with Soneium

1. System boundaries

CopySight owns scheduling, rescans, diffing, materiality, cases and notification. Soneium records revalidation attestations, supersession and revocation. Platforms own enforcement actions. Private evidence and detailed reasons remain off-chain.

2. Core components

- Monitoring policy service
- Scheduler and event bus
- Asset/version fingerprint service
- Re-scan and report-diff engine
- Rights/license/consent feed adapters
- Case manager
- EAS revalidation service
- Revocation registry or resolver
- Notification/webhook service
- Portfolio dashboard

3. Onchain data model

A revalidation attestation includes `subjectUID`, `newReportHash`, `triggerCode`, `decisionCode`, `materialityCode`, `previousScore`, `newScore`, `policyHash`, `effectiveAt` and `nextReviewAt`. Detailed change explanations remain private. Revocation reason uses a compact taxonomy such as `CONTENT_CHANGED`, `LICENSE_EXPIRED`, `RIGHTS_CHANGED`, `DISPUTE_OPENED`, `ASSESSMENT_CORRECTED` or `ISSUER_SECURITY_EVENT`.

4. Offchain data model

Store prior and new reports, diff details, changed frames or regions, trigger evidence, rights-feed records, notifications, reviewer actions and remediation history. Hashes connect each version to the onchain sequence.

5. Smart contracts and attestations

EAS revocation and referenced attestations are sufficient for many Passport lifecycles. A small `StatusResolver` may be added to compute the current canonical state across multiple schemas and custom rights/license contracts. It should be read-oriented and derive state from authoritative records rather than permit arbitrary edits.

6. API and data flow

Proposed APIs: create/update monitoring policy, register asset version, receive external rights events, run revalidation, acknowledge alert, and query current status. Webhooks are signed, ordered and retried. Each trigger receives an idempotency key and causal reference. The system avoids duplicate rescans when multiple triggers affect the same asset within a coalescing window.

7. Identity, wallets, and transaction experience

Monitoring is service-driven. CopySight signs revalidation attestations; rights holders or insurers may co-sign relevant events. Users remain walletless. Platform enforcement actions are attributable to platform accounts or multisig policies.

8. Security and privacy

- Authenticated event feeds and signed webhooks
- No private dispute or license detail onchain
- Separation of automatic and human-approved revocation
- Grace periods and appeal workflow
- Issuer-key compromise playbook
- Protection against malicious trigger flooding
- Auditable platform enforcement and restoration

9. Scalability and operational design

The scheduler must support millions of time-based and event-based jobs with deduplication and priority. Targeted rescans reduce cost. Video and portfolios use Merkle roots and change sets. The status index must remain available during RPC interruptions and reconcile when service returns. Monitoring SLAs define detection delay, notification delay and revalidation completion.

10. Integration dependencies

- Operational Passports and rights/license records
- Reference-library and model-version change signals
- Asset version fingerprints from platforms
- License, consent and dispute feeds
- Platform enforcement APIs
- Notification destinations
- Current-status resolver and indexer

E. Required Visual Materials

Figures 14 and 15 show the monitoring system and lifecycle. Partner pilots should add an enforcement matrix mapping each status to platform actions and grace periods.

F. Technical Requirements


Domain	Long-term requirements
Blockchain	Revalidation schema, revocation taxonomy, status resolver, monitored events
Backend	Scheduler, event bus, rescans, report diff, case manager, webhooks, portfolio index
Frontend	Monitoring policy, alerts, status timeline, remediation and portfolio dashboard
Security	Feed authentication, anti-abuse, revocation approvals, incident recovery
Product/legal	Monitoring consent, grace periods, dispute and appeal policy, notification terms
Integrations	Platforms, rights/license feeds, CopySight engine, Soneium indexer and notifications

G. Implementation Estimate

After Passport and Rights Vault production data exist, a monitoring discovery phase would require 4-6 weeks, a scheduler and revalidation prototype 6-10 weeks, a portfolio pilot 10-16 weeks and production hardening 8-12 additional weeks. A realistic horizon is **4-8 months after prerequisite products**, with 4-7 engineers plus product operations and legal/compliance support. Complexity is high and confidence is medium-low because trigger quality, rescan costs and platform enforcement APIs are unknown.

10. Consolidated Architecture: CopySight Trust and Rights Layer on Soneium

The six opportunities should not be built as isolated products. They are modules over one common foundation: asset and work identity, canonical hashing, private evidence storage, issuer and claimant identity, transaction relaying, EAS schema management, rights contracts, indexing, verification and revocation. The resulting platform can be positioned as the **CopySight Trust and Rights Layer on Soneium**.




The Passport is the first verifiable output. The Rights Vault adds parties and chain of title. The Compliance Layer distributes validation into ecosystem applications. Provenance and marketplace modules add asset discovery and commercial acquisition. The Licensing Registry makes permissions queryable. Monitoring keeps every record current. Each step reuses the same issuer, hash, evidence, relayer and verification infrastructure.

11. Shared Technical Components

Shared component	Reused by	Build-once responsibility
Canonical hashing service	All concepts	Versioned canonical JSON, domain separation, SHA-256/Keccak policy, Merkle roots
Private evidence vault	Passport, Rights Vault, Marketplace, Licensing, Monitoring	Encrypted tenant storage, retention, access logs, evidence export
Attestation service	All concepts	Schema encoding, issuer policy, reference UID, expiry and revocation
Relayer and signer infrastructure	All onchain writes	Queue, paymaster/gas sponsorship, KMS/HSM, nonce and receipt reconciliation
Rights identity model	Rights Vault, Marketplace, Licensing	Work, asset, party, territory, media and version identifiers
Indexer and status resolver	All concepts	Event ingestion, current state, history, explorer links and API cache
Verification portal	Passport, Rights Vault, Marketplace, Licensing	Public and authorized views, hash-match, issuer/schema validation
Enterprise dashboard	All concepts	SSO, portfolios, policies, cases, alerts and audit export
Revocation service	Passport, Compliance, Licensing, Monitoring	Reason taxonomy, authority, status propagation and partner webhooks
SDK/API gateway	Compliance, Marketplace and partners	Authentication, rate limits, uploads, callbacks and developer documentation

12. Implementation Roadmap



Phase 1: Sandbox and Joint Demonstration

- Compliance Passport EAS schema on Minato
- Insurance-ready reliance reference
- Limited RightsVault with claim and assignment states
- Three to ten sample records
- Co-branded CopySight × Soneium verification portal
- Shared technical and legal design package

Exit criteria: public verification works, private report hash matches, signer recovery is tested, status/revocation is demonstrated and all wording is approved for a discussion-stage pilot.

Phase 2: Enterprise Pilot

- One or two selected Soneium ecosystem platforms
- Pre-publication compliance API and policy profiles
- Provenance ingest and enterprise dashboard
- Manual review and signed webhooks
- Measured latency, decision and transaction volume

Exit criteria: partner workflow adoption, acceptable false-positive/review rate, operational SLA and documented Mainnet readiness.

Phase 3: Rights Commercialization

- Rights-cleared asset catalogue or marketplace pilot
- License templates and acquisition records
- Rights-holder and studio integrations
- Optional payments and royalty references
- Expanded rights graph

Exit criteria: verified rights supply, repeat commercial use, legally approved templates and viable unit economics.

Phase 4: Continuous IP Infrastructure

- Monitoring policies and portfolio rescans
- Expiration, revocation and revalidation
- Rights and consent feeds
- Platform enforcement and remediation
- Insurance and enterprise compliance automation

Exit criteria: recurring subscription adoption, reliable trigger quality, partner enforcement integration and measurable risk-operations value.

13. Consolidated Estimate Matrix

Concept	MVP estimate	Pilot estimate	Production estimate	Team / complexity
Compliance Passport	8-12 weeks	12-20 weeks total	18-26 weeks total	4-6 core; medium
IP Rights Vault	10-16 weeks	18-30 weeks total	28-44 weeks total	5-8 core; high
IP Compliance Layer	10-16 weeks after foundation	12-20 weeks	24-36 weeks	5-8; high
Provenance Marketplace	14-22 weeks	16-28 weeks	32-52 weeks	6-10 plus operations; high
Licensing Registry	14-22 weeks after prerequisites	6-9 months	9-15 months	6-10 plus counsel; very high
Monitoring & Revalidation	12-20 weeks after prerequisites	4-6 months	6-10 months	5-8 plus operations; high

Concept	Legal dependency	Ecosystem dependency	Recommended priority / launch horizon
Compliance Passport	Medium	Low-medium	Top priority / short-term
IP Rights Vault	High	Medium	Top priority / short-term
IP Compliance Layer	Medium-high	High	Medium priority / mid-term
Provenance Marketplace	High	High	Medium priority / mid-term
Licensing Registry	Very high	High	Strategic / long-term
Monitoring & Revalidation	High	High	Strategic / long-term

All estimates are directional ranges. They assume reuse of the shared services, stable CopySight outputs, access to Soneium infrastructure and prompt partner feedback. They exclude external audit queues, insurance product approval, formal legal opinions across multiple jurisdictions and major changes to CopySight core models.

14. Recommended Initial Proposal to Soneium

The initial collaboration should be framed as a **joint trust-layer demonstration**, not a broad promise to solve copyright ownership or licensing immediately. The proposed scope is:

1. **CopySight Certified & Insurance-Ready Compliance Passport** using a revocable EAS schema.
2. **A limited Onchain IP Rights Vault** supporting submitted claims, verification references, evidence roots, mutually accepted assignments and disputes.
3. **Deployment on Soneium Minato** with dedicated issuer and admin smart accounts.
4. **A co-branded verification portal** with public status and authorized report/evidence hash checking.
5. **Several sample IP and content records** chosen with Soneium and Sony relevance.
6. **A technical roadmap toward the Soneium IP Compliance Layer** and one prospective ecosystem pilot.

This combination creates a fast and visible result because the Passport can be implemented primarily through existing EAS infrastructure, while the limited Rights Vault demonstrates deeper stateful value. It creates real onchain activity without relying on speculative tokenization. It provides a credible Sony and Soneium narrative around creator protection, responsible AI, entertainment and enterprise trust. It limits initial legal complexity through precise status labels and strict offchain storage. Most importantly, it builds the identity, hashing, issuer, relayer, indexing and verification foundation required for later licensing, marketplace and monitoring products.

The proposed joint discovery should end with four concrete artifacts: a frozen Passport schema, a RightsVault state model, a co-branded pilot UX, and a signed architecture/security decision record. This is enough for both teams to approve a Minato build without committing prematurely to a universal rights registry or marketplace.

15. Assumptions and Limitations

- The public CopySight API is narrower than the target architecture. Rich report, policy, review, provenance and video objects are treated as proposed or require confirmation.
- The public Pitch deck could not be reviewed slide by slide through the available viewer; deck-only claims are excluded.
- The document is product and technical strategy, not legal advice or an insurance opinion.
- Onchain records prove issuer-signed data and integrity, not automatic copyright ownership, copyrightability, permission or non-infringement.
- All sensitive assets, prompts, PII, reports, agreements and dispute evidence remain offchain.
- Soneium network, RPC, account-abstraction and IP policy details may evolve; implementation must revalidate official documentation before deployment.
- Estimates assume reuse of shared components and do not include long external audit, procurement or partner-approval queues.
- C2PA provenance can validate signed manifests and content bindings; it does not guarantee that every assertion is true or that the signer owns all rights.

16. Glossary

Term	Definition
Attestation	A signed structured statement by an identifiable issuer about a subject or data object
Canonicalization	Deterministic formatting that ensures logically identical data produces the same hash
CopyScore	CopySight scoring terminology for IP or copyright risk; exact version and semantics must be confirmed
C2PA / Content Credentials	Standard for signed provenance manifests and content bindings
EAS	Ethereum Attestation Service, used to register schemas and issue/ revoke attestations
Evidence root	A Merkle root or digest representing a set of private evidence files
Hard binding	Cryptographic association between a manifest and a specific asset
Minato	Soneium testnet, chain ID 1946
OP Stack	Modular open-source framework for Ethereum Layer 2 rollups; Soneium uses OP Stack infrastructure
Relayer	Backend service that submits user- or service-authorized blockchain transactions
Rights scope	Structured description of media, territory, use, exclusivity and time
Schema Registry	Contract that registers EAS attestation schemas
Soneium Mainnet	Soneium production network, chain ID 1868
Smart account	Contract-based account, often using ERC-4337, that can support embedded UX and gas sponsorship
Supersession	New record replacing a prior record while preserving historical trace

17. Source Notes

The references below prioritize official and primary sources. CopySight product claims not reflected in official documentation are explicitly identified as product-announcement-level evidence.

1. CopySight, "API Documentation," including `POST /verify`, response schema, supported IP categories, similarity output, rate limits and the current image/GIF API statement: <https://copysight.ai/docs>↔
2. CopySight, "Privacy Policy," last updated 2 April 2026, including processor/controller roles, zero-retention statement for AI inputs/outputs, security controls and data retention: <https://www.copysight.ai/legal/privacy-policy>↔
3. CopySight, "Terms of Service," last updated 23 January 2026, including service limitations, no legal analysis, limited/non-exhaustive sources, uploaded-asset retention statement and disclaimers: <https://app.copysight.ai/legal/terms>↔
4. CopySight company announcement distributed via PR Newswire, 29 July 2026, describing CopyScore V2, video analysis, frame-level checks, chain-of-creation documentation and enterprise usage. Public announcement evidence; public API availability must be confirmed: <https://www.prnewswire.com/news-releases/copysight-raises-3-million-to-build-the-intellectual-property-clearance-layer-for-generative-ai-302837194.html>↔
5. Soneium, "Our Vision," creator, creativity and mainstream-adoption positioning: <https://soneium.org/en/vision>↔
6. Soneium Docs, "About Soneium," including Sony/Startale founding, general-purpose chain and entertainment/gaming orientation: <https://docs.soneium.org/docs/>↔
7. Soneium Docs, "Network Information," including Mainnet chain ID 1868, Minato chain ID 1946, RPC endpoints, Ethereum/Sepolia parent chains and public endpoint limits: <https://docs.soneium.org/docs/builders/overview>↔
8. Soneium Docs, "Soneium Contracts," including Schema Registry and EAS predeploy addresses and the statement that L2 addresses are the same on Mainnet and testnet: <https://docs.soneium.org/docs/builders/contracts>↔
9. Soneium Docs, "Account Abstraction," including Alchemy Account Kit, embedded wallets, ERC-4337 smart accounts, gas sponsorship and support for Mainnet/Minato: <https://docs.soneium.org/docs/builders/tools/account-abstraction>↔
10. Soneium Docs, "IP and Contracts Protection," including warning, grace, restriction and reassessment process: <https://docs.soneium.org/docs/ip-and-contracts-restriction>↔
11. Soneium, "Suspicious Contract Address List": <https://soneium.org/en/suspicious-address>↔
12. CopySight 2026 Pitch Deck public viewer. The viewer title was accessible but slide-level content was not reliably extractable for this review: https://pitch.com/v/copysight_2026_updated_deck-uk72pi↔
13. CopySight, "API Documentation," including `POST /verify`, response schema, supported IP categories, similarity output, rate limits and the current image/GIF API statement: <https://copysight.ai/docs>↔
14. Soneium Docs, "Soneium Contracts," including Schema Registry and EAS predeploy addresses and the statement that L2 addresses are the same on Mainnet and testnet: <https://docs.soneium.org/docs/builders/contracts>↔
15. Ethereum Attestation Service, official site, describing schemas, structured signed data, onchain and private/offchain use: <https://attest.org/>↔
16. Ethereum Attestation Service documentation and SDK: <https://docs.attest.org/>↔
17. C2PA Implementation Guidance, recommending cryptographic hard bindings and, absent contrary requirements, SHA-256: <https://spec.c2pa.org/specifications/specifications/2.4/guidance/Guidance.html>↔
18. Soneium Docs, "Account Abstraction," including Alchemy Account Kit, embedded wallets, ERC-4337 smart accounts, gas sponsorship and support for Mainnet/Minato: <https://docs.soneium.org/docs/builders/tools/account-abstraction>↔
19. Soneium Docs, "Network Information," including Mainnet chain ID 1868, Minato chain ID 1946, RPC endpoints, Ethereum/Sepolia parent chains and public endpoint limits: <https://docs.soneium.org/docs/builders/overview>↔
20. Soneium Docs, "Restriction on Write Path to Sequencer," describing restricted permissionless write-capable paths and continued transaction submission via public/private RPC: <https://docs.soneium.org/docs/builders/notices/notice-restriction>↔
21. Soneium Docs, "Network Information," including Mainnet chain ID 1868, Minato chain ID 1946, RPC endpoints, Ethereum/Sepolia parent chains and public endpoint limits: <https://docs.soneium.org/docs/builders/overview>↔
22. CopySight, "Terms of Service," last updated 23 January 2026, including service limitations, no legal analysis, limited/non-exhaustive sources, uploaded-asset retention statement and disclaimers: <https://app.copysight.ai/legal/terms>↔
23. C2PA, official overview: <https://c2pa.org/>↔
24. C2PA Technical Specification 2.4, including assertions, claims, signatures, manifests, validation and content bindings: https://spec.c2pa.org/specifications/specifications/2.4/specs/C2PA_Specification.html↔