

NISAAP

User Credentials Document

IoT Security Assessment Platform

CONFIDENTIAL

This document contains sensitive authentication credentials.

Handle with appropriate security measures.

Generated: 03 June 2026

1. Document Overview

This document provides a comprehensive record of all user accounts and their associated login credentials for the NISAAP (Networked IoT Security Assessment and Analysis Platform) system. The platform is designed for IoT security assessment within the National Railways of Zimbabwe (NRZ) infrastructure. Access to this document is strictly limited to authorized administrators and should be stored securely in accordance with the organisation's information security policies.

All passwords in the NISAAP system are hashed using the scrypt key derivation function with a 16-byte random salt and 64-byte derived key length. This ensures that even if the database is compromised, plaintext passwords cannot be easily recovered. However, the original plaintext passwords used during the initial database seeding are listed in this document for administrative reference purposes.

The platform is accessible at: <https://nisaap-official1.vercel.app>

2. User Credentials

The following table lists all registered user accounts on the NISAAP platform, including their usernames, plaintext passwords (for seed-created accounts), full names, email addresses, assigned roles, departments, and current account status. The Patama12 account was created through the web interface by an administrator, so its password is not included here as it was not part of the initial seeding process.

#	Username	Password	Full Name	Email	Role	Dept.	Status
1	munyaradzi	dimplex	Munyaradzi Patama	patamamunyaradzi@gmail.com	Admin	IT Security	Active
2	tariro	password123	Tariro Moyo	tariro.moyo@gmail.com	Analyst	Network Operations	Active
3	chenai	password123	Chenai Dube	chenai.dube@gmail.com	Viewer	Management	Active
4	tapiwa	password123	Tapiwa Ncube	tapiwa.ncube@gmail.com	Analyst	Cybersecurity	Active

#	Username	Password	Full Name	Email	Role	Dept.	Status
				il.com			
5	rupondo	password 123	Rupondo Gumbo	rupondo.g umbo@g mail.com	Analyst	IT Security	Active
6	nyasha	password 123	Nyasha Mahachi	nyasha.m ahachi@g mail.com	Viewer	Operation s	Active
7	kudzai	password 123	Kudzai Chikumba	kudzai.chi kumba@g mail.com	Analyst	Network Operation s	Inactive
8	blessing	password 123	Blessing Shumba	blessing.s humba@g mail.com	Admin	IT Security	Active
9	farai	password 123	Farai Mujuru	farai.muju ru@gmail. com	Viewer	Finance	Active
10	mufaro	password 123	Mufaro Zvobgo	mufaro.zv obgo@gm ail.com	Analyst	Cybersecu rity	Active
11	Patama12	(User- created)	Austin Patama	austinp atama@iclo ud.com	Admin	IT Security	Active

3. Role-Based Access Control

The NISAAP platform implements a role-based access control (RBAC) system with three distinct user roles: Admin, Analyst, and Viewer. Each role has specific permissions that determine what actions the user can perform within the system. Administrators have full access to all system features including user management, data creation, editing, and deletion. Analysts can create and modify security records but cannot delete records or manage user accounts. Viewers have read-only access and can only view existing data without the ability to create, modify, or delete any records.

Role	View Data	Create Records	Edit Records	Delete Records	Manage Users
Admin	Yes	Yes	Yes	Yes	Yes

Role	View Data	Create Records	Edit Records	Delete Records	Manage Users
Analyst	Yes	Yes	Yes	No	No
Viewer	Yes	No	No	No	No

4. Security Recommendations

The following security recommendations should be implemented to enhance the protection of user accounts and system access on the NISAAP platform. These measures are critical for maintaining the integrity and confidentiality of IoT security assessment data within the NRZ infrastructure.

- 1. Password Rotation:** All default passwords (password123) should be changed immediately upon first login. Enforce a password rotation policy requiring users to change their passwords every 90 days with a minimum complexity requirement of 8 characters including uppercase, lowercase, numbers, and special characters.
- 2. Multi-Factor Authentication:** Implement MFA for all admin accounts as a priority, and extend to all user roles. This adds a critical second layer of defense beyond passwords, particularly important for a platform managing critical infrastructure security data.
- 3. Document Security:** This document should be stored in an encrypted, access-controlled location. Physical copies should be kept in a locked cabinet and digital copies should be encrypted with AES-256. Distribute only on a need-to-know basis and maintain an access log for this document.
- 4. Account Auditing:** Regularly review the audit logs for suspicious login activity, especially for admin accounts. The platform already tracks login events and user actions; ensure these logs are reviewed weekly and any anomalies are investigated promptly.
- 5. Inactive Account Management:** The kudzai account is currently inactive. Review inactive accounts quarterly and either reactivate with new credentials or permanently remove them from the system to reduce the attack surface.