
PC-PT
PC0
Fa0
Fa1/1
Fa0/1
Fa3/1
Fa2/1
Gig0/0
Gig0/1
Gig0/0
2911
Router0
10.10.10.0
Gig0/1
192.168.10.0
Fa0
Fa0
PC-PT
PC1
PC-PT
PC2
Fa0/1
200.100.10.0
Fa0
Fa1/1
Server-PT
Server0
Switch1


Router1
Physical
Config
CLI
Attributes
IOS Command Line Interface
Router(config)#interface GigabitEthernet0/1
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface GigabitEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to up
ip address 200.100.10.5 255.255.255.0
Router(config-if)#ip address 200.100.10.5 255.255.255.0
Router(config-if)#
Router(config-if)#
Router(config-if)#exit
Router(config)#
Router(config)#ip route 192.168.10.0 255.255.255.0 10.10.10.1
Router(config)#
Router(config)#access-list 3 deny host 192.168.10.2
Router(config)#access-list 3 permit any
Router(config)#int Gig0/1
Router(config-if)#ip access-group 3 out
Router(config-if)#exit
Router(config)#do sh access-list 3
Standard IP access list 3
deny host 192.168.10.2
permit any
Router(config)#
Copy
Paste

Name: _____ Regd No: _____


PC1
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 200.100.10.1
Pinging 200.100.10.1 with 32 bytes of data:
Reply from 10.10.10.2: Destination host unreachable.
Reply from 10.10.10.2: Destination host unreachable.
Reply from 10.10.10.2: Destination host unreachable.
Reply from 10.10.10.2: Destination host unreachable.
Ping statistics for 200.100.10.1:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\>
PC-PT PC0
PC-PT PC1
PC-PT PC2
192.168.10.0
Fa0
Fa1/1
Fa0/1
Fa3/1
Fa2/1
Gig0/0
Gig0/1
2911 Router0
10.10.10.0
200.100.10.0
Server-PT Server0
Switch1


PC0
Physical Config Desktop Programming Attributes
Command Prompt
Pinging 200.100.10.1 with 32 bytes of data:
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Ping statistics for 200.100.10.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>ping 200.100.10.1
Pinging 200.100.10.1 with 32 bytes of data:
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Reply from 200.100.10.1: bytes=32 time=1ms TTL=126
Reply from 200.100.10.1: bytes=32 time<1ms TTL=126
Ping statistics for 200.100.10.1:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>


PC0
Physical Config Desktop Programming Attributes
Web Browser
URL http://200.100.10.1
Go Stop
Cisco Packet Tracer
Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.
Quick Links:
A small page
Copyrights
Image page
Image


PC2
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ftp 200.100.10.1
Trying to connect...200.100.10.1
Connected to 200.100.10.1
220- Welcome to PT Ftp server
Username:cisco
331- Username ok, need password
Password:
230- Logged in
(passive mode On)
ftp>

Name: _____ Regd No: _____


PC-PT PC0
Fa0
Fa1/1
Fa0/1
Fa3/1
Fa2/1
Gig0/0
Gig0/1
Gig0/0
2911 Router0
10.10.10.0
Gig0/1
192.168.10.0
Fa0
Fa0
PC-PT PC1
PC-PT PC2
Fa0/1
200.100.10.0
Fa0
Fa1/1
Server-PT Server0
Switch1
Router0
Physical
Config
CLI
Attributes
IOS Command Line Interface
Router#
Router#
Router#
Router#
Router#
Router#
Router#
Router#
Router#
Router#en
Router#conf t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#access-list 120 deny tcp host 192.168.10.1
host 200.100.10.1 eq www
Router(config)#access-list 120 deny tcp host 192.168.10.3
host 200.100.10.1 eq ftp
Router(config)#access-list 120 permit ip any any
Router(config)#int Gig0/1
Router(config-if)#ip access-group 120 out
Router(config-if)#do sh access-list 120
Extended IP access list 120
deny tcp host 192.168.10.1 host 200.100.10.1 eq www
deny tcp host 192.168.10.3 host 200.100.10.1 eq ftp
permit ip any any
Router(config-if)#
Copy
Paste


PC-PT PC0
Fa0
Fa1/1
Fa0/1
Fa3/1
Fa2/1
Gig0/0
Gig0/1
Gig0/0
2911 Router0
10.10.10.0
Gig0/1
192.168.10.0
Fa0
Fa0
PC-PT PC1
PC-PT PC2
Fa0/1
200.100.10.0
Fa0
Fa1/1
Server-PT Server0
Switch1
PC0
Physical
Config
Desktop
Programming
Attributes
Web Browser
URL http://200.100.10.1
Go
Stop
Request Timeout


PC-PT PC0
Fa0
Fa1/1
Fa0/1
Fa3/1
Fa2/1
Gig0/0
Gig0/1
Gig0/0
2911 Router0
10.10.10.0
Gig0/1
Fa0
Fa0
192.168.10.0
PC-PT PC1
PC-PT PC2
Fa0/1
200.100.10.0
Fa0
Fa1/1
Server-PT Server0
Switch1
PC2
Physical
Config
Desktop
Programming
Attributes
Command Prompt
C:\>ftp 200.100.10.1
Trying to connect...200.100.10.1
%Error opening ftp://200.100.10.1/ (Timed out)
.
(Disconnecting from ftp server)
C:\>ftp 200.100.10.1
Trying to connect...200.100.10.1
%Error opening ftp://200.100.10.1/ (Timed out)
.
(Disconnecting from ftp server)
C:\>

Name: _____ Regd No: _____