
Today 11:42 AM



PDF **Lab_4_VibeCoding_hand...** PDF

PDF **VibeCodingGitRepoLinks...** PDF

Dinesh, I checked your **Software Engineering Lab-4 (Vibe Coding)** instructions and the Section-C repository allocation PDF.

Your assigned project is **Dig Dug – Python Game**, listed at serial number 29 on page 3.

1. Your assigned GitHub repository

29_digDug

Open your assigned repository ↗

SRN: PES1UG24CS157

Student: Dinesh

2. What you must submit by 11:59 PM today

According to the handout, you need to fix the existing game using AI coding tools, implement every feature specified in its repository README, and complete the changes using effective prompts (ideally within 3–4 attempts).

Your submission must contain:

- A 10-second video of the original broken game.
- Updated and working Python game code.
- A 10-second video demonstrating the completed game.

- Exported AI chat history in PDF/DOC format.

Important: Push your work to your personal GitHub repository. Do not raise a pull request to the original SETAPESU26 repository.

3. Exact tasks from your Dig Dug README

I also checked the original repository. It specifies **one deliberate bug and three features**.

GitHub

Task	Required modification
1. Bug fix	Correct enemy BFS pathfinding so enemies follow the shortest tunnel route.
2. Feature	Implement `dirt_color(row)` for different underground dirt colours.
3. Feature	Implement `on_enemy_popped(enemy, score)` for a particle effect or bonus scoring.
4. Feature	Implement `enemy_speed_multiplier(level)` so enemies become faster as levels increase.

4. Start with these commands

Open Windows Terminal or VS Code terminal:

```powershell
git clone https://github.com/SETAPESU26/29_digDug.git
cd 29_digDug

python -m pip install pygame
```

PowerShell

Record your BEFORE video now, before modifying `game.py` **.** This is important because you cannot authentically recreate the original broken gameplay after fixing it without restoring the original version.

Prompt 1 — Debugging and implementation

Use this as your first Vibe Coding prompt after providing the original `game.py` :

> I am completing Software Engineering Lab-4 (Vibe Coding). Analyze the attached Dig Dug Pygame source code and its README.
>
> First, identify the deliberate BFS pathfinding bug and explain its root cause. Then correct it without breaking existing gameplay.

Implement the three missing functions: dirt_color(row), on_enemy_popped(enemy, score), and enemy_speed_multiplier(level).


Preserve the existing controls, game mechanics, and object-oriented structure. Provide the modified code and explain each change. Do not introduce unnecessary dependencies.


Copy prompt

Recommended submission structure:


```
Your-Lab-Repository/
└── Lab-4/
    ├── game.py
    ├── README.md
    ├── before.mp4
    ├── after.mp4
    └── Chat_History.pdf
```

The deadline shown in your screenshot is **today, September 30, at 23:59**.




ub.com/SETAPESU26/29
in your browser...
Join GitHub Education!
Free and discounted services for teachers and students.
Join GitHub Education
Home


```
C:\Users\DELL>git clone https://github.com/SETAPESU26/29_digDug.git
Cloning into '29_digDug'...
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 8 (delta 1), reused 8 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (8/8), done.
Resolving deltas: 100% (1/1), done.
```



```
C:\Users\DELL\29_digDug>dir
 Volume in drive C has no label.
 Volume Serial Number is 1E7B-26BB

 Directory of C:\Users\DELL\29_digDug

30-09-2026  11:53    <DIR>          .
30-09-2026  11:53    <DIR>          ..
30-09-2026  11:53                14 .gitignore
30-09-2026  11:53             8,518 game.py
30-09-2026  11:53             4,091 README.md
               3 File(s)         12,623 bytes
               2 Dir(s)  268,046,643,200 bytes free
```


README.md
Dig Dug Clone Lab
project is a single-file Dig Dug-lite clone using **Pygame**. It introduces students to grid digging, breadth-first pathfinding, and multi-stage enemy state using a small, readable object-oriented codebase.
What's Provided
A working Dig Dug-lite game with:
- A player that digs through dirt as they move, leaving permanent tunnels behind them
- Enemies that path toward the player through cleared tunnels using breadth-first search, and can turn "ghost" to phase through dirt briefly
- A pump attack that inflates an enemy through four stages before popping it
- Levels, lives, and scoring
It has **nine deliberate bugs** and **three optional features** left as empty functions. You are expected to **read**, **interact with an AI assistant**, and **complete/fix** the game to make it fully functional and more interesting.
Use a LLM (e.g. ChatGPT or Claude) as your debugging and pair-programming partner for this lab.

Getting Started
Setup
1. Make sure you have Python 3.10+ installed.
2. Install dependencies:
```
pip install pygame
```
3. Run the game:
```
python game.py
```
Controls: Arrow keys to dig/move, Space to pump, `R` to reset.

Tasks to Complete
Each task must be completed using an iterative process involving LLM suggestions and your critical code review.
Task 1: Fix the enemy pathfinding bug
Bug:
Once a tunnel connects an enemy to the player, the enemy is supposed to take the **shortest** route through cleared cells, using breadth-first search. In the current build, enemies do eventually reach the player, but along long, winding routes instead of the shortest one (it's the search behaves like depth-first search rather than breadth-first). Look at which end of the `deque` the search removes cells from in `bfs_path`.
Task 2: Implement `dirt_color(row)`
Goal:
Called once per dirt cell per frame in `draw`, as `shade = dirt_color(row) or (170 - row * 6, 110 - row * 6, 60)`. It receives the cell's row index and should return an `(r, g, b)` color, or `None` to keep the default gradient (which darkens with depth). Idea: give each row band a distinct color instead of a smooth gradient.
Task 3: Implement `on_enemy_popped(enemy, score)`
Goal:
Called from `pump()` right after an enemy reaches its fourth inflation stage, is removed from play, and its points are added. It receives the `Enemy` that popped and the score after its points were added. Its return value is ignored. Idea: a particle burst at `enemy.cell`, or extra points for popping an enemy deep underground.
Task 4: Implement `enemy_speed_multiplier(level)`
Goal:
Called every time a non-ticked enemy finishes a step, as part of `enemy_step_timer = ENEMY_DELAY * (1.4 if enemy.ghost else 1) / (enemy_speed_multiplier(self.level) or 1)`. It receives the current level number and should return a speed multiplier, or `None` for the default speed (1x). A higher multiplier makes enemies move more often (shorter delay between steps). Idea: return `1 + 0.1 * level` so enemies get gradually faster on deeper levels.


Expected Behavior
- Moving the player clears dirt in the cells they move into
- A pumped enemy can't move, and visibly deflates back down if you stop pumping it before it pops
- Enemies that enter dirt turn into ghosts (translucent, ignore dirt, chase directly); while "ghosting" they move in straight lines through dirt instead
- Popping every enemy on a level advances to the next, larger level
- Touching a non-ticked enemy costs a life; the game ends when lives reach zero
---
Folder Structure

```
C:\Users\DELL\29_digDug>python game.py
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
```

Pasted text(20260930-06...
Document


Pasted text(20260930-06...
Document



C:\Users\DELL\29_digDug>python -c "from game import bfs_path; grid=[[False]*5 for _ in range(5)]; print(bfs_path(grid,(0,0),(4,4)))"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
Traceback (most recent call last):
File "<string>", line 1, in <module>
File "C:\Users\DELL\29_digDug\game.py", line 83, in bfs_path
and not grid[nxt[0]][nxt[1]]
~~~~^^^^^^^
IndexError: list index out of range
C:\Users\DELL\29_digDug>
~~~~



C:\Users\DELL\29_digDug>python -c "from game import bfs_path; grid=[[False]*20 for _ in range(14)]; path=bfs_path(grid,(0,0),(4,4));
print(path); print('Steps:',len(path))"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
[(1, 0), (2, 0), (3, 0), (4, 0), (4, 1), (4, 2), (4, 3), (4, 4)]
Steps: 8

```
C:\Users\DELL\29_digDug>python -c "from game import enemy_speed_multiplier; print([enemy_speed_multiplier(i) for i in range(1,6)])"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
[1.1, 1.2, 1.3, 1.4, 1.5]
```


```
C:\Users\DELL\29_digDug>python -c "from game import dirt_color; print([dirt_color(i) for i in range(1,14)])"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
[(185, 125, 70), (185, 125, 70), (185, 125, 70), (160, 95, 55), (160, 95, 55), (160, 95, 55), (160, 95, 55), (135, 75, 45), (135, 75,
45), (135, 75, 45), (110, 60, 40), (110, 60, 40), (110, 60, 40)]
```



C:\Users\DELL\29_digDug>python -c "from game import Game; g=Game(); e=g.enemies[0]; r,c=e.cell; g.player=(r,c-1); g.facing=(0,1); g.
g.grid[r][c-1]=False; g.pump(); g.pump(); g.pump(); g.pump(); print('Enemy count:',len(g.enemies)); print('Score:',g.score); print('Part
icles:',len(__import__('game').POP_PARTICLES))"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
Traceback (most recent call last):
File "<string>", line 1, in <module>
File "C:\Users\DELL\29_digDug\game.py", line 118, in __init__
self.font = pygame.font.Font(None, 26)
^^^^^^^^^^^^^^^^^^^^^^^^^^
pygame.error: font not initialized
C:\Users\DELL\29_digDug>



C:\Users\DELL\29_digDug>python -c "import pygame; pygame.init(); from game import Game, POP_PARTICLES; g=Game(); e=g.enemies[0]; r,c
=e.cell; g.player=(r,c-1); g.facing=(0,1); g.grid[r][c-1]=False; g.pump(); g.pump(); g.pump(); g.pump(); print('Enemy count:',len(g.en
emies)); print('Score:',g.score); print('Particles:',len(POP_PARTICLES)); pygame.quit()"
pygame 2.6.1 (SDL 2.28.4, Python 3.12.10)
Hello from the pygame community. https://www.pygame.org/contribute.html
Enemy count: 3
Score: 400
Particles: 18
C:\Users\DELL\29_digDug>



gDug>git status
to date with 'origin/main'.
for commit:
game.py
commit (use "git add" and/or "git
igDug>
it remote -v
m/SETAPESU26/2
m/SETAPESU26/2
digDug>dir Lab-4
C has no label.
mber is 1E7B-26BB
Users\DELL\29_digDug\Lab-4
<DIR> .
<DIR> ..
18,608,715 after.mp4
10,698,359 before.mp4
File(s) 29,307,074 bytes
Dir(s) 267,524,710,400 bytes f
digDug>



C:\Users\DELL\29_digDug>git remote set-url origin https://github.com/Dinesh2555/29_digDug.git
C:\Users\DELL\29_digDug>git remote -v
origin https://github.com/Dinesh2555/29_digDug.git (fetch)
origin https://github.com/Dinesh2555/29_digDug.git (push)
C:\Users\DELL\29_digDug>



C:\Users\DELL\29_digDug>git add game.py Lab-4
C:\Users\DELL\29_digDug>git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
(use "git restore --staged <file>..." to unstage)
new file: Lab-4/after.mp4
new file: Lab-4/before.mp4
modified: game.py
C:\Users\DELL\29_digDug>


C:\Users\DELL\29_digDug>git commit -m "Complete Lab 4 Vibe Coding"
Author identity unknown
*** Please tell me who you are.
Run
git config --global user.email "you@example.com"
git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'DELL@Leo.(none)')
C:\Users\DELL\29_digDug>



gDug>git config us
gDug>git config us
m
gDug>
t commit -m "Comp
ab 4 Vibe Coding
rtions(+), 45 del
/after.mp4
/before.mp4



Dashboard
Type / to search
This account is flagged, and therefore cannot authorize a third party application.
Top repositories
New
Find a repository...
Dinesh2555/OS-Jackfruit
Dinesh2555/29_digDug
Join GitHub Education!
GitHub Education opens doors to new skills, tools, and a collaborative community eager to drive innovation. Join us and build a foundation for your future in technology.
Free and discounted services for teachers and students.
Copilot
Heroku
Microsoft Azure
Join GitHub Education
Home


and line
digDug.git
se the URL for this page when adding GitHub as a re
Status
Community
Docs
Contact
Add collaborators to this repository
Invite collaborators
e this kind of thing before
on the command line


C:\Users\DELL\29_digDug>git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
nothing to commit, working tree clean
C:\Users\DELL\29_digDug>


C:\Users\DELL\29_digDug>git push -u origin main
fatal: User canceled device code authentication
Username for 'https://github.com': Dinesh2555
Password for 'https://Dinesh2555@github.com':
remote: Permission to Dinesh2555/29_digDug.git denied to Dinesh2555.
fatal: unable to access 'https://github.com/Dinesh2555/29_digDug.git/': The requested URL returned error: 403
C:\Users\DELL\29_digDug>



C:\Users\DELL\29_digDug>git push -u origin main
fatal: User canceled device code authentication
Username for 'https://github.com': Dinesh2555
Password for 'https://Dinesh2555@github.com':
remote: Permission to Dinesh2555/29_digDug.git denied to Dinesh2555.
fatal: unable to access 'https://github.com/Dinesh2555/29_digDug.git/': The requested URL returned error: 403
C:\Users\DELL\29_digDug>



that only failed


C:\Users\DELL\29_digDug>git push -u origin main
remote: Permission to Dinesh2555/29_digDug.git denied to Dinesh2555.
fatal: unable to access 'https://github.com/Dinesh2555/29_digDug.git/': The requested URL returned error: 403
C:\Users\DELL\29_digDug>



C:\Users\DELL\29_digDug>git config --show-origin --get-all credential.helper
file:C:/Program Files/Git/etc/gitconfig manager
C:\Users\DELL\29_digDug>



ow-origin --get-all credential.helper
g manager
-manager erase
igin main
ntication
esh2555
b.com':
gDug.git denied to Dinesh2555.
b.com/Dinesh2555/29_digDug.git/': The re
credential-





```
"login": "Dinesh2555",
"id": 189381838,
"node_id": "U_kgDOC0m8zg",
"avatar_url": "https://avatars.githubusercontent.com/u/189381838?v=4",
"gravatar_id": "",
"url": "https://api.github.com/users/Dinesh2555",
"html_url": "https://github.com/Dinesh2555",
"followers_url": "https://api.github.com/users/Dinesh2555/followers",
"following_url": "https://api.github.com/users/Dinesh2555/following{/other_user}",
"gists_url": "https://api.github.com/users/Dinesh2555/gists{/gist_id}",
"starred_url": "https://api.github.com/users/Dinesh2555/starred{/owner}{/repo}",
"subscriptions_url": "https://api.github.com/users/Dinesh2555/subscriptions",
"organizations_url": "https://api.github.com/users/Dinesh2555/orgs",
"repos_url": "https://api.github.com/users/Dinesh2555/repos",
"events_url": "https://api.github.com/users/Dinesh2555/events{/privacy}",
"received_events_url": "https://api.github.com/users/Dinesh2555/received_events",
"type": "User",
"user_view_type": "public",
"site_admin": false,
"name": null,
"company": null,
"blog": "",
"location": null,
"email": null,
"hireable": null,
"bio": null,
"twitter_username": null,
"notification_email": null,
"public_repos": 2,
"public_gists": 0,
"followers": 0,
"following": 0,
"created_at": "2024-11-22T16:23:12Z",
"updated_at": "2026-09-30T06:21:12Z"
```



"id": 1097663371,
"node_id": "R_kgDOJ85Yan",
"name": "39_digDug",
"full_name": "Dinesh2555/39_digDug",
"private": false,
"owner": {
"login": "Dinesh2555",
"id": 189381387,
"node_id": "U_kgDOC5m6sg",
"avatar_url": "https://avatars.githubusercontent.com/u/189381387?v=4",
"gravatar_id": "",
"url": "https://api.github.com/users/Dinesh2555",
"html_url": "https://github.com/Dinesh2555",
"followers_url": "https://api.github.com/users/Dinesh2555/followers",
"following_url": "https://api.github.com/users/Dinesh2555/following{/other_user}",
"gists_url": "https://api.github.com/users/Dinesh2555/gists{/gist_id}",
"starred_url": "https://api.github.com/users/Dinesh2555/starred{/owner}{/repo}",
"subscriptions_url": "https://api.github.com/users/Dinesh2555/subscriptions",
"organizations_url": "https://api.github.com/users/Dinesh2555/orgs",
"repos_url": "https://api.github.com/users/Dinesh2555/repos",
"events_url": "https://api.github.com/users/Dinesh2555/events{/privacy}",
"received_events_url": "https://api.github.com/users/Dinesh2555/received_events",
"type": "User",
"user_view_type": "public",
"site_admin": false
},
"html_url": "https://github.com/Dinesh2555/39_digDug",
"description": null,
"fork": false,
"url": "https://api.github.com/repos/Dinesh2555/39_digDug",
"forks_url": "https://api.github.com/repos/Dinesh2555/39_digDug/forks",
"keys_url": "https://api.github.com/repos/Dinesh2555/39_digDug/keys{/key_id}",
"collaborators_url": "https://api.github.com/repos/Dinesh2555/39_digDug/collaborators{/collaborator}",
"teams_url": "https://api.github.com/repos/Dinesh2555/39_digDug/teams",
"hooks_url": "https://api.github.com/repos/Dinesh2555/39_digDug/hooks",
"issue_events_url": "https://api.github.com/repos/Dinesh2555/39_digDug/issues/events{/number}",
"events_url": "https://api.github.com/repos/Dinesh2555/39_digDug/events",
"assignees_url": "https://api.github.com/repos/Dinesh2555/39_digDug/assignees{/user}",
"branches_url": "https://api.github.com/repos/Dinesh2555/39_digDug/branches{/branch}",
"tags_url": "https://api.github.com/repos/Dinesh2555/39_digDug/tags",
"blobs_url": "https://api.github.com/repos/Dinesh2555/39_digDug/git/blobs{/sha}",
"git_tags_url": "https://api.github.com/repos/Dinesh2555/39_digDug/git/tags{/sha}",
"git_refs_url": "https://api.github.com/repos/Dinesh2555/39_digDug/git/refs{/sha}",
"trees_url": "https://api.github.com/repos/Dinesh2555/39_digDug/git/trees{/sha}",
"statuses_url": "https://api.github.com/repos/Dinesh2555/39_digDug/statuses/{sha}",
"languages_url": "https://api.github.com/repos/Dinesh2555/39_digDug/languages",
"stargazers_url": "https://api.github.com/repos/Dinesh2555/39_digDug/stargazers",
"contributors_url": "https://api.github.com/repos/Dinesh2555/39_digDug/contributors",
"subscribers_url": "https://api.github.com/repos/Dinesh2555/39_digDug/subscribers",
"subscription_url": "https://api.github.com/repos/Dinesh2555/39_digDug/subscription",
"commits_url": "https://api.github.com/repos/Dinesh2555/39_digDug/commits{/sha}",
"git_commits_url": "https://api.github.com/repos/Dinesh2555/39_digDug/git/commits{/sha}",
"comments_url": "https://api.github.com/repos/Dinesh2555/39_digDug/comments{/number}",
"issue_comment_url": "https://api.github.com/repos/Dinesh2555/39_digDug/issues/comments{/number}",
"contents_url": "https://api.github.com/repos/Dinesh2555/39_digDug/contents/{+path}",
"compare_url": "https://api.github.com/repos/Dinesh2555/39_digDug/compare/{base}...{head}",
"merges_url": "https://api.github.com/repos/Dinesh2555/39_digDug/merges",
"archive_url": "https://api.github.com/repos/Dinesh2555/39_digDug/{archive_format}{/ref}",
"downloads_url": "https://api.github.com/repos/Dinesh2555/39_digDug/downloads",
"issues_url": "https://api.github.com/repos/Dinesh2555/39_digDug/issues{/number}",
"pulls_url": "https://api.github.com/repos/Dinesh2555/39_digDug/pulls{/number}",
"milestones_url": "https://api.github.com/repos/Dinesh2555/39_digDug/milestones{/number}",
"notifications_url": "https://api.github.com/repos/Dinesh2555/39_digDug/notifications{?since,all,participating}",
"labels_url": "https://api.github.com/repos/Dinesh2555/39_digDug/labels{/name}",
"releases_url": "https://api.github.com/repos/Dinesh2555/39_digDug/releases{/id}",
"deployments_url": "https://api.github.com/repos/Dinesh2555/39_digDug/deployments",
"created_at": "2026-09-30T10:51:37Z",
"updated_at": "2026-09-30T10:51:39Z",
"pushed_at": "2026-09-30T10:51:38Z",
"git_url": "git://github.com/Dinesh2555/39_digDug.git",
"ssh_url": "git@github.com:Dinesh2555/39_digDug.git",
"clone_url": "https://github.com/Dinesh2555/39_digDug.git",
"svn_url": "https://github.com/Dinesh2555/39_digDug",
"homepage": null,
"size": 0,
"stargazers_count": 0,
"watchers_count": 0,
"language": null,
"has_issues": true,
"has_projects": true,
"has_downloads": false,
"has_wiki": true,
"has_pages": false,
"has_discussions": false,
"forks_count": 0,
"mirror_url": null,
"archived": false,
"disabled": false,
"open_issues_count": 0,
"license": null,
"allow_forking": true,
"is_template": false,
"web_commit_signoff_required": false,
"has_pull_requests": true,
"pull_requests_creation_policy": "all",
"topics": [
],
"visibility": "public",
"forks": 0,
"open_issues": 0,
"watchers": 0,
"default_branch": "main",
"permissions": {
"admin": true,
"maintain": true,
"push": true,
"triage": true,
"pull": true
},
"network_count": 0,
"subscribers_count": 0
}
C:\Users\DELL\39_digDug>



C:\Users\DELL\29_digDug>gh --version
'gh' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\DELL\29_digDug>


C:\Users\DELL>gh auth setup-git
You are not logged into any GitHub hosts. Run gh auth login to authenticate.
C:\Users\DELL>



C:\Users\DELL>gh auth status
You are not logged into any GitHub hosts. To log in, run: gh auth login
C:\Users\DELL>



C:\Users\DELL>gh auth login
? Where do you use GitHub? [Use arrows to move, type to filter]
> GitHub.com
Other



? Authenticate Git with your GitHub credentials? (Y/n)



? Paste your authentication token: **
error retrieving current user: GraphQL: API rate limit already exceeded for user ID 189381838.
C:\Users\DELL>


"core": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790772181
},
"search": {
"limit": 10,
"used": 0,
"remaining": 10,
"reset": 1790768641
},
"graphql": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790772181
},
"integration_manifest": {
"limit": 5000,
"used": 0,
"remaining": 5000,
"reset": 1790772181
},
"source_import": {
"limit": 5,
"used": 0,
"remaining": 5,
"reset": 1790768641
},
"code_scanning_autofix": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790768641
},
"actions_runner_registration": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790772181
},
"scim": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790772181
},
"dependency_snapshots": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790768641
},
"dependency_sbom": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790768641
},
"audit_log": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790772181
},
"audit_log_streaming": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790772181
},
"code_search": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790768641
},
"copilot_usage_records": {
"limit": 0,
"used": 0,
"remaining": 0,
"reset": 1790772181
},
"enterprise_token_inventory": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790772181
}
},
"rate": {
"limit": 60,
"used": 0,
"remaining": 60,
"reset": 1790772181
}
Users\DELL>


C:\Users\DELL\29_digDug>dir %USERPROFILE%\.ssh
Volume in drive C has no label.
Volume Serial Number is 1E7B-26BB
Directory of C:\Users\DELL
File Not Found
C:\Users\DELL\29_digDug>


Microsoft Publisher
Publisher cannot open the file.
OK


C:\Users\DELL\29_digDug>ssh -T git@github.com
The authenticity of host 'github.com (64:ff9b::14cf:4952)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
git@github.com: Permission denied (publickey).
C:\Users\DELL\29_digDug>


C:\Users\DELL\29_digDug>start-ssh-agent
Removing old ssh-agent sockets
Starting ssh-agent: done
C:\Users\DELL\29_digDug>ssh-add %USERPROFILE%\.ssh\id_ed25519
Error connecting to agent: No such file or directory
C:\Users\DELL\29_digDug>


```
C:\Users\DELL\29_digDug>dir %USERPROFILE%\.ssh
 Volume in drive C has no label.
 Volume Serial Number is 1E7B-26BB


 Directory of C:\Users\DELL\.ssh


30-09-2026  17:26    <DIR>          .
30-09-2026  17:25    <DIR>          ..
30-09-2026  17:26    <DIR>          agent
30-09-2026  17:25                93 known_hosts
               1 File(s)             93 bytes
               3 Dir(s)  267,212,283,904 bytes free


C:\Users\DELL\29_digDug>
```



C:\Users\DELL\29_digDug>dir "%USERPROFILE%\id_ed25519*"
Volume in drive C has no label.
Volume Serial Number is 1E7B-26BB
Directory of C:\Users\DELL
File Not Found
C:\Users\DELL\29_digDug>



C:\Users\DELL\29_digDug>dir "%USERPROFILE%\29_digDug\id_ed25519*"
Volume in drive C has no label.
Volume Serial Number is 1E7B-26BB
Directory of C:\Users\DELL\29_digDug
File Not Found
C:\Users\DELL\29_digDug>


C:\Users\DELL\29_digDug>ssh-add "%USERPROFILE%\.ssh\id_ed25519"
Error connecting to agent: No such file or directory
C:\Users\DELL\29_digDug>


agent 30-09-2026 17:26 File folder
id_ed25519 30-09-2026 17:29 File 1 KB
id_ed25519 30-09-2026 17:29 Microsoft Publisher ... 1 KB
known_hosts 30-09-2026 17:25 File 1 KB


C:\Users\DELL\29_digDug>ssh-add "%USERPROFILE%\.ssh\id_ed25519"
Error connecting to agent: No such file or directory
C:\Users\DELL\29_digDug>


LE%\.ssh\id_e
ssh\id_ed25519
icated, but G
>git remote -
Dinesh2555/29
Dinesh2555/29
>



🎉 SUCCESS! Your project has been pushed to GitHub.

The important lines are:

```
To github.com:Dinesh2555/29_digDug.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

So your local repository is now connected to:

`Dinesh2555/29_digDug`

One small issue to fix

You can see this warning:

```
Warning: Identity file C:UsersDELL/.ssh/id_ed25519 not accessible
```

The push still succeeded because SSH found the key another way, but we should clean up that incorrect configuration so you don't get this warning again.

Run:

cmd

Then configure it correctly using the Windows path:

cmd

Then check:

cmd

cmd

You should get:

```
On branch main
Your branch is up to date with 'origin/main'.


nothing to commit, working tree clean
```

Then check your GitHub repository

Open your `29_digDug` repository on GitHub. You should now see:

```
29_digDug/
├── .gitignore
├── README.md
├── game.py
└── Lab-4/
    ├── before.mp4
    └── after.mp4
```

Important: We still need to add the required **Chat History PDF** to `Lab-4` before your Lab-4 submission is completely finished.



Good catch. Your GitHub push **succeeded**, but `git status` shows two accidental **untracked files** in your project:

```
token5 github
token5 github.pub
```

They are **not part of your committed project and were not pushed**. Do **not** run `git add .` right now, because that could accidentally add them.

1. Delete those two accidental files

Run:

```
del "token5 github"
```

cmd

2. Check status

cmd

You want:

```
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

3. Fix the SSH warning

Earlier Git showed:

```
Warning: Identity file C:UsersDELL/.ssh/id_ed25519 not accessible
```

Run:

cmd

Then set the correct path:

cmd

4. Verify everything

Run:

cmd


Then:

cmd

Your remote should be:

```
origin  git@github.com:Dinesh2555/29_digDug.git (fetch)
origin  git@github.com:Dinesh2555/29_digDug.git (push)
```

Don't push again yet. First get `git status` clean. Then we'll handle the remaining **Chat History PDF** required for your Lab-4 submission.



Perfect. ✅ Your Git repository is now clean and synchronized:

```
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

So the **code + before/after videos are successfully pushed to GitHub**.

Remaining Lab-4 item

We still need to add the **exported Chat History PDF** to:

```
C:\Users\DELL\29_digDug\Lab-4\
```

Then we'll commit and push it.

Create the Chat History PDF

Since you're using ChatGPT in the browser:

1. Stay on this conversation.
2. Press **Ctrl + P**.
3. Printer/Destination → **Save as PDF**.
4. Save it as:

```
Chat_History.pdf
```

5. Put the file here:

```
C:\Users\DELL\29_digDug\Lab-4\Chat_History.pdf
```

Then run:

cmd

```
cd C:\Users\DELL\29_digDug
git add Lab-4\Chat_History.pdf
git commit -m "Add Lab 4 chat history"
git push
```

After that, your repository should contain:

```
29_digDug
├── .gitignore
├── README.md
├── game.py
└── Lab-4
    ├── before.mp4
    ├── after.mp4
    └── Chat_History.pdf
```

That will complete the GitHub-side Lab-4 deliverables.



ChatGPT can make mistakes. Check important info.