

**DINESH**

**225229108**

## **NO SQL LAB**

### **Q1:**

```
SQL> create table myrest(name varchar(12),foodtype varchar(8),dist number(2),lvisit date,ilike number(1));
```

Table created.

```
SQL> desc myrest;
```

Name	Null?	Type
-----		
NAME		VARCHAR2(12)
FOODTYPE		VARCHAR2(8)
DIST		NUMBER(2)
LVISIT		DATE
ILIKE		NUMBER(1)

### **Q2:**

```
SQL> insert into myrest values('apple_leaf','nonveg',15,'01-jan-2020',1);
```

1 row created.

```
.SQL> insert into myrest values('sowmys','veg',18,'20-mar-2020',1);
```

1 row created.

```
SQL> insert into myrest values('thinnapa','nonveg',25,'20-nov-2019',0);
```

1 row created.

```
SQL> insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtypr','&dist','&lvisit','&ilike');
```

Enter value for name: sribhavan

Enter value for foodtype: veg

Enter value for dist: 18

Enter value for lvisit: 20-dec-2019

Enter value for ilike: 0

old 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lv  
new 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('sribhavan','veg','18','20-dec-2  
1 row created.

SQL> insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvisit'  
, '&ilike');

Enter value for name: chinaworld

Enter value for foodtype: chinese

Enter value for dist: 14

Enter value for lvisit: 05-mar-2020

Enter value for ilike: 1

old 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtypr','&dist','&lvi  
new 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('chinaworld','chines','14','05-ma  
1 row created.

SQL> desc myrest;

Name	Null?	Type
NAME		VARCHAR2(12)
FOODTYPE		VARCHAR2(8)
DIST		NUMBER(2)
LVISIT		DATE
ILIKE		NUMBER(1)

SQL> insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvisit'  
, '&ilike');

Enter value for name: lit\_china

Enter value for foodtypr: chinese

Enter value for dist: 30

Enter value for lvisit: 10-mar-2020

Enter value for ilike: 0

old 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvi  
new 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('lit\_china','chines','30','10-mar  
1 row created.

```
SQL> insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvisit',
'&ilike');
```

Enter value for name: munivilas

Enter value for foodtypr: nonveg

Enter value for dist: 20

Enter value for lvisit: 05-dec-2019

Enter value for ilike:

```
old 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtypr','&dist','&lvi
```

```
new 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('munivilas','nonveg','20','05-dec
```

1 row created.

```
SQL> insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvisit',
'&ilike');
```

Enter value for name: dosacorner

Enter value for foodtype: nonveg

Enter value for dist: 10

Enter value for lvisit: 05-feb-2020

Enter value for ilike: 1

```
old 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('&name','&foodtype','&dist','&lvi
```

```
new 1: insert into myrest(name,foodtype,dist,lvisit,ilike)values('dosacorner','nonveg','10','09-fe
```

1 row created.

### Q3:

```
SQL> select * from myrest;
```

NAME	FOODTYPE	DIST	LVISIT	ILIKE
apple_leaf	nonveg	15	01-JAN-20	1
sowmys	veg	18	20-MAR-20	1
thinnapa	nonveg	25	20-NOV-19	0
sribhavan	veg	18	20-DEC-19	0
chinaworld	chinese	14	05-MAR-20	1
littlechina	chinese	30	10-MAR-20	0
munivilas	nonveg	20	05-DEC-19	

dosacorner nonveg 10 05-FEB-20 1

8 rows selected.

#### Q4:i

SQL> select listagg(name,',')within group(order by name)name from

2 myrest;

NAME

-----  
app\_leaf,chinaworld,dosacorner,lit\_china,munivilas,sowmys,sribhavan,thinnapa

#### Q4:ii

SQL> select listagg(foodtype,'|')within group(order by foodtype)foodtype from

2 myrest;

FOODTYPE

-----  
chines|chines|nonveg|nonveg|nonveg|nonveg|veg|veg

#### Q4:iii

SQL> alter table myrest modify(name varchar(15), foodtype varchar(15),dist number(15),ilike number(15));

Table altered.

SQL> select \* from myrest;

NAME	FOODTYPE	DIST	LVISIT	ILIKE
-----	-----		-----	-----
apple_leaf	nonveg	15	01-JAN-20	1
sowmys	veg	18	20-MAR-20	1
thinnapa	nonveg	25	20-NOV-19	0
sribhavan	veg	18	20-DEC-19	0
chinaworld	chinese	14	05-MAR-20	1
littlechina	chinese	30	10-MAR-20	0
munivilas	nonveg	20	05-DEC-19	
dosacorner	nonveg	10	05-FEB-20	1

8 rows selected.

SQL> desc myrest;

Name	Null? Type
-----	
NAME	VARCHAR2(15)
FOODTYPE	VARCHAR2(15)
DIST	NUMBER(15)
LVISIT	DATE
ILIKE	NUMBER(15)

**Q5:i**

SQL>select replace (ilike,'1','i liked it')from MyRestaurants;

REPLACE(ILIKE,'1','ILIKEDIT')

-----  
i liked it i liked it

0 0 I

liked it

0 i

liked it

8 rows selected.

**Q5:ii**

SQL>select replace (ilike,'0','i hated it')from MyRestaurants;

REPLACE(ILIKE,'0','IHATEDIT')

-----  
1 1 i

hated it i

hated it

1 i hated

it

1

8 rows selected.

**Q6:**

SQL> select name,distance from MyRestaurants where distance<=20 order by name;

NAME	DISTANCE
------	----------

-----

apple_leaf	15
------------	----

chinaworld	14
------------	----

dosacorner	10
------------	----

munivilas	20
-----------	----

sowmyas	18
---------	----

sribhavan	18
-----------	----

6 rows selected.

**Q7:**

SQL> select name from MyRestaurants where foodtype='chinese' order by name desc;

NAME
------

-----

littlechina
-------------

Chinaworld
------------

**Q8:.**

select name from MyRestaurants where lastvisit>'05-feb-2020' order by name asc;

NAME
------

-----

chinaworld
------------

littlechina
-------------

Sowmyas
---------

**Q9:**

SQL> select name from MyRestaurants where ilike=1 and lastvisit>='01-jan-2020';

NAME

-----

apple\_leaf

sowmyas

chinaworld

Dosacorner

**Q10:**

SQL> select name from MyRestaurants where distance<=15 and foodtype='chinese' ;

NAME

-----

chinaworld