

Sure. Based on your current controllers and DTOs, here are the **dummy API contracts** you can directly give to the frontend developers.

1. Get Quizset Cards

API

GET /api/project-quizsets/cards?projectUrl=event.onkosim.com

Response

```
[
  {
    "quizsetCode": "QZ-8f72a91c",
    "name": "Cardiology Assessment",
    "title": "Cardiology Final Assessment",
    "frontendName": "Cardiology Assessment",
    "frontendTitle": "Test Your Cardiology Knowledge",
    "frontendDescription": "Assess your knowledge of common cardiology cases and clinical concepts.",
    "thumbnailUrl": "https://example.com/images/cardiology.jpg",
    "thumbnailText": "Cardiology",
    "orderIndex": 1,
    "maxAttemptQuizsetContent": 3,
    "maxAttemptQuestion": 2,
    "assessmentType": "POST_TEST",
    "quizsetContentCompletionPercentage": 80,
    "showInFrontend": true,
    "isActive": true
  },
  {
    "quizsetCode": "QZ-3a91bc42",
    "name": "Diabetes Assessment",
    "title": "Diabetes Management Assessment",
    "frontendName": "Diabetes Assessment",
    "frontendTitle": "Diabetes Knowledge Check",
    "frontendDescription": "Evaluate your understanding of diabetes diagnosis and management.",
    "thumbnailUrl": "https://example.com/images/diabetes.jpg",
    "thumbnailText": "Diabetes",
    "orderIndex": 2,
    "maxAttemptQuizsetContent": 2,
    "maxAttemptQuestion": 1,
    "assessmentType": "POST_TEST",
    "quizsetContentCompletionPercentage": 70,
    "showInFrontend": true,
    "isActive": true
  }
]
```

2. Get Complete Quizset Details

This is the API the frontend would call when the user opens a particular quizset.

API

GET /api/project-quizsets/QZ-8f72a91c?projectUrl=event.onkosim.com

Response

```
{
  "quizsetCode": "QZ-8f72a91c",
  "name": "Cardiology Assessment",
  "title": "Cardiology Final Assessment",

  "frontendName": "Cardiology Assessment",
  "frontendTitle": "Test Your Cardiology Knowledge",
  "frontendDescription": "Assess your knowledge of common cardiology cases and clinical concepts.",

  "thumbnailUrl": "https://example.com/images/cardiology.jpg",
  "thumbnailText": "Cardiology",

  "orderIndex": 1,

  "maxAttemptQuizsetContent": 3,
  "maxAttemptQuestion": 2,

  "assessmentType": "POST_TEST",

  "summary": "This assessment contains questions related to cardiology and cardiovascular disease management.",

  "summaryVisibleAfterQue": 5,

  "quizsetContentCompletionPercentage": 80,

  "showQuizSetListAfterCompletion": true,
  "showQuizSetWithAnsListAfterCompletion": true,
  "showQuizSetWithAnsAndResponseListAfterCompletion": false,

  "isSkipQuestions": false,

  "showReferenceAfterCompletion": true,
  "showExplanationAfterCompletion": true,

  "minimumPassingPercentage": 70,

  "attemptAllQuestionForCompletion": true,
  "reviewQuizset": true,
  "isSequential": true,
  "showInFrontend": true,
  "isActive": true,

  "questions": [
    {
      "questionId": 101,
      "questionText": "Which of the following is the most common risk factor for coronary artery disease?",
      "questionType": "SINGLE_CHOICE",
      "questionOrderIndex": 1,
      "options": [
        {
          "optionId": 1001,
```

```

        "optionText": "Hypertension",
        "correctOption": true,
        "questionWiseReference": "ACC/AHA Cardiovascular Risk
Guidelines",
        "optionWiseExplanation": "Hypertension is a major modifiable risk
factor for coronary artery disease.",

        "showAnswer": true,
        "showAnswerAfterAttempts": 2,
        "showAnswerAfterCompletion": true,

        "showReference": true,
        "showReferenceAfterAttempts": 2,
        "showReferenceOnlyAfterCorrect": false,

        "showExplanation": true,
        "showExplanationAfterAttempts": 2,
        "showExplanationOnlyAfterCorrect": false,

        "isRepeatInBetweenQuizset": false,
        "optionOrderIndex": 1
    },
    {
        "optionId": 1002,
        "optionText": "Appendicitis",
        "correctOption": false,
        "questionWiseReference": "ACC/AHA Cardiovascular Risk
Guidelines",
        "optionWiseExplanation": "Appendicitis is not a cardiovascular
risk factor.",

        "showAnswer": true,
        "showAnswerAfterAttempts": 2,
        "showAnswerAfterCompletion": true,

        "showReference": true,
        "showReferenceAfterAttempts": 2,
        "showReferenceOnlyAfterCorrect": false,

        "showExplanation": true,
        "showExplanationAfterAttempts": 2,
        "showExplanationOnlyAfterCorrect": false,

        "isRepeatInBetweenQuizset": false,
        "optionOrderIndex": 2
    },
    {
        "optionId": 1003,
        "optionText": "Fracture",
        "correctOption": false,
        "questionWiseReference": "ACC/AHA Cardiovascular Risk
Guidelines",
        "optionWiseExplanation": "Fracture is not a major cardiovascular
risk factor.",

        "showAnswer": true,
        "showAnswerAfterAttempts": 2,
        "showAnswerAfterCompletion": true,

        "showReference": true,
        "showReferenceAfterAttempts": 2,

```

```

        "showReferenceOnlyAfterCorrect": false,

        "showExplanation": true,
        "showExplanationAfterAttempts": 2,
        "showExplanationOnlyAfterCorrect": false,

        "isRepeatInBetweenQuizset": false,
        "optionOrderIndex": 3
    }
]
},

{
    "questionId": 102,
    "questionText": "Which condition is most strongly associated with
left ventricular hypertrophy?",
    "questionType": "SINGLE_CHOICE",
    "questionOrderIndex": 2,
    "options": [
        {
            "optionId": 1004,
            "optionText": "Chronic hypertension",
            "correctOption": true,
            "questionWiseReference": "Clinical Cardiology Reference",
            "optionWiseExplanation": "Persistent hypertension increases
afterload and can lead to left ventricular hypertrophy.",

            "showAnswer": true,
            "showAnswerAfterAttempts": 1,
            "showAnswerAfterCompletion": true,

            "showReference": true,
            "showReferenceAfterAttempts": 1,
            "showReferenceOnlyAfterCorrect": false,

            "showExplanation": true,
            "showExplanationAfterAttempts": 1,
            "showExplanationOnlyAfterCorrect": false,

            "isRepeatInBetweenQuizset": false,
            "optionOrderIndex": 1
        },
        {
            "optionId": 1005,
            "optionText": "Acute appendicitis",
            "correctOption": false,
            "questionWiseReference": "Clinical Cardiology Reference",
            "optionWiseExplanation": "Acute appendicitis is unrelated to left
ventricular hypertrophy.",

            "showAnswer": true,
            "showAnswerAfterAttempts": 1,
            "showAnswerAfterCompletion": true,

            "showReference": true,
            "showReferenceAfterAttempts": 1,
            "showReferenceOnlyAfterCorrect": false,

            "showExplanation": true,
            "showExplanationAfterAttempts": 1,
            "showExplanationOnlyAfterCorrect": false,

```

```

        "isRepeatInBetweenQuizset": false,
        "optionOrderIndex": 2
    }
]
}

```

3. Get All Questions

This API does **not** require `projectUrl`.

API

GET `/api/quizset/questions`

Response

```

[
  {
    "id": 101,
    "questionText": "Which of the following is the most common risk factor for coronary artery disease?",
    "questionType": "SINGLE_CHOICE"
  },
  {
    "id": 102,
    "questionText": "Which condition is most strongly associated with left ventricular hypertrophy?",
    "questionType": "SINGLE_CHOICE"
  },
  {
    "id": 103,
    "questionText": "Which medication is commonly used for hypertension management?",
    "questionType": "SINGLE_CHOICE"
  },
  {
    "id": 104,
    "questionText": "Which of the following represents a normal sinus rhythm?",
    "questionType": "SINGLE_CHOICE"
  }
]

```

The frontend can use the `id` when adding an existing question to a new quizset.

For example:

```

{
  "id": 101,
  "questionText": "Which of the following is the most common risk factor for coronary artery disease?",
  "questionType": "SINGLE_CHOICE"
}

```

```
}
```

4. Get All Options

API

GET /api/quizset/options

Response

```
[
  {
    "id": 1001,
    "optionText": "Hypertension"
  },
  {
    "id": 1002,
    "optionText": "Appendicitis"
  },
  {
    "id": 1003,
    "optionText": "Fracture"
  },
  {
    "id": 1004,
    "optionText": "Chronic hypertension"
  },
  {
    "id": 1005,
    "optionText": "Acute appendicitis"
  },
  {
    "id": 1006,
    "optionText": "Diabetes mellitus"
  }
]
```

Again, the frontend can use:

```
{
  "id": 1001,
  "optionText": "Hypertension"
}
```

when adding an existing option.

5. Create Quizset

Your current endpoint:

POST /api/project-quizsets/create-with-content-group?projectUrl=event.onkosim.com

Request

```
{
  "contentGroupCode": "CG-CARDIOLOGY-001",
  "contentOrder": 1,
  "contentGroupOrder": 1,
  "isPublic": true,
  "isOptional": false,

  "createQuizsetRequest": {
    "name": "Cardiology Assessment",
    "title": "Cardiology Final Assessment",
    "description": "Cardiology knowledge assessment",

    "maxAttemptQuizsetContent": 3,
    "queAttemptsAllowed": 2,
    "orderIndex": 1,

    "isActive": true,
    "assessmentType": "POST_TEST",

    "summary": "Assessment covering common cardiology concepts.",
    "summaryVisibleAfterQue": 5,

    "thumbnailUrl": "https://example.com/images/cardiology.jpg",
    "thumbnailText": "Cardiology",

    "frontendName": "Cardiology Assessment",
    "frontendTitle": "Test Your Cardiology Knowledge",
    "frontendDescription": "Assess your knowledge of common cardiology cases.",

    "quizsetContentCompletionPercentage": 80,

    "showQuizSetListAfterCompletion": true,
    "showQuizSetWithAnsListAfterCompletion": true,
    "showQuizSetWithAnsAndResponseListAfterCompletion": false,

    "showReferenceAfterCompletion": true,
    "showExplanationAfterCompletion": true,

    "minimumPassingPercentage": 70,
    "attemptAllQuestionForCompletion": true,

    "reviewQuizset": true,
    "isSkipQuestions": false,
    "isSequential": true,
    "showInFrontend": true,

    "questions": [
      {
        "questionText": "Which of the following is the most common risk factor for coronary artery disease?",
        "questionType": "SINGLE_CHOICE",

        "showAnswer": true,
        "showAnswerAfterAttempts": 2,
      }
    ]
  }
}
```

```

    "showAnswerAfterCompletion": true,

    "showReference": true,
    "showReferenceAfterAttempts": 2,
    "showReferenceOnlyAfterCorrect": false,

    "showExplanation": true,
    "showExplanationAfterAttempts": 2,
    "showExplanationOnlyAfterCorrect": false,

    "questionWiseReference": "ACC/AHA Guidelines",

    "isRepeatInBetweenQuizset": false,

    "options": [
      {
        "optionText": "Hypertension",
        "correctOption": true,
        "optionWiseExplanation": "Hypertension is a major
cardiovascular risk factor."
      },
      {
        "optionText": "Appendicitis",
        "correctOption": false,
        "optionWiseExplanation": "Appendicitis is not a cardiovascular
risk factor."
      },
      {
        "optionText": "Fracture",
        "correctOption": false,
        "optionWiseExplanation": "Fracture is not a cardiovascular risk
factor."
      }
    ]
  }
}
}
}

```

Response

```

{
  "contentGroupCode": "CG-CARDIOLOGY-001",
  "projectQuizId": "245",
  "quizsetCode": "8f72a91c-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx"
}

```

6. Update Quizset

Your current endpoint:

```

PUT /api/project-quizsets/update-
quizset?projectUrl=event.onkosim.com&quizsetCode=8f72a91c-xxxx-xxxx-xxxx-
xxxxxxxxxxxxxx

```

The important thing for frontend developers is:

Existing question

Send the id:

```
{
  "id": 101,
  "questionText": "Updated question text",
  "questionType": "SINGLE_CHOICE",
  "options": []
}
```

New question

Don't send id:

```
{
  "questionText": "This is a brand new question",
  "questionType": "SINGLE_CHOICE",
  "options": []
}
```

Same concept for options.

Existing option

```
{
  "id": 1001,
  "optionText": "Updated option",
  "correctOption": true,
  "optionWiseExplanation": "Updated explanation"
}
```

New option

```
{
  "optionText": "Brand new option",
  "correctOption": false,
  "optionWiseExplanation": "Explanation"
}
```

So the frontend rule is very simple:

ID present → update/reuse existing record.

ID absent → backend creates a new record.

7. Full Update Example

```
PUT /api/project-quizsets/update-quizset?projectUrl=event.onkosim.com&quizsetCode=8f72a91c-xxxx-xxxx-xxxx-xxxxxxxxxxxx
{
  "name": "Updated Cardiology Assessment",
```

```
"title": "Updated Cardiology Final Assessment",
"description": "Updated assessment description",

"maxAttemptQuizsetContent": 3,
"queAttemptsAllowed": 2,
"orderIndex": 1,

"isActive": true,
"assessmentType": "POST_TEST",

"summary": "Updated assessment summary.",
"summaryVisibleAfterQue": 5,

"thumbnailUrl": "https://example.com/images/cardiology-new.jpg",
"thumbnailText": "Cardiology",

"frontendName": "Cardiology Assessment",
"frontendTitle": "Updated Cardiology Knowledge Test",
"frontendDescription": "Updated frontend description.",

"quizsetContentCompletionPercentage": 80,

"showQuizSetListAfterCompletion": true,
"showQuizSetWithAnsListAfterCompletion": true,
"showQuizSetWithAnsAndResponseListAfterCompletion": false,

"showReferenceAfterCompletion": true,
"showExplanationAfterCompletion": true,

"minimumPassingPercentage": 70,
"attemptAllQuestionForCompletion": true,

"reviewQuizset": true,
"isSkipQuestions": false,
"isSequential": true,
"showInFrontend": true,

"questions": [
  {
    "id": 101,
    "questionText": "Updated: Which of the following is the most common
risk factor for coronary artery disease?",
    "questionType": "SINGLE_CHOICE",

    "showAnswer": true,
    "showAnswerAfterAttempts": 2,
    "showAnswerAfterCompletion": true,

    "showReference": true,
    "showReferenceAfterAttempts": 2,
    "showReferenceOnlyAfterCorrect": false,

    "showExplanation": true,
    "showExplanationAfterAttempts": 2,
    "showExplanationOnlyAfterCorrect": false,

    "questionWiseReference": "Updated ACC/AHA Guidelines",

    "isRepeatInBetweenQuizset": false,

    "options": [
```

```

    {
      "id": 1001,
      "optionText": "Updated Hypertension",
      "correctOption": true,
      "optionWiseExplanation": "Updated explanation."
    },
    {
      "id": 1002,
      "optionText": "Appendicitis",
      "correctOption": false,
      "optionWiseExplanation": "Not a cardiovascular risk factor."
    },
    {
      "optionText": "New Option",
      "correctOption": false,
      "optionWiseExplanation": "Newly added option."
    }
  ]
},

{
  "questionText": "New question added to this quizset",
  "questionType": "SINGLE_CHOICE",

  "showAnswer": true,
  "showAnswerAfterAttempts": 1,
  "showAnswerAfterCompletion": true,

  "showReference": true,
  "showReferenceAfterAttempts": 1,
  "showReferenceOnlyAfterCorrect": false,

  "showExplanation": true,
  "showExplanationAfterAttempts": 1,
  "showExplanationOnlyAfterCorrect": false,

  "questionWiseReference": "Clinical Cardiology Reference",

  "isRepeatInBetweenQuizset": false,

  "options": [
    {
      "optionText": "New Option A",
      "correctOption": true,
      "optionWiseExplanation": "Correct answer."
    },
    {
      "optionText": "New Option B",
      "correctOption": false,
      "optionWiseExplanation": "Incorrect answer."
    }
  ]
}
]
}

```

Response

```

{
  "status": "SUCCESS",

```

```
"quizsetId": "245",
"quizsetCode": "8f72a91c-xxxx-xxxx-xxxx-xxxxxxxxxxxx",
"totalQuestions": "2",
"totalOptions": "5",
"projectQuizId": "245"
}
```

Frontend API Summary

Purpose	Method	Endpoint
Get quizset cards	GET	/api/project-quizsets/cards?projectUrl={projectUrl}
Get complete quizset	GET	/api/project-quizsets/{quizsetCode}?projectUrl={projectUrl}
Get all questions	GET	/api/quizset/questions
Get all options	GET	/api/quizset/options
Create quizset	POST	/api/project-quizsets/create-with-content-group?projectUrl={projectUrl}
Update quizset	PUT	/api/project-quizsets/update-quizset?projectUrl={projectUrl}&quizsetCode={quizsetCode}

Most important frontend behavior: when constructing the update payload, preserve `question.id` and `option.id` for existing records. Omit the ID only for genuinely new questions/options.