**Duration: 27.344 s** Start: Jan 14, 9:48:22.235 pm End: Jan 14, 9:48:49.579 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

Feature			Scer	cenario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
Nopcommerce Application Funtionality	27.344 s	1	0	1	0	4	0	0	4	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Nopcommerce Application Funtionality	Call dial Funtionality


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@tag1	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration	
1	Nopcommerce Application Funtionality	1	0	1	0	27.344 s	


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Nopcommerce Application Funtionality	Call dial Funtionality	4	0	0	4	27.334 s

DETAILED SECTION -- 7 --

## **Nopcommerce Application Funtionality**



## **Call dial Funtionality**



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinations.Hooks.setUp()	FAILED	27.276 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 404. Message: The session identified by 17ab3af3-1eb1-4370-a746-da5ebf150dd2 is not known. Host info: host: 'DESKTOP-H9INCBM', ip: '192.168.0.104' Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: io.appium. java_client.android.AndroidDriver Command: [null, newSession {capabilities=[{appium:appActivity=com.samsung.android.dialer.} DialtactsActivity, appium:deviceName=dinesh's F23, platformName=ANDROID, appium:automationName=Appium, appium:appium:appPackage=com.samsung.android.dialer}, desiredCapabilities=Capabilities {appium:appActivity: com. samsung.android.dialer, appium:appPackage: com.samsung.android.dialer, appium:automationName: Appium, appium:deviceName: dinesh's F23, appium:platformVersion: 13, platformName: ANDROID}}] Capabilities {appium:appActivity: com.samsung.android.dialer, appium:appPackage: com.samsung.android.dialer, appium:automationName: Appium, appium:deviceName: dinesh's F23, appium:platformVersion: 13, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)		
	at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:113) at utilities.Helper.<init>(Helper.java:64) at utilities.Helper.setUpDriver(Helper.java:85) at stepDefinations.Hooks.setUp(Hooks.java:18)</init></init></init></init></init>		
1	Given User Launches dialerpad	SKIPPED	0.004 s
2	Then User Enter the search number "Bhai jio"	SKIPPED	0.001 s
3	And User swipe on the search number	SKIPPED	0.001 s
4	And User click on the call end button	SKIPPED	0.001 s
	AFTER - stepDefinations.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "utilities.Helper.getDriver()" is null at stepDefinations.Hooks.tearDown(Hooks.java:26)		