

1. ABSTRACT

Training and Placement Cell is an online-based software application created in the Windows system so that the training team and the college management can provide the important points of their students in a database so that the companies obtain a suitable means of employment begin the session.

The Training and Placement Cell contains all information regarding students. The device stores all of your students' personal information, such as your personal details, your added scars, your experience and your specialized skills that may be required in the CV that will be provided to a company.

A device is an online software that can be achieved throughout the business and effectively with the appropriate start of the session. This technique can be used as a software for college TPO to manage scholarly information regarding placement.

The website initially starts with a home page where certain links are provided, on hover each link will be having its respective information. In order to access the rest of the pages, one has to login either as a student or an admin. After logged in, now we have access to the modules like

- **Login** - To login to the website.
- **Choices** - Consisting of five different sections(Jobs, Internships, Courses, Higher Studies, Competitions) where the information regarding that particular section.
- **Companies** - Consisting of two sections (On Campus and Off Campus) where the information regarding the recruitment process, skills required and most frequently asked questions of each company are provided.
- **Placement Record** - Information regarding all the previous years' placement statistics of the college.
- **Contact** - Information related to the Training and Placement Cell team of the college.
- **Profile** - Consisting of student information.

Admins are provided with another module where they can update the information interacting with the database. On the updation of information, a notice in the form of Gmail will be sent to every student those who was registered.

2. MODULES

- LOGIN
- STUDENT
- ADMIN
- COMPANIES
- PLACEMENT RECORD
- CONTACT
- AVAIABLE JOBS ,INTERNSHIPS,COURSES,HIGERSTUDIES,COMPETITIONS

3. SOFTWARE REQUIREMENTS

- BROWSER
- VISUAL CODE STUDIO
- XAMPP CONTOL PANEL
- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAP

4. CODE

HOME PAGE CODE:

```
<?php
session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>home</title>
  <script src="https://kit.fontawesome.com/e7ae35bc11.js" crossorigin="anonymous"></script>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js">
</script>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
  <link rel="stylesheet" href="home.css">
</head>
<body>
  <div class="row">
    <nav class="navbar navbar-expand-lg navbar-dark">
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="navImg">
        
      </div>
      <div class="title">
        <p>TRAINING AND PLACEMENT CELL</p>
      </div>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto Nav list-unstyled">

          <li class="nav-item">
            <a class="nav-link" href="home.php">Home</a>
          </li>
          <li class="nav-item">
            <div class="dropdown">
```

```

        <button class="dropbtn">Choices</button>
        <div class="dropdown-content">
            <a href="jobs.php">Job</a>
            <a href="courses.php">Courses</a>
            <a href="internship.php">Internships</a>
            <a href="competitions.php">Competitions</a>
            <a href="higherStu.php">Higher Studies</a>
        </div>
    </div>
</li>
<li class="nav-item">
    <div class="dropdown">
        <button class="dropbtn">Companies</button>
        <div class="dropdown-content">
            <a href="oncampus.php">On-Campus</a>
            <a href="offcampus.php">Off-Campus</a>
        </div>
    </div>
</li>
<li class="nav-item">
    <a class="nav-link" href="barchart.html">Placements</a>
</li>
<li class="nav-item">
    <a class="nav-link" href="contact.html">Contact</a>
</li>
<li class="nav-item">
    <div class="dropdown">
        <button class="dropbtn">Login</button>
        <div class="dropdown-content" style="position:absolute;right: 0; min-width: auto;">
            <a href="join1.php">Admin</a>
            <a href="join.php">Student</a>
        </div>
    </div>
</li>
</ul>
</div>
</nav>
</div>
<div class="row">
    <div class="first" >
        <div class="carousel">
            <div id="carouselExampleDark" class="carousel carousel-dark slide" data-bs-
ride="carousel">
                <div class="carousel-indicators">
                    <button type="button" data-bs-target="#carouselExampleDark" data-bs-slide-to="0"
class="active" aria-current="true" aria-label="Slide 1"></button>
                    <button type="button" data-bs-target="#carouselExampleDark" data-bs-slide-to="1" aria-
label="Slide 2"></button>

```

```

        <button type="button" data-bs-target="#carouselExampleDark" data-bs-slide-to="2" aria-
label="Slide 3"></button>
    </div>
    <div class="carousel-inner">
        <div class="carousel-item active" data-bs-interval="3000">
            
        </div>
        <div class="carousel-item" data-bs-interval="3000">
            
        </div>
        <div class="carousel-item" data-bs-interval="3000">
            
        </div>
    </div>
    <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleDark" data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleDark" data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>
</div>
</div>

<form>
<table>
<?php
include ('C:\xampp\htdocs\project\connection1.php');
$sql="SELECT * FROM `links`";
$run=mysqli_query($con,$sql);
if(mysqli_num_rows($run)>0)
{
while($row=mysqli_fetch_assoc($run))
{
    ?>
    <tr>
        <div class="second" >
        <div class="links">
            <a href = "<?php echo $row['link'] ?>" type = "button" class="a-pop" data-bs-toggle =
"popover" title = "<?php echo $row['company'] ?>" data-content = "Content" data-bs-
html="true" data-bs-trigger = "hover" data-bs-content = "End Date : <?php echo
$row['last_date'] ?> <br/>Details : <?php echo $row['details'] ?>" style="margin-left:10px;">
            <?php echo $row['link']?>
        </a>

```

```

        </tr>
        <?php
        }
    }
    else{
    echo "Connection failed";
    }
    ?>
</table>
</form>
</div>
<div class="row">
<footer class="bg-light text-center text-black">
<div class="container p-4 pb-0">
<section class="mb-4">
    <a
        class="btn text-white btn-floating m-1 "
        style="background-color: #3b5998;"
        href="https://www.facebook.com/SRKRECOFFICIAL/"
        role="button"
        ><i class="fa fa-facebook-f"></i></a>
    <a
        class="btn text-white btn-floating m-1 "
        style="background-color: #55acee;"
        href="https://twitter.com/srkr_ec?lang=en"
        role="button"
        ><i class="fa fa-twitter"></i>
    ></a>
    <a
        class="btn text-white btn-floating m-1 "
        style="background-color: #dd4b39;"
        href="https://srkrec.edu.in/"
        role="button"
        ><i class="fa fa-google"></i>
    ></a>
    <a
        class="btn text-white btn-floating m-1 "
        style="background-color: #ac2bac;"
        href="https://www.instagram.com/srkr_engineering_college/?hl=en"
        role="button"
        ><i class="fa fa-instagram"></i>
    ></a>
    <a
        class="btn text-white btn-floating m-1 "
        style="background-color: #0082ca;"
        href="https://in.linkedin.com/school/srkr-engineering-college/"
        role="button"
        ><i class="fa fa-linkedin"></i>

```

```

></a>
<a
  class="btn text-white btn-floating m-1"
  style="background-color: #333333;"
  href="#"
  role="button"
  ><i class="fa fa-github"></i>
</a>
</section>
</div>
<div class="text-center p-3" style="background-color: rgba(0, 0, 0, 0.2);">
  © 2023|All Rights Reserved|SRKR Engineering College,Bhimavaram
</footer>
</div>
<script>
var popoverList1 = [].slice.call(document.querySelectorAll('[data-bs-toggle = "popover"]'))
var popoverList2 = popoverList1.map(function (popoverTriggerfun) {
return new bootstrap.Popover(popoverTriggerfun)
})
</script>
</body>
</html>

```

LOGIN PAGE:

```

<?php
include('C:\xampp\htdocs\project\connection.php');
submission
if(isset($_POST['signin'])) {
  // Get user input
  $username = $_POST['username'];
  $pass = $_POST['pass'];
  if(empty($username)) {
    echo "Username is required.";
  }
  else if(empty($pass)) {
    echo "Password is required.";
  }
  else {
    $query = "SELECT * FROM studentdata WHERE username='$username' AND
pass='$pass'";
    $result = mysqli_query($con, $query);
    session_start();
    if(mysqli_num_rows($result) == 1) {

      $_SESSION['user'] = $username;
      header("Location:home1.php");
    }
  }
}

```

```

        echo "Login successful.";
    }
    else {
        echo "Incorrect username or password.";
    }
}
}

if(isset($_POST['signup'])) {
    // Get user input
    $username = $_POST['username'];
    $pass = $_POST['pass'];
    $repeatpassword=$_POST['repeatpassword'];
    $email=$_POST['email'];
    if(empty($username)) {
        echo "Username is required.";
    }
    else if(empty($pass)) {
        echo "Password is required.";
    }
    else if(empty($repeatpassword)) {
        echo "Please repeat your password.";
    }
    else if(empty($email)) {
        echo "Email is required.";
    }
    else if(!filter_var($email,FILTER_VALIDATE_EMAIL)) {
        echo "Invalid email address.";
    }
    else if($pass!=$repeatpassword) {
        echo "Passwords do not match.";
    }
    else{
        $query ="INSERT INTO studentdata(username,pass,repeatpassword,email) VALUES
('Username','pass',$repeatpassword,$email)";
        mysqli_query($con, $query);
        echo "User registered successfully.";
        header("Location:home.php");
        exit();
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">

```



```

    <link rel="stylesheet" href="join.css">
    <title>join</title>
</head>
<body>
    <div class="login-wrap">
        <div class="login-html">
            <input id="tab-1" type="radio" name="tab" class="sign-in" checked><label for="tab-1"
class="tab">Sign In</label>
            <input id="tab-2" type="radio" name="tab" class="sign-up"><label for="tab-2"
class="tab">Sign Up</label>
            <div class="login-form">
                <div class="sign-in-htm">
                    <form method="post" action="join.php">
                        <div class="group">
                            <label for="user" class="label"></label>
                            <input id="user" type="text" placeholder="Username" class="input"
name="username">
                        </div>
                        <div class="group">
                            <label for="pass" class="label"></label>
                            <input id="pass" type="password" class="input" placeholder="Password" data-
type="password" name="pass">
                        </div>
                        <div class="group">
                            <input id="check" type="checkbox" class="check" checked>
                            <label for="check"><span class="icon"></span> Keep me Signed in</label>
                        </div>
                        <div class="group">
                            <input type="submit" class="button" value="Sign In" name="signin">
                        </div>
                    </form>
                </div>
                <div class="sign-up-htm">
                    <form method="post" action="join.php">
                        <div class="group">
                            <label for="user" class="label"></label>
                            <input id="user" type="text" placeholder="Username(eg:20B91A0544)"
class="input" name="username" pattern="\d{2}B91A\w{4}" required>
                        </div>
                        <div class="group">
                            <label for="pass" class="label"></label>
                            <input id="pass" type="password" class="input" placeholder="Password" data-
type="password" name="pass">
                        </div>
                        <div class="group">
                            <label for="pass" class="label"></label>
                            <input id="pass" type="password" class="input" placeholder="Repeat Password"
data-type="password" name="repeatpassword">

```

```

        </div>
        <div class="group">
            <label for="pass" class="label"></label>
            <input id="pass" type="text" placeholder="Email Address" class="input"
name="email">
        </div>
        <div class="group">
            <input type="submit" class="button" value="Sign Up" name="signup">
        </div>
        <div class="hr"></div>
        <div class="foot-lnk">
            <label for="tab-1">Already Member?</a>
        </div>
    </form>
</div>
</div>
</div>
</div>
</body>
</html>

```

JOBS PAGE:

```

<?php
session_start();
// Check if the user is signed in
if (!isset($_SESSION['user'])) {
    // Redirect the user to the sign-in page
    header('Location: join.php');
    exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>job</title>
    <!--src-->
    <script src="https://kit.fontawesome.com/e7ae35bc11.js" crossorigin="anonymous"></script>
    <!-- bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

```

```

<script src =
"https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"></script>
<link rel="stylesheet" href="jobs.css">
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-lg navbar-dark">
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="navImg">
        
      </div>
      <div class="title">
        <p>TRAINING AND PLACEMENT CELL</p>
      </div>
      <div class="collapse navbar-collapse" id="navbarNav">
        <ul class="navbar-nav ms-auto Nav list-unstyled">

          <li class="nav-item">
            <a class="nav-link" href="home1.php">Home</a>
          </li>
          <li class="nav-item">
            <div class="dropdown">
              <button class="dropbtn">Choices</button>
              <div class="dropdown-content">
                <a href="jobs.php">Job</a>
                <a href="courses.php">Courses</a>
                <a href="internship.php">Internships</a>
                <a href="competitions.php">Competitions</a>
                <a href="higherStu.php">Higher Studies</a>
              </div>
            </div>
          </li>
          <li class="nav-item">
            <div class="dropdown">
              <button class="dropbtn">Companies</button>
              <div class="dropdown-content">
                <a href="oncampus.php">On-Campus</a>
                <a href="offcampus.php">Off-Campus</a>
              </div>
            </div>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="barchart.html">Placements</a>
          </li>

```

```

        <li class="nav-item">
            <a class="nav-link" href="contact.html">Contact</a>
        </li>
        <li class="nav-item">
            <div class="dropdown">
                <button class="dropbtn"> <i class="fa-solid fa-user"></i></button>
                <div class="dropdown-content" style="position:absolute;right: 0; min-width: auto;">
                    <a href="display.php">Profile</a>
                    <a href="logout.php">Logout</a>
                </div>
            </div>
        </li>
    </ul>
</div>
</nav>
</header>
<div class="notes blink">
    <div id="jobTitle">
        <h1 style="text-align:center
; padding: 1rem 0 5px;
/* transform: translate(50%,-50%); */
text-transform: uppercase;
font-family: verdana;
font-size: 4rem;
font-weight: 30;
color:rgb(248, 186, 222);
text-shadow: 1px 1px 1px #e15687ed,
    1px 2px 1px #d157a2,
    1px 3px 1px #af6c92,
    1px 4px 1px #b8588d,
    1px 5px 1px #c86fa4,
    1px 6px 1px #9e5381,
    1px 7px 1px #a35c90,
    1px 8px 1px #9f678a,
    1px 9px 1px #89637a,
    1px 10px 1px #723c5c,
    1px 18px 6px rgba(16,16,16,0.4),
    1px 22px 10px rgba(16,16,16,0.2),
    1px 25px 35px rgba(16,16,16,0.2),
    1px 30px 60px rgba(16,16,16,0.4);
;">JOBS</h1>
    </div>
<form>
    <table>
<?php
include ('C:\xampp\htdocs\project\connection1.php');
$sql="SELECT * FROM `links` WHERE `company` LIKE '%Job%'";
$run=mysqli_query($con,$sql);

```

```

if(mysqli_num_rows($run)>0)
{
while($row=mysqli_fetch_assoc($run))
{
    ?>
    <div class="content">
        <ul>
        <li class="note1">
            <div class="card note">
                <div class="card-header">
                    <h4><?php echo $row['company'] ?></h4>
                </div>
                <div class="card-body">
                    <h5 class="card-title"><?php echo $row['name'] ?></h5>
                    <p class="card-text">Date : <?php echo $row['last_date'] ?><br/></p>
                    <a href="<?php echo $row['link'] ?>" class="card-text"><?php echo $row['link'] ?>
                </a>&nbsp;
                    <button type="button" class="btn btn-secondary" data-bs-html="true" data-bs-
toggle="tooltip" data-bs-placement="right" title="<?php echo $row['details'] ?>" >
                        Read
                    </button>
                </div>
            </div>
        </li>
        </ul>
    </div>
    <?php
    }
}
else{
echo "Connection failed";
}

?>
    </table>
</form>
</div>
<script>
var tooltipTriggerList = [].slice.call(document.querySelectorAll('[data-bs-toggle="tooltip"]'))
var tooltipList = tooltipTriggerList.map(function (tooltipTriggerEl) {
    return new bootstrap.Tooltip(tooltipTriggerEl)
})
</script>
</body>
</html>

```

COMPANIES PAGE:

```
<?php
session_start();
if (!isset($_SESSION['user'])) {
    header('Location: join.php');
    exit;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Off-Campus</title>
    <script src="https://kit.fontawesome.com/e7ae35bc11.js" crossorigin="anonymous"></script>
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
awesome/4.7.0/css/font-awesome.min.css">
    <!-- bootstrap -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFdvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
    <script src =
"https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"></script>
    <link rel = "stylesheet" href = "com.css">
</head>
<body>
    <header>
        <nav class="navbar navbar-expand-lg navbar-dark">
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="navImg">
                
            </div>
            <div class="title">
                <p>TRAINING AND PLACEMENT CELL</p>
            </div>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav ms-auto Nav list-unstyled">

                    <li class="nav-item">
                        <a class="nav-link" href="home1.php">Home</a>
                    </li>
```

```

<li class="nav-item">
  <div class="dropdown">
    <button class="dropbtn">Choices</button>
    <div class="dropdown-content">
      <a href="jobs.php">Job</a>
      <a href="courses.php">Courses</a>
      <a href="internship.php">Internships</a>
      <a href="competitions.php">Competitions</a>
      <a href="higherStu.php">Higher Studies</a>
    </div>
  </div>
</li>
<li class="nav-item">
  <div class="dropdown btn-group dropstart">
    <button class="dropbtn">Companies</button>
    <div class="dropdown-content">
      <a href="oncampus.php">On-Campus</a>
      <a href="offcampus.php">Off-Campus</a>
    </div>
  </div>
</li>
<li class="nav-item">
  <a class="nav-link" href="barchart.html">Placements</a>
</li>
<li class="nav-item">
  <a class="nav-link" href="contact.html">Contact</a>
</li>
<li class="nav-item" id="icon">
  <div class="dropdown">
    <button class="dropbtn"> <i class="fa-solid fa-user"></i></button>
    <div class="dropdown-content" style="position:absolute;right: 0; min-width:
auto;">
      <a href="display.php">Profile</a>
      <a href="logout.php">Logout</a>
    </div>
  </div>
</li>
</ul>
</div>
</nav>
</header>
<div style="background-color: #adeaea;">
<div id="jobTitle">
<h1 style="text-align:center
; padding: 1rem 0 5px;
/* transform: translate(50%,-50%); */
text-transform: uppercase;
font-family: verdana;

```

```

font-size: 4rem;
font-weight: 30;
color:rgb(248, 186, 222);
text-shadow: 1px 1px 1px #e15687ed,
    1px 2px 1px #d157a2,
    1px 3px 1px #af6c92,
    1px 4px 1px #b8588d,
    1px 5px 1px #c86fa4,
    1px 6px 1px #9e5381,
    1px 7px 1px #a35c90,
    1px 8px 1px #9f678a,
    1px 9px 1px #89637a,
    1px 10px 1px #723c5c,
    1px 18px 6px rgba(16,16,16,0.4),
    1px 22px 10px rgba(16,16,16,0.2),
    1px 25px 35px rgba(16,16,16,0.2),
    1px 30px 60px rgba(16,16,16,0.4);
;">COMPANIES</h1>
</div>
<div class="container d-flex align-items-center justify-content-center flex-wrap">
    <div class="box">
        <div class="body">
            <div class="imgContainer">
                
            </div>
            <div class="content d-flex flex-column align-items-center justify-content-center">
                <div class="text">
                    <p class="l">
                        <a type="button" class="list-group-items d-flex justify-content-center align-
content-center" data-bs-container="body" data-bs-trigger="hover" data-bs-toggle="popover"
data-bs-html="true" data-bs-placement="right" title="
                            <ul>
                                <li><em>Urban tech</em></li>
                                <li><em>Adaptive systems</em></li>
                                <li><em>Blockchain</em></li>
                                <li><em>Next gen IT</em></li>
                                <li><em>Automation</em></li>
                                <li><em>Human augmentation</em></li>
                                <li><em>Living labs</em></li>
                                <li><em>Data for digital</em></li>
                            </ul> ">
                        Skills
                    </a></p>
                    <p class="l">
                        <a class="list-group-items d-flex justify-content-center align-content-center"
href="amazon.html">Recruitment Process<a></p>
                    <p class="l">

```









```


                <a class="list-group-items d-flex justify-content-center align-content-center"
href="#">Previously Asked Questions</a></p>
                <p class="fs-6 text-white">Our Vision: the business value of technology comes
from and through people</p>
            </div>
        </div>
    </div>
</div>
<div class="box">
    <div class="body">
        <div class="imgContainer">
            
        </div>
        <div class="content d-flex flex-column align-items-center justify-content-
center">
            <div class="text">
                <p class="l">
                    <a type="button" class="list-group-items d-flex justify-content-center align-
content-center" data-bs-container="body" data-bs-trigger="hover" data-bs-toggle="popover"
data-bs-html="true" data-bs-placement="right" title="
                        <ul>
                            <li><em>Digital Transformation of Industry</em></li>
                            <li><em>Intelligent Automation and Machine Learning</em></li>
                            <li><em>Advanced Analytics and Big Data</em></li>
                            <li><em>Platforms and Ecosystems Oracle</em></li>
                            <li><em>Salesforce</em></li>
                            <li><em>Cloud</em></li>
                        </ul>
                    ">Skills</a> </p>
                <p class="l">
                    <a class="list-group-items d-flex justify-content-center align-content-
center" href="accenture.html">Recruitment Process</a> </p>
                <p class="l">
                    <a class="list-group-items d-flex justify-content-center align-content-
center" href="https://practice.geeksforgeeks.org/explore?page=1&company[]=Accenture&sortBy
=submissions">Previously Asked Questions</a></p>
                <p class="fs-6 text-white">Our Vision:To become one of the world's leading
companies, bringing innovations to improve the way the world works and lives.</p>
            </div></div> </div></div></div>
        </script>
        var popoverTriggerList = [].slice.call(document.querySelectorAll('[data-bs-
toggle="popover"]'))
        var popoverList = popoverTriggerList.map(function (popoverTriggerEl) {
            return new bootstrap.Popover(popoverTriggerEl)
        })
    </script>
</div>
</div>
</body>
</html>

```

5.SCREENSHOTS






SRKR
 ENGINEERING COLLEGE
 AUTONOMOUS

TRAINING AND PLACEMENT CELL

Home Choices Companies Placements Contact


INTERNSHIPS

IPREP Learning Solutions(Internship)
 Django Development
 Date : 2023-05-25
<https://internshala.com/internship/detail/django-development-work-from-home-job-internship-at-iprep-learning-solutions1681647714?> [Read](#)

SpiderWeb(Internship)
 PHP Development work
 Date : 2023-04-27
<https://internshala.com/internship/detail/php-development-work-from-home-job-internship-at-spiderweb16814739001> [Read](#)

TrainingMug(Internship)
 ReactJS Development

About IPREP Learning Solutions We are an ed-tech company that develops software and apps for helping students prepare for competitive exams. We have designed our app called 'Get Me Success'.


SRKR
 ENGINEERING COLLEGE
 AUTONOMOUS

TRAINING AND PLACEMENT CELL


Home Choices Companies Placements Contact

COMPETITIONS

Geeks For Geeks(Competition)
 Bi-Wizard School Coding Tournament 14.0
 Date : 2023-04-26
<https://practice.geeksforgeeks.org/contest/bi-wizard-school-coding-tournament-140> [Read](#)

Geeks For Geeks(Competition)
 Job-A-Thon 20 - Hiring Challenge
 Date : 2023-05-21
<https://practice.geeksforgeeks.org/contest/job-a-thon-20-hiring-challenge> [Read](#)

Hey young geeks! Get your spell-books and wands ready for you are about to enter the forbidden forest of codes and bugs. These 90 minutes will be a test of your abilities and how far you can go.


SRKR
 ENGINEERING COLLEGE
 AUTONOMOUS


TRAINING AND PLACEMENT CELL




Home Choices Companies Placements Contact

HIGHER STUDIES


Chegg(Higher Studies)
 10 Courses after BTech CSE (Computer Science Engineering) in 2023
 Date : 2023-05-11
<https://www.cheggindia.com/career-guidance/choose-from-the-best-courses-after-btech-cse/> [Read](#)

After completing their degree in Computer Science, many students opt for higher studies to polish and improve their skill set. If you are wondering, what you can do after CSE this article might be hel





SRKR PLACEMENT STATS



S.No	Name Of the Company	No of Selections
1	Kony Labs	2
2	TCS	189
3	Capgemini	136
4	NTT Data	10
5	Tech Mahindra	49
6	Hyundai Mobis	2
7	Juapay	2
8	Everglades	8
9	Vee Technologies	25
10	Inventurus	31
11	Technovert	1
12	Yahoo	2
13	BSCPL	5
14	Ramtech	47

Student Profile

- Create Profile
- View profile
- Update details

Student Profile

Remember to fill every detail

Profile Name

Enter your first name

Profile Name

Enter your last name

College

Enter your college Name

Registered Email

Enter Email

Contact Number

Enter your whatsapp number

Class

Batch and Branch(e.g. 3/4 CSE)

Projects

Title out the projects you have done

Registered no.

Enter your Registered Number


Gender

☐ Male ☐ Female

Resume (Format:.pdf,.doc,.docx)

No file chosen

Areas of Interests




Student Profile

Create Profile

View profile

Update details

My Profile



Email	:	<input type="text"/>
Phone	:	<input type="text"/>
College	:	<input type="text"/>
Class	:	<input type="text"/>
Contact No.	:	<input type="text"/>
Registered No.	:	<input type="text"/>
Projects	:	<input type="text"/>
Gender	:	<input type="text"/>
Resume	:	<input type="text"/>
Certificates	:	<input type="text"/>
Areas of Interest	:	<input type="text"/>

FAQ

Here , you can able to clarify many of your doubts relevant to placement

How about the previous years placed candidtes	+
What type of companies do frequently visit?	+
Does the conducting pattern of exam and the number of Rounds changes from company to company?	-
Yes.The conducting pattern of exam and the number of Rounds changes from company to company.No.of rounds will be about 3-5 on an average	
Are Paid certifications valid?	+
How about Off-campus internships and placements?	+
What is the advantage for a student through this website?	+