

Cucumber Report

4 Jun 2024, 12:28:10 pm

Start : Jun 04, 12:28:00.524 pm

End : Jun 04, 12:28:08.630 pm

Duration : 8.106 s

Features


Scenarios


Steps

PASSED - 1
FAILED - 2
SKIPPED - 0


PASSED - 2
FAILED - 5
SKIPPED - 0

PASSED - 12
FAILED - 5
SKIPPED - 45







#	Feature Name	T	P	F	S	Duration
1	<u>Validating Google Map Place API's</u>	2	2	0	0	7.765 s
2	<u>Login page feature</u>	2	0	2	0	0.129 s
3	<u>Adding products to the cart</u>	3	0	3	0	0.140 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validating Google Map Place API's</u>	<u>Verify if place is being Successfully added using AddPlaceAPI</u>	8	8	0	0	6.440 s
2	<u>Validating Google Map Place API's</u>	<u>Verify place is deleted successfully using DeletePlaceApi</u>	4	4	0	0	1.290 s
3	<u>Login page feature</u>	<u>Login page title</u>	3	0	1	2	0.058 s
4	<u>Login page feature</u>	<u>Login with Correct Credentials</u>	5	0	1	4	0.043 s
5	<u>Adding products to the cart</u>	<u>Adding product to the cart</u>	14	0	1	13	0.052 s
6	<u>Adding products to the cart</u>	<u>Adding product to the cart</u>	14	0	1	13	0.030 s
7	<u>Adding products to the cart</u>	<u>Adding product to the cart</u>	14	0	1	13	0.026 s


(F)- Validating Google Map Place API's

PASSED	DURATION - 7.765 s	Scenarios		Steps	
/ 12:28:00.524 pm // 12:28:08.289 pm /		Total - 2		Total - 12	
		Pass - 2		Pass - 12	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



(S)- Verify if place is being Successfully added using AddPlaceAPI

<div>PASSED</div> <div>DURATION - 6.440 s</div>		<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> 
/ 12:28:00.537 pm // 12:28:06.977 pm /		
Validating Google Map Place API's		
@AddPlaceAPI		

#	Step / Hook Details	Status	Duration
1	Given - Given Load Place Payload with "peter" "English" "George Street"	PASSED	1.968 s
2	When - When User calls "addPlaceApi" with "POST" http request	PASSED	2.373 s
3	Then - Then the API call got success with status code 200	PASSED	0.021 s
4	Then - Then "status" in response body is "OK"	PASSED	1.038 s
5	Then - Then "scope" in response body is "APP"	PASSED	0.055 s
6	And - And User sends the placeid value in the Header	PASSED	0.003 s
7	When - When User calls "getPlaceApi" with "GET" http request	PASSED	0.919 s
8	Then - Then reponse result name value should match with the request payload "peter" value	PASSED	0.021 s



(S)- Verify place is deleted successfully using DeletePlaceApi

#	Step / Hook Details	Status	Duration
1	Given - Given Load delete place payload	PASSED	0.014 s
2	When - When User calls "deletePlaceApi" with "DELETE" http request	PASSED	1.243 s
3	Then - Then the API call got success with status code 200	PASSED	0.002 s
4	And - And "status" in response body is "OK"	PASSED	0.028 s

(F)- Login page feature**(S)- Login page title**



#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "factory.DriverFactory.getDriver()" is null at stepsdefinitions.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:30) at ?.user is on login page(file:///C:/Users/10716504/Automation/BDDCucumberFrameworkDemo/src/test/resources/features/LoginPage.feature:6) * Not displayable characters are replaced by '?'. 	FAILED	0.053 s
2	When - When user gets title of the page	SKIPPED	0.001 s
3	Then - Then page title should be "Swag Labs"	SKIPPED	0.001 s

(S)- Login with Correct Credentials



FAILED	DURATION - 0.043 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 12:28:08.402 pm // 12:28:08.445 pm /				
Login page feature				
@login @Regression				

#	Step / Hook Details	Status	Duration
1	Given - Given user is on login page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "factory.DriverFactory.getDriver()" is null at stepsdefinitions.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:30) at ?.user is on login page(file:///C:/Users/10716504/Automation/BDDCucumberFrameworkDemo/src/test/resources/features/LoginPage.feature:12) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
2	When - When user enters userid "standard_user"	SKIPPED	0.001 s
3	And - And user enters password "secret_sauce"	SKIPPED	0.001 s
4	When - When user clicks on login button	SKIPPED	0.001 s
5	Then - Then user should be landed to the products page	SKIPPED	0.001 s

(F)- Adding products to the cart

FAILED	DURATION - 0.140 s	Scenarios		Steps	
/ 12:28:08.490 pm // 12:28:08.630 pm /		Total - 3		Total - 42	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 39	



(S)- Adding product to the cart

<div><div>FAILED</div><div>DURATION - 0.052 s</div></div>			Steps		
/ 12:28:08.490 pm // 12:28:08.542 pm /					Total - 14
Adding products to the cart					Pass - 0
@product @Regression					Fail - 1
			Skip - 13		

#	Step / Hook Details	Status	Duration				
1	Given - Given User has already login into the application	FAILED	0.009 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>			username	password	standard_user	secret_sauce
	username			password			
standard_user	secret_sauce						
<div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "factory.DriverFactory.getDriver()" is null</div> <div>at stepsdefinitions.LoginPageSteps.user_has_already_login_into_the_application(LoginPageSteps.java:77)</div> <div>at ?.User has already login into the application(file:///C:/Users/10716504/Automation/BDDCucumberFrameworkDemo/src/test/resources/features/ProductPage.feature:5)</div> <div>* Not displayable characters are replaced by '?'. </div>							
2	Given - Given user is on product page	SKIPPED	0.000 s				
3	When - When user add the "Sauce Labs Backpack" to the cart	SKIPPED	0.001 s				
4	And - And user clicks the cart button	SKIPPED	0.001 s				
5	Then - Then "Sauce Labs Backpack" should be available in the cart page	SKIPPED	0.001 s				
6	When - When user click on the checkout button	SKIPPED	0.001 s				
7	Then - Then user should see the Checkout:Your information page	SKIPPED	0.001 s				
8	And - And user provide the firstname "john"	SKIPPED	0.001 s				
9	And - And user provide the lastname "walker"	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
10	And - And user provide the zipcode "<zipcode>"	SKIPPED	0.003 s
11	When - When user click the continue button	SKIPPED	0.001 s
12	Then - Then user should see the checkout:overview page	SKIPPED	0.002 s
13	When - When user click the Finish button	SKIPPED	0.000 s
14	Then - Then user should get the alert message as Thank you for your order!	SKIPPED	0.001 s



(S)- Adding product to the cart

<div>FAILED</div> <div>DURATION - 0.030 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
<div>/ 12:28:08.559 pm // 12:28:08.589 pm /</div>				
<div>Adding products to the cart</div>				
<div>@product @Regression</div>				

#	Step / Hook Details	Status	Duration				
1	Given - Given User has already login into the application	FAILED	0.004 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>			username	password	standard_user	secret_sauce
	username			password			
standard_user	secret_sauce						
<div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "factory.DriverFactory.getDriver()" is null</div> <div>at stepsdefinitions.LoginPageSteps.user_has_already_login_into_the_application(LoginPageSteps.java:77)</div> <div>at ?.User has already login into the application(file:///C:/Users/10716504/Automation/BDDCucumberFrameworkDemo/src/test/resources/features/ProductPage.feature:5)</div> <div>* Not displayable characters are replaced by '?'. </div>							
2	Given - Given user is on product page	SKIPPED	0.000 s				
3	When - When user add the "Sauce Labs Bike Light" to the cart	SKIPPED	0.002 s				
4	And - And user clicks the cart button	SKIPPED	0.001 s				
5	Then - Then "Sauce Labs Bike Light" should be available in the cart page	SKIPPED	0.001 s				
6	When - When user click on the checkout button	SKIPPED	0.001 s				
7	Then - Then user should see the Checkout:Your information page	SKIPPED	0.001 s				
8	And - And user provide the firstname "peter"	SKIPPED	0.002 s				
9	And - And user provide the lastname "zen"	SKIPPED	0.001 s				
10	And - And user provide the zipcode "<zipcode>"	SKIPPED	0.002 s				
11	When - When user click the continue button	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
12	Then - Then user should see the checkout:overview page	SKIPPED	0.000 s
13	When - When user click the Finish button	SKIPPED	0.000 s
14	Then - Then user should get the alert message as Thank you for your order!	SKIPPED	0.000 s

(S)- Adding product to the cart

<div>FAILED</div> <div>DURATION - 0.026 s</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
<div>/ 12:28:08.604 pm // 12:28:08.630 pm /</div>				
<div>Adding products to the cart</div>				
<div>@product @Regression</div>				

#	Step / Hook Details	Status	Duration				
1	Given - Given User has already login into the application	FAILED	0.003 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>			username	password	standard_user	secret_sauce
	username			password			
standard_user	secret_sauce						
<div>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "factory.DriverFactory.getDriver()" is null</div> <div>at stepsdefinitions.LoginPageSteps.user_has_already_login_into_the_application(LoginPageSteps.java:77)</div> <div>at ?.User has already login into the application(file:///C:/Users/10716504/Automation/BDDCucumberFrameworkDemo/src/test/resources/features/ProductPage.feature:5)</div> <div>* Not displayable characters are replaced by '?'. </div>							
2	Given - Given user is on product page	SKIPPED	0.001 s				
3	When - When user add the "Sauce Labs Fleece Jacket" to the cart	SKIPPED	0.004 s				
4	And - And user clicks the cart button	SKIPPED	0.001 s				
5	Then - Then "Sauce Labs Fleece Jacket" should be available in the cart page	SKIPPED	0.001 s				
6	When - When user click on the checkout button	SKIPPED	0.001 s				
7	Then - Then user should see the Checkout:Your information page	SKIPPED	0.000 s				
8	And - And user provide the firstname "Rock"	SKIPPED	0.000 s				
9	And - And user provide the lastname "star"	SKIPPED	0.001 s				
10	And - And user provide the zipcode "<zipcode>"	SKIPPED	0.001 s				
11	When - When user click the continue button	SKIPPED	0.000 s				
12	Then - Then user should see the checkout:overview page	SKIPPED	0.000 s				
13	When - When user click the Finish button	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
14	Then - Then user should get the alert message as Thank you for your order!	SKIPPED	0.000 s