



BodyBank.fit
Preventive Health Screening

BodyBank Health Map Report

Demo Client

41 · male · Fat loss

SCREENING DATE

2 September 2026

7

AREAS ASSESSED

30

MARKERS MEASURED

3

PRIORITIES

Your Health Map

How each area of your health looks on this screening.

D

Cardiovascular

Further Evaluation



D

Blood & Oxygen Transport

Further Evaluation



C

Metabolic & Blood Sugar

Attention Recommended



C

Liver

Attention Recommended



C

Thyroid

Attention Recommended



C

Vitamins & Minerals


Attention Recommended



A

Kidney

Healthy



■ A Healthy
 ■ B Monitor
 ■ C Attention Recommended
 ■ D Further Evaluation

Not assessed in this screening

Inflammation & Immunity (needs hs-CRP or ESR); Body Composition (needs a BodyBank body-composition measurement)

Of the 7 health areas this screening could assess, 2 need review with a healthcare professional. Your top priorities are listed below. First screening — trends will appear on your next report.

Your Top Priorities

The findings worth your attention first. Nothing else on this report is more important than these.

1 Bring Hemoglobin into range

Blood & Oxygen Transport · Grade D

RESULT

11.2 g/dL (reference 13.0-17.0)

STATUS

Below range

WHY IT MATTERS

Below the preferred range, haemoglobin means less oxygen-carrying capacity, which often shows up as fatigue or breathlessness on exertion.

NEXT STEP

Iron-rich foods with a vitamin C source at the same meal, and adequate B12 and folate, support haemoglobin.

> **Discuss this result with your healthcare professional.**

2 Bring LDL Cholesterol down

Cardiovascular · Grade D

RESULT

158 mg/dL (reference 0-100)

STATUS

Above range

WHY IT MATTERS

Above the preferred range, LDL contributes to cholesterol build-up in the arteries over time.

NEXT STEP

Soluble fibre (oats, barley, beans, apples), less saturated fat, and regular aerobic activity are the strongest dietary levers on LDL.

> **Discuss this result with your healthcare professional.**

3 Bring HDL Cholesterol up

Cardiovascular · Grade D

RESULT

34 mg/dL (reference 40-60)

STATUS

Below range

WHY IT MATTERS

Below the preferred range, HDL offers less of this protective transport.

NEXT STEP

Regular aerobic exercise, olive oil and nuts, and avoiding smoking are the main levers that raise HDL.

> **Discuss this result with your healthcare professional.**

Your Health Areas

What was measured in each area, and what it points to.



Cardiovascular

Further Evaluation

[DISCUSS WITH A PROFESSIONAL](#)

5 markers were measured in this area. LDL Cholesterol, HDL Cholesterol, Triglycerides and 2 others sit outside their preferred range.

LDL Cholesterol	158 mg/dL	ref 0-100	Above range
------------------------	------------------	-----------	--------------------

LDL carries cholesterol into the artery wall, which is why it is the lipid most closely tracked for heart health. Above the preferred range, LDL contributes to cholesterol build-up in the arteries over time.

HDL Cholesterol	34 mg/dL	ref 40-60	Below range
------------------------	-----------------	-----------	--------------------

HDL helps carry cholesterol away from the artery wall, so a higher result is the favourable direction here. Below the preferred range, HDL offers less of this protective transport.

Triglycerides	268 mg/dL	ref 0-150	Above range
----------------------	------------------	-----------	--------------------

Triglycerides are the fats carried in the blood after meals and made from surplus carbohydrate and alcohol. Above the preferred range, triglycerides commonly reflect refined carbohydrate, alcohol intake or surplus calories.

Total Cholesterol	238 mg/dL	ref 0-200	Above range
--------------------------	------------------	-----------	--------------------

Total cholesterol adds together every cholesterol fraction, including the protective HDL. A raised total is worth reading alongside LDL and HDL rather than on its own.

VLDL Cholesterol	54 mg/dL	ref 0-30	Above range
-------------------------	-----------------	----------	--------------------

VLDL is the cholesterol fraction that carries triglycerides, so it tends to move with them. A raised VLDL usually accompanies raised triglycerides.

FOCUS ON Soluble fibre (oats, barley, beans, apples), less saturated fat, and regular aerobic activity are the strongest dietary levers on LDL.



Blood & Oxygen Transport

Further Evaluation

[DISCUSS WITH A PROFESSIONAL](#)

7 markers were measured in this area. Hemoglobin, MCV, Hematocrit (PCV) and 2 others sit outside their preferred range.

Hemoglobin	11.2 g/dL	ref 13.0-17.0	Below range
-------------------	------------------	---------------	--------------------

Haemoglobin is the protein in red cells that carries oxygen to your tissues. Below the preferred range, haemoglobin means less oxygen-carrying capacity, which often shows up as fatigue or breathlessness on exertion.

MCV **74.0 fL** ref 80-100 **Below range**

MCV is the average size of your red cells, and its direction points to different causes. Smaller-than-preferred red cells are commonly linked to iron availability.

Hematocrit (PCV) **34.0 %** ref 40-52 **Below range**

Haematocrit is the share of your blood volume made up of red cells, and it moves with haemoglobin. A reduced haematocrit accompanies reduced haemoglobin.

RBC Count **4.10 mill/uL** ref 4.5-5.9 **Below range**

The red cell count is the number of oxygen-carrying cells, and it moves with haemoglobin. A reduced count is read alongside haemoglobin and haematocrit.

RDW **16.2 %** ref 11.5-14.5 **Above range**

RDW measures how much your red cells vary in size, and it often shifts before other red-cell markers do. A raised RDW means the cells vary more in size than preferred, which can be an early sign of a nutrient shortfall.

FOCUS ON Iron-rich foods with a vitamin C source at the same meal, and adequate B12 and folate, support haemoglobin.



Metabolic & Blood Sugar

Attention Recommended

3 markers were measured in this area. HbA1c, Fasting Glucose and Triglycerides sit outside their preferred range.

HbA1c **6.1 %** ref 4.0-5.6 **Above range**

HbA1c reflects your average blood sugar over roughly the past three months, so it is not affected by one meal. Above the preferred range, HbA1c indicates blood sugar has been running higher than preferred over that window.

Fasting Glucose **112 mg/dL** ref 70-100 **Above range**

Fasting glucose is a single snapshot of blood sugar after an overnight fast. A raised fasting glucose is one reading and is best read alongside HbA1c.

Triglycerides **268 mg/dL** ref 0-150 **Above range**

Triglycerides are the fats carried in the blood after meals and made from surplus carbohydrate and alcohol. Above the preferred range, triglycerides commonly reflect refined carbohydrate, alcohol intake or surplus calories.

FOCUS ON Walking for 10-15 minutes after meals, reducing refined carbohydrate, and resistance training all lower HbA1c over a few months.



Liver

Attention Recommended

5 markers were measured in this area. ALT (SGPT) and AST (SGOT) sit outside their preferred range.

ALT (SGPT) **62 U/L** ref 0-40 **Above range**

ALT is an enzyme concentrated in liver cells and released when they are under strain. Above the preferred range, ALT indicates the liver is under some strain — commonly from stored fat, alcohol, medication or a recent infection.

AST (SGOT) **48 U/L** ref 0-40 **Above range**

AST is found in the liver and also in muscle, so intense exercise before a test can raise it. A raised AST is read alongside ALT; a recent hard workout can lift it on its own.

FOCUS ON Reducing alcohol, added sugar and ultra-processed food, plus gradual weight loss if applicable, lowers ALT.



Thyroid

Attention Recommended

2 markers were measured in this area. TSH sits outside its preferred range.

TSH **6.80 uIU/mL** ref 0.45-4.5 **Above range**

TSH is the signal the brain sends to the thyroid, so it rises when the thyroid is under-responding and falls when it is over-responding. A raised TSH means the body is signalling harder for thyroid hormone.

FOCUS ON This is best read with Free T4. Any medication change is a decision for your doctor.



Vitamins & Minerals

Attention Recommended

3 markers were measured in this area. Ferritin and Vitamin D (25-OH) sit outside their preferred range.

Ferritin **11 ng/mL** ref 30-400 **Below range**

Ferritin is the stored form of iron and is the earliest marker to fall when iron runs short. Below the preferred range, ferritin means iron stores are running low, often before haemoglobin changes at all.

Vitamin D (25-OH) **14.0 ng/mL** ref 30-100 **Below range**

Vitamin D comes mostly from sunlight on skin, with a small contribution from food, and it supports bone, muscle and immune function. Below the preferred range, vitamin D is very common in people who work indoors or cover up outdoors.

FOCUS ON Iron-rich foods with vitamin C at the same meal; tea and coffee at meals reduce absorption. Supplement doses should be set by your healthcare professional.

A

Kidney

Healthy

All 4 markers measured in this area sit within their preferred range.

FOCUS ON Steady hydration, moderate protein and salt, and keeping blood pressure and blood sugar in range protect kidney function.

Detailed Lab Results

Every marker on your report, grouped by health area. Results not mapped to an area appear last.

Cardiovascular

MARKER	RESULT	REFERENCE	STATUS	TREND
Total Cholesterol	238 mg/dL	0-200	Above range	
LDL Cholesterol	158 mg/dL	0-100	Above range	
HDL Cholesterol	34 mg/dL	40-60	Below range	
Triglycerides	268 mg/dL	0-150	Above range	
VLDL Cholesterol	54 mg/dL	0-30	Above range	

Metabolic & Blood Sugar

MARKER	RESULT	REFERENCE	STATUS	TREND
HbA1c	6.1 %	4.0-5.6	Above range	
Fasting Glucose	112 mg/dL	70-100	Above range	

Liver

MARKER	RESULT	REFERENCE	STATUS	TREND
ALT (SGPT)	62 U/L	0-40	Above range	
AST (SGOT)	48 U/L	0-40	Above range	
Alkaline Phosphatase	96 U/L	40-130	Within range	
Total Bilirubin	0.80 mg/dL	0.2-1.2	Within range	
Albumin	4.3 g/dL	3.5-5.2	Within range	

Kidney

MARKER	RESULT	REFERENCE	STATUS	TREND
Creatinine	0.90 mg/dL	0.7-1.3	Within range	
eGFR	98 mL/min	90-120	Within range	
Urea	32 mg/dL	15-45	Within range	
Uric Acid	6.4 mg/dL	3.4-7.0	Within range	

Thyroid

MARKER	RESULT	REFERENCE	STATUS	TREND
TSH	6.80 uIU/mL	0.45-4.5	Above range	
Free T4	1.10 ng/dL	0.82-1.77	Within range	

Blood & Oxygen Transport

MARKER	RESULT	REFERENCE	STATUS	TREND
Hemoglobin	11.2 g/dL	13.0-17.0	Below range	
MCV	74.0 fL	80-100	Below range	
Hematocrit (PCV)	34.0 %	40-52	Below range	
RBC Count	4.10 mill/uL	4.5-5.9	Below range	
Platelet Count	240 K/uL	150-410	Within range	
WBC (Total Leukocyte Count)	7.2 K/uL	4.0-11.0	Within range	
RDW	16.2 %	11.5-14.5	Above range	

Vitamins & Minerals

MARKER	RESULT	REFERENCE	STATUS	TREND
Ferritin	11 ng/mL	30-400	Below range	
Vitamin D (25-OH)	14.0 ng/mL	30-100	Below range	
Vitamin B12	410 pg/mL	200-900	Within range	

Other Results

MARKER	RESULT	REFERENCE	STATUS	TREND
Urine Protein	Negative	—	Not measured	
Urine Colour	Pale yellow	—	Not measured	

Your Next Steps

- 1 Book time with your healthcare professional to review your Cardiovascular and Blood & Oxygen Transport results. Take this report with you.
- 2 Iron-rich foods with a vitamin C source at the same meal, and adequate B12 and folate, support haemoglobin.
- 3 Soluble fibre (oats, barley, beans, apples), less saturated fat, and regular aerobic activity are the strongest dietary levers on LDL.
- 4 Regular aerobic exercise, olive oil and nuts, and avoiding smoking are the main levers that raise HDL.
- 5 Repeat this panel in about three months so the next report can show your trend.

Medical Disclaimer

This BodyBank Health Report provides an informational interpretation of your laboratory results to support healthier decisions. Grades and insights are a BodyBank framework, not a medical diagnosis. They do not replace consultation with a qualified healthcare professional. If any result is marked "Further Evaluation", or if you have symptoms or concerns, please consult your doctor.