Cucumber Report

Start : Apr 19, 11:13:37.982 AM	End : Apr 19, 11:17:17.176 AM	Duration : 3 m 39.194 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 4 SKIPPED - 0	PASSED - 16 FAILED - 4 SKIPPED - 0

1

5

20

0 %

20 %

80 %

Pass %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
1clx SignIn feature for PCX User	*3 m 39.194 s*	5	1	4	0	20	16	4	0

#	Feature Name	T	P	F	S	Duration
1	1clx SignIn feature for PCX User	5	1	4	0	3 m 39.194 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	1clx SignIn feature for PCX User	PCX Signin testing	4	4	0	0	26.835 s
2	1clx SignIn feature for PCX User	PCX Signin testing	4	3	1	0	48.061 s
3	1clx SignIn feature for PCX User	PCX Signin testing	4	3	1	0	48.088 s
4	1clx SignIn feature for PCX User	PCX Signin testing	4	3	1	0	47.928 s
5	1clx SignIn feature for PCX User	PCX Signin testing	4	3	1	0	48.003 s

1clx SignIn feature for PCX User

FAILED	DURATION - 3 m 39.194 s	Scenarios Total - 5 Pass - 1 Fail - 4 Skip - 0		Steps Total - 20 Pass - 16 Fail - 4 Skip - 0	
/ 11:13:37.982 AM // 11:17:17.176 AM /					

PCX Signin testing

PASSED	DURATION - 26.835 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:13:37.991 AM // 11:14:04.826 AM /				
1clx SignIn feature for PCX User				

#	Step / Hook Details	Status	Duration
1	Given the user enters the signin page	PASSED	9.379 s
2	When the user enters the "sachinanand584@gmail.com" and "Sachin@22"	PASSED	6.343 s
3	And the user clicks the login button	PASSED	4.178 s
4	Then user enters the pcx dashboard or displaying the results depends on their credentials	PASSED	6.865 s

PCX Signin testing

FAILED	DURATION - 48.061 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 11:14:04.972 AM // 11:14:53.033 AM /				
1clx SignIn feature for PCX User				

#	Step / Hook Details	Status	Duration
1	Given the user enters the signin page	PASSED	7.685 s
2	When the user enters the "" and ""	PASSED	6.168 s
3	And the user clicks the login button	PASSED	4.170 s
4	Then user enters the pcx dashboard or displaying the results depends on their credentials	FAILED	30.033 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [db38ca907c8ab790b98d9bfb3083a7be, findElement {using=xpath, value=//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\SACHIT~1.S\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:50051}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50051/devtoo. .., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db38ca907c8ab790b98d9bfb3083a7be
　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)
　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)
　　at StepDefinition_1clxlite.PCX_SignIn_Test.
user_enters_the_pcx_dashboard_or_displaying_the_results_depends_on_their_credentials(PCX_SignIn_Test.java:64)
　　at ?.user enters the pcx dashboard or displaying the results depends on their credentials(file:///C:/Users/Sachithanandhan.S/git/ 1clxlite_version-1/src/test/resources/FeatureFiles/PCX_Singin.feature:7)
* Not displayable characters are replaced by '?'.

PCX Signin testing

FAILED	DURATION - 48.088 s
/ 11:14:53.080 AM // 11:15:41.168 AM /	
1clx SignIn feature for PCX User	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given the user enters the signin page	PASSED	7.545 s
2	When the user enters the "sachinanand584@gmail.com" and "12345678"	PASSED	6.285 s
3	And the user clicks the login button	PASSED	4.167 s
4	Then user enters the pcx dashboard or displaying the results depends on their credentials	FAILED	30.077 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d3d9e1d8ef876f5561cb03afd2710b4e, findElement {using=xpath, value=//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\SACHIT~1.S\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:50231}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50231/devtoo. .., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d3d9e1d8ef876f5561cb03afd2710b4e
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at StepDefinition_1clxlite.PCX_SignIn_Test. user_enters_the_pcx_dashboard_or_displaying_the_results_depends_on_their_credentials(PCX_SignIn_Test.java:64) at ?.user enters the pcx dashboard or displaying the results depends on their credentials(file:///C:/Users/Sachithanandhan.S/git/1clxlite_version-1/src/test/resources/FeatureFiles/PCX_Singin.feature:7) * Not displayable characters are replaced by '?'.		

PCX Signin testing

FAILED	DURATION - 47.928 s
/ 11:15:41.209 AM // 11:16:29.137 AM /	
1clx SignIn feature for PCX User	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given the user enters the signin page	PASSED	7.365 s
2	When the user enters the "sachin@gmail.com" and "Sachin@22"	PASSED	6.331 s
3	And the user clicks the login button	PASSED	4.182 s
4	Then user enters the pcx dashboard or displaying the results depends on their credentials	FAILED	30.044 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d38c4c463cf627f076c7a869782413de, findElement {using=xpath, value=//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\SACHIT~1.S\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:50458}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50458/devtoo. .., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d38c4c463cf627f076c7a869782413de at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at StepDefinition_1clxlite.PCX_SignIn_Test. user_enters_the_pcx_dashboard_or_displaying_the_results_depends_on_their_credentials(PCX_SignIn_Test.java:64) at ?.user enters the pcx dashboard or displaying the results depends their credentials(file:///C:/Users/Sachithanandhan.S/git/1clxlite_version-1/src/test/resources/FeatureFiles/PCX_Singin.feature:7) * Not displayable characters are replaced by '?'.		

PCX Signin testing

FAILED	DURATION - 48.003 s
/ 11:16:29.173 AM // 11:17:17.176 AM /	
1clx SignIn feature for PCX User	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given the user enters the signin page	PASSED	7.397 s
2	When the user enters the "sachithanandhansp2533@gmail.com" and "Sachin@00"	PASSED	6.366 s
3	And the user clicks the login button	PASSED	4.196 s
4	Then user enters the pcx dashboard or displaying the results depends on their credentials	FAILED	30.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[dd21a0993409bf6f0e1377011f043810, findElement {using=xpath, value=//i[@class='fa-solid fa-bars-staggered navbar-toggler main-color3 fs-2']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\SACHIT~1.S\AppData...}, goog:chromeOptions: {debuggerAddress: localhost:50701}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50701/devtoo. .., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd21a0993409bf6f0e1377011f043810
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)
	    at StepDefinition_1clxlite.PCX_SignIn_Test. user_enters_the_pcx_dashboard_or_displaying_the_results_depends_on_their_credentials(PCX_SignIn_Test.java:64)
	    at ?.user enters the pcx dashboard or displaying the results depends on their credentials(file:///C:/Users/Sachithanandhan.S/git/1clxlite_version-1/src/test/resources/FeatureFiles/PCX_Singin.feature:7)
	* Not displayable characters are replaced by '?'.		