ED5340 - Data Science: Theory and Practise

L28A - Popular Deep Networks

Ramanathan Muthuganapathy (https://ed.iitm.ac.in/~raman)

Course web page: https://ed.iitm.ac.in/~raman/datascience.html

Moodle page: Available at https://courses.iitm.ac.in/


Three channels - RGB

• RGB (Three channels, one for each colour)

Pairny			2	4	3	6
		2	2	3	63	0
	2	4	3	6	ð	2
	2	9	3	5	2	2
	9	O	5	2	2	
	7	5	1	2		_


Example

Number of parameters



Example


Number of parameters



100 Anathan Muthan pathy, Department of Engineering Design, IIT Madras

CNN

towardsdatascience.com




Popular networks

- LeNet
- AlexNet
- VGG-16
- ResNet
- InceptionNet (gogLeNet)




LeNet

Le Cun et al. 1998, Gradient-based learning applied to document recognition




LeNet FCs




AlexNet

Krizhevsky et al. 2012, ImageNet classification with deep convolutional neural networks



AlexNet FCs



Ramanathan Muthuganapathy, Department of Engineering Design, IIT Madras

VGG-16


Simonyan & Zisserman 2015, Very deep convolutional networks for large-scale image recognition

$$\xrightarrow{\text{Pool}} 14 \times 14 \times 512 \xrightarrow{\text{Conv } 512} 14 \times 14 \times 512 \xrightarrow{\text{Pool}} 7 \times 7 \times 512 \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{Softmax}} 3 \xrightarrow{\text{Pool}} 14 \times 14 \times 512 \xrightarrow{\text{Pool}} 7 \times 7 \times 512 \xrightarrow{\text{Pool}} 7 \times 7 \times 512 \xrightarrow{\text{Pool}} 7 \times 7 \times 512 \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{FC}} \xrightarrow{\text{Softmax}} 3 \xrightarrow{\text{Pool}} 3 \xrightarrow{\text{FC}} \xrightarrow{\text{FC}}$$

138 million Parameters


ResNet

He et al. 2015, Deep residual networks for image recognition




ResNet


Key Idea - Skip Connection (short cut)



ResNet Skip Connection





VGG-19 and ResNet



Convolution 1 X 1


2	4	3	6
2	1	3	0
9	0	1	2
7	5	1	2





Three channels - RGB

• RGB (Three channels, one for each colour)



Three channels - RGB

RGB (Three channels, one for each colour)

2	4	3	6
2	1	3	0
9	0	1	2
7	5	1	2

	2	4	3	6
0	2	1	3	0
	9	0	1	2
	7	5	1	2

2	4	3	6
2	1	3	0
9	0	1	2
7	5	1	2

1 X 1 Convolution on RGB

2D Convolution

2	4	3	6
2	1	3	0
9	9 0		2
7	5	1	2

2	4	3	6
2	1	3	0
9	0		2
7	5	1	2

2	4	3	6
2	~	3	0
9	0	1	2
7	5	1	2

1

1

1

1 X 1 Convolution on RGB


2D Convolution (Stride = 1)

		2	4	3	6	
	2	2	3	8	0	
2	4	3	6	1	2	Multinugali
2	9	3	5	2	2	anaihan **
9	O	5	2	2	P.a.	
7	5	1	2			

n X n X 3

1 X 1X 3

1 X 1 Convolution øn RGB




n X n X 256

32

n X n X 32

Inception module / Network

- 1 X 1, 3 X 3, etc..
- Stacking of volumes
- Pooling ('same')
- Several such modules in inception network
- Huge number of parameters
- See the paper for more details!



Inception Network - Motivation

https://knowyourmeme.com/photos/531557-we-need-to-go-deeper

