```
In [2]: import re
          from sklearn.datasets import load digits
          from sklearn.model_selection import train_test_split
          import numpy as np
          import matplotlib.pyplot as plt
          import seaborn as sns
          from sklearn import metrics
          %matplotlib inline
          digits=load_digits()
 In [3]: print("Image Data Shape", digits.data.shape)
          print("Label Data Shape", digits.target.shape)
          Image Data Shape (1797, 64)
          Label Data Shape (1797,)
 In [7]: plt.figure(figsize=(20,4))
          for index,(image,label)in enumerate(zip(digits.data[0:5],digits.target[0:5]))
              plt.subplot(1,5,index+1)
              plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
              plt.title('Training:%i\n'%label, fontsize=10)
                Training:0
                                 Training:1
                                                 Training:2
                                                                 Training:3
                                                                                  Training:4
 In [8]: from sklearn.model selection import train test split
          x_train,x_test,y_train,y_test=train_test_split(digits.data,digits.target,test_
 In [9]: |print(x_train.shape)
          (1257, 64)
In [10]: |print(y_train.shape)
          (1257,)
In [11]: | print(x_test.shape)
          (540, 64)
```

```
In [12]: print(y_test.shape)
          (540,)
In [13]: from sklearn.linear model import LogisticRegression
In [14]: logisticRegr=LogisticRegression(max_iter=1000)
          logisticRegr.fit(x_train,y_train)
          C:\Users\dinesh reddy\AppData\Local\Programs\Python\Python310\lib\site-packa
          ges\sklearn\linear_model\_logistic.py:458: ConvergenceWarning: lbfgs failed
          to converge (status=1):
          STOP: TOTAL NO. of ITERATIONS REACHED LIMIT.
          Increase the number of iterations (max iter) or scale the data as shown in:
              https://scikit-learn.org/stable/modules/preprocessing.html (https://scik
          it-learn.org/stable/modules/preprocessing.html)
          Please also refer to the documentation for alternative solver options:
              https://scikit-learn.org/stable/modules/linear model.html#logistic-regre
          ssion (https://scikit-learn.org/stable/modules/linear model.html#logistic-re
          gression)
            n iter i = check optimize result(
Out[14]:
                   LogisticRegression
          LogisticRegression(max_iter=1000)
In [15]: | print(logisticRegr.predict(x test))
          [4 0 9 1 8 7 1 5 1 6 6 7 6 1 5 5 8 6 2 7 4 6 4 1 5 2 9 5 4 6 5 6 3 4 0 9 9
           8 4 6 8 8 5 7 9 8 9 6 1 7 0 1 9 7 3 3 1 8 8 8 9 8 5 8 4 9 3 5 8 4 3 1 3 8
           7 3 3 0 8 7 2 8 5 3 8 7 6 4 6 2 2 0 1 1 5 3 5 7 1 8 2 2 6 4 6 7 3 7 3 9 4
           7 0 3 5 4 5 0 3 9 2 7 3 2 0 8 1 9 2 1 5 1 0 3 4 3 0 8 3 2 2 7 3 1 6 7 2 8
           3 1 1 6 4 8 2 1 8 4 1 3 1 1 9 5 4 8 7 4 8 9 5 7 6 9 4 0 4 0 0 9 0 6 5 8 8
           3 7 9 2 0 8 2 7 3 0 2 1 9 2 7 0 6 9 3 1 1 3 5 2 5 5 2 1 2 9 4 6 5 5 5 9 7
           1 5 9 6 3 7 1 7 5 1 7 2 7 5 5 4 8 6 6 2 8 7 3 7 8 0 9 5 7 4 3 4 1 0 3 3 5
           4 1 3 1 2 5 1 4 0 3 1 5 5 7 4 0 1 0 9 5 5 5 4 0 1 8 6 2 1 1 1 7 9 6 7 9 7
           0 4 9 6 9 2 7 2 1 0 8 2 8 6 5 7 8 4 5 7 8 6 4 2 6 9 3 0 0 8 0 6 6 7 1 4 5
           6 \; 9 \; 7 \; 2 \; 8 \; 5 \; 1 \; 2 \; 4 \; 1 \; 8 \; 8 \; 7 \; 6 \; 0 \; 8 \; 0 \; 6 \; 1 \; 5 \; 7 \; 8 \; 0 \; 4 \; 1 \; 4 \; 5 \; 9 \; 2 \; 2 \; 3 \; 9 \; 1 \; 3 \; 9 \; 3 \; 2
           8 0 6 5 6 2 5 2 3 2 6 1 0 7 6 0 6 2 7 0 3 2 4 2 3 6 9 7 7 0 3 5 4 1 2 2 1
           2 7 7 0 4 9 8 5 6 1 6 5 2 0 8 2 4 3 3 2 9 3 8 9 9 5 9 0 3 4 7 9 8 5 7 5 0
           5 3 5 0 2 7 3 0 4 3 6 6 1 9 6 3 4 6 4 6 7 2 7 6 3 0 3 0 1 3 6 1 0 4 3 8 4
           3 3 4 8 6 9 6 3 3 0 5 7 8 9 1 5 3 2 5 1 7 6 0 6 9 5 2 4 4 7 2 0 5 6 2 0 8
           4 4 4 7 1 0 4 1 9 2 1 3 0 5 3 9 8 2 6 0 0 4]
In [16]:
         score=logisticRegr.score(x_test,y_test)
          print(score)
```

In []:		