In [1]: import numpy as np
 import pandas as pd
 import seaborn as sns
 from sklearn.model_selection import train_test_split
 from sklearn.tree import DecisionTreeClassifier

In [2]: df=pd.read_csv(r"C:\Users\dinesh reddy\AppData\Local\Microsoft\Windows\INetCache\IE\96
df

Out[2]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	Yes	Single	125	No
1	No	Married	100	No
2	No	Single	70	No
3	Yes	Married	120	No
4	No	Divorced	95	Yes
5	No	Married	60	No
6	Yes	Divorced	220	No
7	No	Single	85	Yes
8	No	Married	75	No
9	No	Single	90	Yes

In [3]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 10 entries, 0 to 9

Data columns (total 4 columns):

#	Column	Non-Null Count	Dtype
0	Home Owner	10 non-null	object
1	Marital Status	10 non-null	object
2	Annual Income	10 non-null	int64
3	Defaulted Borrower	10 non-null	object

dtypes: int64(1), object(3)
memory usage: 448.0+ bytes

```
In [5]: df['Marital Status'].value_counts()
    df['Annual Income'].value_counts()
Out[5]: Annual Income
           125
                    1
           100
                    1
           70
                    1
           120
                    1
           95
                    1
           60
                    1
           220
                    1
           85
                    1
           75
                    1
           90
                    1
           Name: count, dtype: int64
In [6]: convert={"Home Owner":{"Yes":1,"No":0}}
df=df.replace(convert)
```

Out[6]:

	Home Owner	Marital Status	Annual Income	Defaulted Borrower
0	1	Single	125	No
1	0	Married	100	No
2	0	Single	70	No
3	1	Married	120	No
4	0	Divorced	95	Yes
5	0	Married	60	No
6	1	Divorced	220	No
7	0	Single	85	Yes
8	0	Married	75	No
9	0	Single	90	Yes

```
In [7]: convert={"Marital Status":{"Single":1,"Married":2,"Divorced":3}}
          df=df.replace(convert)
          df
 Out[7]:
             Home Owner Marital Status Annual Income Defaulted Borrower
          0
                                              125
                                                                No
          1
                      0
                                   2
                                              100
                                                                No
          2
                      0
                                               70
                                                                No
                                   2
          3
                                              120
                                                                No
                                   3
                                               95
                                                               Yes
          5
                                               60
                                                                No
                                              220
                                                                No
          7
                                   1
                                               85
                                                               Yes
          8
                      0
                                   2
                                               75
                                                                No
          9
                      0
                                   1
                                               90
                                                               Yes
In [11]: | x=["Home Owner","Marital Status","Annual Income"]
          y=["Yes","No"]
          all_inputs=df[x]
          all_classes=df["Defaulted Borrower"]
In [12]: (x_train,x_test,y_train,y_test)=train_test_split(all_inputs,all_classes,test_size=0.3
In [13]: clf=DecisionTreeClassifier(random_state=0)
In [14]: | clf.fit(x_train,y_train)
Out[14]:
                   DecisionTreeClassifier
          DecisionTreeClassifier(random_state=0)
In [15]: | score=clf.score(x_test,y_test)
          print(score)
          0.0
```

In []: