

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

</head>

<body>

  <h1>Day_1 Assignment</h1>

  <h1>variable Names</h1>

  <ul>

    <li>name</li>

    <li>age</li>

    <li>contact</li>

    <li>mail</li>

    <li>domain</li>

    <li>Eligibility</li>

    <li>Area_of_intrest</li>

    <li>city_name</li>

    <li>year_of-passed</li>

    <li>model</li>

    <li>brand</li>

    <li>taste</li>

    <li>isAvailable</li>

    <li>Work</li>

    <li>Login</li>

    <li>Gender</li>

    <li>color</li>

    <li>Mode</li>

    <li>Marks</li>

    <li>Quality</li>
```

- TotalPrice
- CartItems
- grade
- collegeName
- Department_name
- Door_no
- Nomine
- familySize
- daily_budget
- isActive

<h1>Expression</h1>

<p>Expression is always have a value and it return something and it store.</p>

- Arithmetic
- Comparison
- logical
- Assignment
- String
- Ternary
- Array
- Object
- variable
- Increment and Decrement
- Funtction
- Arrow function

<h1>Statement</h1>

<p>All the code is the statement line by line is the statement.</p>

-
- variable Declaration
- if Statement
- if-else statement
- else-if
- Switch
- While
- Do-while
- break Statement
- Continue Statement
- return Statement
- Function declaration Statement
- try-catch statement
- throw
-

<h1>JAVASCRIPT</h1>

<p>javascript is a programming language used to add logic,behavior and interactivity to web applications.
we can play a plenty things using this.
Creating web page in more attractive way and dynamic changes.</p>

-
- click
- mouse movement
- keyboard input
- form submission
-

</body>

</html>

OUTPUT:

Day_1 Assignment

variable Names

- name
- age
- contact
- mail
- domain
- Eligibility
- Area_of_intrest
- city_name
- year_of-passed
- model
- brand
- taste
- isAvailable
- Work
- Login
- Gender
- color
- Mode
- Marks
- Quality
- TotalPrice
- CartItems
- grade
- collegeName
- Departmant_name
- Door_no
- Nomine
- familySize
- daily_budget
- isActive

Expression

Expression is always have a value and it return something and it store.

- Arithmetic
- Comparison
- logical
- Assignment
- String
- Ternary
- Array
- Object
- variable
- Increment and Decrement
- Funtction
- Arrow function

Statement

All the code is the statement line by line is the statement.

- variable Declaration
- if Statement
- if-else statement
- else-if
- Switch
- While
- Do-while
- break Statement
- Continue Statement
- return Statement
- Function declaration Statement
- try-catch statement
- throw

Expression

Expression is always have a value and it return something and it store.

- Arithmetic
- Comparison
- logical
- Assignment
- String
- Ternary
- Array
- Object
- variable
- Increment and Decrement
- Funtction
- Arrow function

Statement

All the code is the statement line by line is the statement.

- variable Declaration
- if Statement
- if-else statement
- else-if
- Switch
- While
- Do-while
- break Statement
- Continue Statement
- return Statement
- Function declaration Statement
- try-catch statement
- throw

JAVASCRIPT

javascript is a programming language used to add logic,behavior and interactivity to web applications.
we can play a plenty things using this.

Creating web page in more attractive way and dynamic changes.

- click
 - mouse movement
 - keyboard input
 - form submission
-