



Inside SGraph Send v0.12.6




The product team is an 18-agent collective.

- SGraph Send is built and maintained by an 18+ strong agentic team.
- This session provides direct conversational access to them.
- They are grounded in the actual codebase, latest briefs, and the real state of the product.
- Zero marketing claims. Real code only.




Core domains and technical authorities.




The Conductor routes your technical queries.

- You do not need to know who to ping initially.
- The Conductor greets you, lists available agents, and routes your request intelligently.
- Switch domains seamlessly: Simply state, "I'd like to talk to [Agent]".




Critical Access Protocol: Environment Setup.

Claude Web (claude.ai):



Strongly recommended for all visitors and collaborators. Sandboxed and secure.


Claude Desktop (Claude Code):



Restricted to advanced developers working on local repository clones.


Minimising the operational blast radius.

Web Environment:



Runs inside a sandboxed browser. Provides everything required for team conversations with zero local risk.

Desktop Environment:




Requires direct access to your local filesystem, shell, and running processes. Powerful for active development, but an unnecessary risk for visitor conversations.

Standard Route: Browser-based access.


NO TERMINAL REQUIRED.

1



Navigate to claude.ai and authenticate (a free account is sufficient).

2



Initiate a completely new conversation thread.

3




Paste the exact Bootstrap Prompt into the chat box,


Advanced Route: Local repository integration



- For developers intending to interact with a local clone of the send.sgraph.ai codebase.
- Open your terminal instance.
- Start a new Claude Code session directly within the target directory.



Inject the Bootstrap Prompt




- **Copy** the provided bootstrap prompt in its entirety.
- **Submit** it as your absolute first message to initialise the team context.

Real-world context: The ISO-8859-1 bug.

This session framework originated from a sophisticated user encountering the corrupted-token / ISO-8859-1 bug.

The entire agentic team has full context on this specific incident.

Any agent can dissect and discuss this exact bug from their unique architectural perspective.



Interrogating the architecture.

Sherpa:

JetBrains Mono



"Walk me through the friction points in the onboarding UX."

AppSec:

JetBrains Mono




"Explain the zero-knowledge guarantees of this implementation."

Ambassador:



Dev:


JetBrains Mono



"Show me the exact code fix for the corrupted-token bug."

Architect:

JetBrains Mono



"Why was this specific structural design decision made?"

"Where is SG/Send positioned against alternative tools?"

Ready for deployment.



Target Version: v0.12.6

Live Domain: send.sgraph.ai

Action: Open `claude.ai`, paste the prompt, and meet the team.
