


The Grafter: Next-Generation Platform Strategy

Moving from 'Compliance' to 'Connection' via a Graph-Based Architecture.



EXECUTIVE SUMMARY

The Grafter helps startups grow, mature, and exit. While the initial build digitised the curriculum, adoption is limited by high friction. This briefing outlines the pivot to a graph-based, open-source platform driven by an agentic delivery model.

LEAD: Rachel


DATE: February 2026

STATUS: Discovery & Architecture Phase

PROJECT: The Grafter — Next-Generation Platform

THE CURRENT REALITY: WE DIGITISED A BINDER RATHER THAN BUILDING A PLATFORM.

THE OLD WORLD



**200-page document
+ 400-slide deck**

THE CURRENT DIGITAL STATE

BROWSER // GLAIT_FBRN.KTRL

FAPVT_FTELO_001: [REQUIRED]

FAPVT_FTELO_001: [REQUIRED]

FAPVT_FTELO_002

FAPVT_FTELO_001

TEXT_AREA_102: [ADD COMMENTS]

FAPVT_FTELO_103: [REQUIRED]

☐ ADD TEXT 05227E

SELECT_OPTION: [CHOOSE...]

[CHOOSE...]

OPTION2:

☐ 020000100L 01

☐ 020000100L 02

☐ 020000100L 03

SELECT_OPTION: [CHOOSE...]

[CHOOSE...]

TEXT_1203

The screenshot shows a web browser window with a complex online form. The form contains various fields, including text areas, dropdown menus, and checkboxes. The fields are labeled with codes like FAPVT_FTELO_001, FAPVT_FTELO_002, FAPVT_FTELO_001, TEXT_AREA_102, FAPVT_FTELO_103, SELECT_OPTION, OPTION2, and TEXT_1203. Some fields are marked as required. The form is titled 'GLAIT_FBRN.KTRL' in the browser's address bar.

1 Giant Online Form

FORM_LENGTH: INFINITE_SCROLL, FIELDS: 600+, UX: POOR_USABILITY

THE DIAGNOSIS:

- The Intent:** Capture programme IP (Reasonable).
- The Result:** A static compliance exercise.
- The Data Trap:** Reliance on opaque data stores (Firebase) with HTML-only export.

INTENT: KNOWLEDGE_CAPTURE

RESULT: STATIC_COMPLIANCE, VALUE: LOW

DATA_TRAP: FIREBASE_STORE, EXPORT: HTML_ONLY

HIGH FRICTION AND ISOLATED DATA ARE LIMITING ADOPTION.

THE ESSAY CRISIS


Users face open-ended questions like "What is your go-to-market strategy?" leading to cognitive overload.

USER_LOAD: COGNITIVE_OVERLOAD,
COMPLEXITY: HIGH.

THE MANUAL DIRECTORY

10+ minutes of manual entry for data that already exists publicly on LinkedIn.

DATA_SOURCE: MANUAL_ENTRY,
EFFORT_TIME: >10MIN.



DECONTEXTUALISED GUIDANCE

Recommendations are generic; disconnected from the user's stage or live data.


GUIDANCE_TYPE: GENERIC,
CONTEXT_AWARE: FALSE.

ISOLATION

No graph connectivity. Users exist in silos with no intersection mechanism.

GRAPH_CONNECTIVITY: NULL,
USER_STATE: SILOED.

STRATEGIC VISION: SIX PILLARS FOR A LIVING ADVISORY SYSTEM.



Pillar 1: Inverting the User Experience.

Core Principle: Minimise user effort, maximise value.


BEFORE: INPUT



Write an essay.

Requires original thought. High friction.

AFTER: CONFIRMATION



Confirm the facts.

Lightweight inputs (URL/Voice) -> AI Extraction -> User Validation.

Methodology: Use generative AI to pre-populate profiles and assessments from publicly available data.
Asking "Is this correct?" is faster than asking "Please write this."

Pillar 2: Building on a Reactive Graph Data Model

THE SHIFT


Moving from static rows (spreadsheets) to interconnected nodes (graph).

REACTIVE LOGIC

1. **Traceability:** Recommendations hyperlink back to source facts.
2. **Living System:** When facts change, conclusions update automatically.


STRATEGIC LENS: WARDLEY MAPS

Guidance is stage-dependent. A pre-revenue startup and a scaling company need different advice. The mapping ensures context-aware recommendations.



Pillar 3: The Active Connection Engine.

From passive directory to mutual opt-in.





SOCIAL CONTEXT:

- Auto-populate profiles from LinkedIn (Users only provide URL).
- Leverage the existing WhatsApp group—amplify relationships, don't replace the channel.




Pillars 4 & 5: Open Architecture & Ecosystem Flywheel




Pillar 6: A Value-Based Business Model

Monetise privacy and premium advice, not utility.



The Agentic Delivery Model.

Current Phase: Architecture & Strategy (No Code/Deployment).



Roadmap & Immediate Next Steps.

01

MAP THE GRAPH SCHEMA

Define entities, relationships, and data points.

02

DESIGN OPEN-SOURCE ARCH

Spec out the file-system storage and API-first design.

03

PROTOTYPE “LOW-FRICTION INTAKE”

Design the URL-to-profile and voice-to-assessment flows.

04

DEFINE WARDLEY INTEGRATION

Map how stage assessment drives recommendation context.

05

SCOPE CONNECTION ENGINE

Define logic for mutual-opt-in matching.


06

PROJECT PLAN

Produce detailed plan with agent assignments.

The Destination: A Living Advisory System.

We are moving away from a static digital library to build a reactive, graph-based engine.



The Grafter will not just store information; it will actively synthesise facts to surface the right connection and the right advice at the exact moment of need.