


Incidents as the Best Time to Fix Things

The 5x Multiplier and the P3-as-P1 Philosophy

NORMAL OPERATIONS [STATUS: HIGH FRICTION]




INCIDENT MODE [STATUS: HIGH VELOCITY]



THE 5X MULTIPLIER

VELOCITY COMPARISON



INCIDENTS ARE NOT INTERRUPTIONS. THEY ARE THE SINGLE MOST PRODUCTIVE PERIODS IN AN ORGANISATION'S LIFE.


THE MECHANICS OF HYPERPRODUCTIVITY

1. THE ARGUMENT DISAPPEARS



NORMAL: "WHAT IS THE BUSINESS CASE?"
INCIDENT: "HOW FAST CAN WE FIX THIS?"
THE GAP IS VISIBLE AND URGENT.

2. ALIGNMENT MATERIALISES




EVERYONE LOOKS AT THE EXACT SAME PROBLEM
SIMULTANEOUSLY. DECISIONS TAKE MINUTES,
NOT WEEKS.

3. HELP TURNS UP



ABSTRACTNESS IS GONE. ROLES SEE EXACTLY
HOW THEIR DOMAIN CONNECTS TO THE FAILURE.

4. FOCUS REPLACES PRIORITISATION



YOU DON'T CHOOSE FROM A MENU.
THE INCIDENT DICTATES THE PRIORITY.

THE HARVEST: WHAT GETS FIXED



OBSERVABILITY

Logs and alerts added in minutes. No tickets required.



RUNBOOKS

Written by doing. Documented by the Historian in real-time.



DASHBOARDS

Built immediately because investigation requires them.



KNOWLEDGE TRANSFER

Bus-factor problems solved. Forced explanation creates shared context.



ARCHITECTURE MAPPING

Cartography of dependencies happens in real-time.



REGRESSION TESTS

QA writes tests for the specific path that failed.

**USUALLY
BACKLOG ITEMS.
SOLVED INSTANTLY
DURING INCIDENTS.**

THE MOST REVEALING QUESTION

QUERY: How many times has this happened before?

NEVER



Good.
Genuine Novelty.
Action: Build Detection.

N TIMES



Warning.
Why was it ignored?
Alert fatigue?
Bad thresholds?


WE DON'T KNOW



CRITICAL FAILURE.
Reveals fundamental
observability gap.

Insight: The answer 'We Don't Know' justifies the entire P3-as-P1 exercise. It demands immediate infrastructure capability building.


Shrinking the Surface Area of Surprise



The Effect: P3-as-P1 converts Unknown Unknowns into Knowns before a catastrophic breach exploits them.


The things that keep a CISO awake at night aren't the known gaps. They're the things they don't know they don't know.

The End State: Self-Healing Systems




Insight: Self-healing isn't magic; it's just the accumulated result of many incidents.

The Sherpa's Trail: UX is Security




Culture Shift: Every Role is a Sensor



The Infrastructure of Memory: Issues FS

Capturing value via the Incident Graph.



Agent Mandates: Operations & Tech

DEVOPS

The Primary Fixer. Template your monitoring/dashboard responses.



SHERPA

Trail data is the trigger. Query user behaviour instantly.




QA

Every incident = at least one new regression test.



CARTOGRAPHER

Update blast radius maps after every event.



Agent Mandates: Strategy & Governance



CONDUCTOR

Integrate incident fixes into the normal work plan. Not optional.



CISO

Look for meta-patterns after 3-5 incidents.



DPO/GRC

Was personal data involved? Update risk registers dynamically.



ADVOCATE

What if this had been worse for the user?

Agent Mandates: The Storytellers

JOURNALIST

Incidents are stories with arcs. Write to teach, not just report.



HISTORIAN

Maintain the register. Feed the pattern analysis.



LIBRARIAN

Index the databases. Answer "Have we seen this before?"



AMBASSADOR

Turn resolved incidents into trust-building external content.



Run the Incidents. Follow the Threads. Fix the Things.

The P3-as-P1 approach harnesses the 5x multiplier.

The cost is low. The return is a system that progressively heals itself.

Don't waste a good crisis. Treat the small fires like big ones to prevent the inferno.

Appendix: Glossary & Concepts

P3-as-P1

Treating minor (P3) incidents with the rigour of major (P1) investigations to extract maximum value.



Sherpa

The agent role responsible for observing user trails and detecting behavioural anomalies.



Agentic Setup

A team structure where roles (Agents) act as autonomous sensors within their domains.



Issues FS

File-system-based infrastructure used to capture, link, and archive incident data as a graph.

