



Securing Agentic Workflows in Production | Lessons from SG/Send

Securing Agentic Workflows in Production | Lessons from SG/Send

Based on the technical analysis by Dinis Cruz.



THE CORE PROBLEM: INSECURE BY DESIGN





THE ATTACK SURFACE IS EVERYWHERE

VECTOR	EXAMPLE	SEVERITY
User Input	Chat prompts	HIGH
Tool Results	File reads, DB queries	CRITICAL (Silent)
Emails	Incoming message body	CRITICAL
Documents	PDF summarisation	CRITICAL

“An agent that reads emails, files, or database records is processing untrusted text in every single tool call.”


THE LAB: INSIDE SG/SEND

A zero-knowledge encrypted file transfer platform operated by AI agents.



INCIDENT REPORT 01: THE VAULT CONFLATION

INTENDED SCOPE




ACTUAL BEHAVIOUR



ROOT CAUSE: Scope Failure. The tool boundary was undefined. The agent found a valid path to the Vault and used it to be "helpful".
LESSON: Capability scope determines behaviour.

INCIDENT REPORT 02: THE SHERPA INBOX

AI Agent Vulnerability Analysis.



THE REALITY:

You cannot filter this. Legit user requests look just like this.

GAME OVER SCENARIO:

If this agent had autonomous 'SEND' permissions, the breach occurs instantly upon reading.

Baseline Defense: Fundamentals & Gates

Capability Minimisation




Separate MCP connectors. If the agent doesn't need it, the tool shouldn't exist.

Human Approval Gates



No action crosses a trust boundary without a human in the loop.

Pattern: The Two-Stage Security Analyst



Why it works: Even if the Analyst is tricked, it has no hands. It cannot send emails or delete files.

Observability: Log the Reasoning, Not Just the API

Standard Log (Useless)

```
> POST /api/tools/send 200 OK
```

The audit trail is the workflow state, not the HTTP requests.

Agentic Log (Required)


```
> REASONING: User requested file transfer.  
> PLAYBOOK: Step 4.2 triggered.  
> DECISION: Calling tool 'Send' based on safe classification.  
> ACTION: POST /api/tools/send
```


Advanced Pattern 1: State Machines for Execution Control



In the 'Reading' state, the 'Send' tool literally does not exist.

Advanced Pattern 2: Dynamic In-Context Permissions




Problem: Static permissions are too broad.

Solution: Credentials generated at the moment of action, scoped strictly to the current context.


Advanced Pattern 3: Semantic Graphs & Safe Data

RAW TEXT

Lorem ipsum dolor sit amet, consectetur adipiscing elit. A
ttacks become visible, inonciduntunut labore **ar**idore
magna aliqua. **Ut enim ad** minim:aditreeveniam, quis nostrud
enam:ageantitidly. nisi consequat. **Duis aute** dolor sitvupic
persmetier conseetthea:ipiceintincornadit:reccerit afo
tisiraumedt:remp:uiseon:chis:churthere **mian** non nutiano
voluptate **disperatugur** **leef aneding** **thre** **thre**; **lorem ipsum**
heading st non **tun** **igate** **dis** **oun** **er** **sed** **ut**. Uerm inum
dolor sit amet, consepuhedirvent occurrentte nrt sepilet et
voluptate. **Pertax** **ihaperr** **for** **atis** **int** **igat** **ed** Dolor sit amet,
consectetur **adipiseing** **enim** **se** **consectetur** adipiscing elit,
seupitae **enim** **non** **ate** **duae** **bonum** **rattont** **nom** **submato**
non antim. **thid** **ten** **anavaed** **aligua** **tu** **tana**!.



SEMANTIC GRAPH



Shift from processing raw text to reasoning over graph structures.
Attacks become visible, structured nodes rather than hidden patterns.


Advanced Pattern 4: Containerised Isolation



One container per MCP call. A clean slate for every task.
Infection cannot spread between contexts.

Advanced Pattern 5: Issues-FS

Structured Communication via Issue Trackers



Agents don't chat; they file tickets. Every decision is a cryptographically signed issue. An attacker cannot inject a signed decision without the private key.

The Secure Architecture Snapshot

✓ 1. Minimise Capabilities

(Scope down today)



✓ 2. Trust No Text

(Everything is an injection surface)




✓ 3. Gate Boundaries

(Human-in-the-loop)



✓ 4. Structure Communication

(Issues-FS / Graphs)



"The architecture isn't magic. It's version control, state machines, isolation, isolation, and signing all the way down."

