

Bypassing the CI/CD Pipeline

Autonomous AI Quality
Assurance: Proof-of-
Concept Debrief

Target

SG/Send QA

Version

v0.16.53

Engine

Claude Web
+Playwright

Independent AI QA is Here

92%

Test Suite Pass Rate
(95/103 Tests)

Zero External Infrastructure

Full local in-memory stack executed entirely within a Claude Web **session**. No AWS, no GitHub Actions.

Comprehensive Execution

103 Playwright **browser** and **API tests** run against a local localhost:10062 target.

Closed-Loop Capability

The agent successfully wrote new tests, executed them, captured visual evidence, and reported results in a **single chat session**.

Execution Telemetry Matrix

API-Only (httpx)

48/48 Passed
(100% Success Rate)

Validates HTTP endpoints, AES-256-GCM encryption, and SGMETA envelope formats natively.



Browser (Playwright)

47/54 Passed
(87% Success Rate)

Validates complex UI interactions including Shadow DOM navigation, keyboard routing, and file uploads.

The In-Memory Apparatus

The Container

Python 3.12.3 via venv

Local In-Memory Stack

SG/Send API v0.16.53 & UI v0.3.0 running locally

Playwright Headless Browser

Chromium 141.0.7390.37 +
Playwright 1.58.0

The Container

SG/Send SG/Send API v0.16.53 & UI v0.3.0
running locally

The Symlink Bypass

CDN blocked by egress rules. Pre-installed Chromium (revision 1194) successfully symlinked to bypass Playwright's expected revision 1208.

Proxy Configuration

Outbound traffic routed explicitly through JWT-authenticated HTTP proxy (21.0.0.67:15004) via Playwright's proxy parameters.

The Local Advantage

QA suite targets localhost:10062 (UI) and 127.0.0.1 (API), completely bypassing proxy requirements for lightning-fast local execution.


Root Cause Diagnostics

Failure Type	Affected Area	Actionability / Fix
Shadow DOM Timeout (4 tests)	#file-input unreachable by default locator in 5s	Fix: Requires data-testid (CR-003)
Timing / Race Condition (1 test)	Hash state not preserved after mode switch	Fix: Implement explicit wait
Known UI Bug (1 test)	Language dropdown obscures 'Go' button	Fix: Known bug (CR-002), workaround exists
Test Assertion Flaw (1 test)	False positive triggered by 'error' string appearing in CSS/JS code	Fix: Narrow assertion scope

0 Infrastructure Failures.

Playwright, Chromium, and the local stack performed flawlessly. All 7 failures are test-design or known app behaviours.

Visual Evidence: Capturing CR-002




Target Test:

`test_upload_accessible_with_token`

Observed Behaviour: Submitting the access token triggers the language dropdown rather than the 'Go' button.


Agent Resolution: The agent successfully identified the obscurement, capturing visual evidence. The established workaround targets `#access-token-submit` by specific ID rather than relying on generic button selectors.

The Autonomous QA Lifecycle



Case Study: Discovering i18n Limitations

Application Interface with Locale Menu



HTTP 404 Error Response

Error code: 404

Message: File not found.

Error code explanation: 404 - Nothing matches the given URI.

Symptom: Navigating to /de-de/ returns a 404 on the local test server.

Root Cause Identified by AI: The local `conf/test.py` function `_build_ui_serve_dir` only explicitly copies the `en-gb` directory. Non-English pages, while generated in CI via S3, are missing from the local stack.

Impact: Validates the agent's ability to uncover critical gaps between local testing environments and production CI pipelines.

Validating Zero-Knowledge Pipelines

Step 1

File payload encrypted locally in the headless browser via AES-256-GCM.

Step 2


Ciphertext uploaded to the in-memory 127.0.0.1 API server.

Step 3

Combined link generated and passed to a new browser tab.

Step 4

Client-side JavaScript seamlessly decrypts and renders original content in 0.12s.



Takeaway: The agent proved the absolute integrity of the SGMETA envelope format and zero-knowledge guarantee without a single external server call.

Closing the Loop: The SGit Vault Workflow

Legacy CI/CD Pipeline

Requires external AWS infrastructure.

Relies on GitHub Actions queues and repo write access.

Separated testing, execution, and reporting phases.

High friction for visual UI validation.

The Autonomous Agent Paradigm

Zero infrastructure required
(In-session local stack).



Immediate visual feedback and living documentation via CDP screenshots.



Build code, test visually, and push verified patches independently.

Quality Assurance is no longer a pipeline bottleneck. It is a real-time, autonomous, closed-loop capability embedded directly within the AI development session.