



SG Send: Trustless AI Code Collaboration

Building with agents without sharing the keys to the kingdom.



dev.send.sgraph.ai


The Fundamental Tension of AI Collaboration



To be useful, an agent needs deep access to your codebase.
But every permission granted to an agent is a permission that
can be compromised.


Today's options force uncomfortable, dangerous tradeoffs.

The Extremes of the Current Art




The industry forces developers to choose between acting as slow, error-prone copy-paste machines, or handing over their entire environment to an automated system.

The Over-Privileged Token (GitHub)



- Tokens meant for one repo grant read access to the entire org.
- Bot ToS violations force misattribution to human developers.
- Code sits unencrypted at rest.

The Local Compromise (Local Agents)




- The agent runs as YOU with all local privileges.
- No boundary between editing source code and reading password managers.
- Running locally invites full compromise via prompt injection.

The Collaboration Matrix

	Full Repo Context	Frictionless Workflow	Least Privilege Security	Cryptographic Auditability
Copy-Paste / Chat				
File Attachments				
GitHub Integration				
Local Agents				


No current workflow successfully merges full contextual utility with cryptographic auditability and least-privilege security.

Identity: Who are you?




Traditional control relies on mimicking human identity.
Result: Broad access, massive blast radius, high trust required.

Capability: What can you do?




The Vault model grants exact, isolated capabilities. Read/write files in one specific vault, on one specific branch.
Result: Zero trust required.

The Foundation: True Client-Side Encryption



Upload UI

Client-Side Encryption
(Server never sees the keys)




Serverless Vault

SG Send began as a fully serverless, pure client-side file-sharing solution. Users drag and drop files, encrypt locally, and share a secure link.


The exact same cryptographic guarantees that protect a boardroom PDF now scale to secure entire AI-agent development environments.

The Architecture of Isolation




The human and the AI never share a filesystem, a Git repo, or elevated privileges. The Encrypted Vault sits securely in the middle as the sole collaboration channel and cryptographic broker.

Per-Branch PKI Integration



Even if an agent's session token leaks, attackers cannot impersonate the clone without possessing the localized **private key**.

Cryptographic Commit Attribution



The agent can only commit to its own branch. Every commit is cryptographically signed by the local clone key. You see exactly what each participant contributed—verified mathematically, without relying on GitHub bot accounts or ToS workarounds.

Proof of Work: Building a Python CLI

DATE

19 March 2026


OUTCOME

Python CLI Tool Built

PARTICIPANTS



1 Human (macOS)




1 AI Agent (Claude Sandbox)

62 Passing Tests



This is not a theoretical toy demo. In a single session using the basic vault operating mode, a human and an AI agent collaboratively conceptualized, built, and tested a complete tool inside the encrypted environment.


100% Reproducibility



Any new AI agent session can pick up exactly where this one left off.
No briefing documents. No context window stuffing. No manual setup.

The code is the context. The tests are the specification. The commit history is the conversation record.

The Security Layering Summary



SG Send stacks independent cryptographic and architectural boundaries to ensure that a compromise at the agent layer cannot escalate into a compromise of the developer environment.

Systems Without Trust

“It’s not about whether AI agents are trustworthy. It’s about building systems where trust isn’t required.”

The SG Send vault model provides scoped, encrypted, auditable, and revocable code collaboration with AI agents—without trusting the agent with anything beyond the project files.

Beta access available.

sgraph.ai