
# ManagedSpy - Moving Original code (and some changes) to GitHub


(see ManagedSpy - Adding new features to ManagedSpy.exe (part 2).pdf file for the moment the actions below took place) creating a empty repository with **git init** 




copying the original files (from the original zip into it)

## unziping the code from:


http://download.microsoft.com/download/f/2/7/f279e71e-efb0-4155-873d-5554a0608523/ManagedSpy.exe




to




## **Committing those files:**







# To merge with the version we have created so far, lets delete all files




which will be immediately picked up by git




We don't want to commit yet, since fit we need to copy the modified version (for its work dir)




## And paste them into the git repository



Before we do Git Commit lets add a couple .gitIgnore entries




after than we can go into the Git Commit Gui and see the changes:




its better to do the commits per folder so that the changes are easier to see


**Adding the Nuget packages** 




## Adding the ManagedSpyLib changes




which includes the original fix done:




Adding the ManagedSpy.exe changes:




Which include the new menu and C# REPL




last commit



Which means that the working directory is clean:



Finally let's create a GitGub repositoy




☐ Initialize this repository with a README

This will allow you to git clone the repository immediately.

Add .gitignore: None 💌

Create repository

Copy the SSH url



Add the remote to the local Git repository:

```
o2@WIN-DR8DS3BT4U1 c:/_WorkDir/02/02 Install/_TO_ADD_TO_GitHUB/ManagedSpy (master)
$ git remote -v

o2@WIN-DR8DS3BT4U1 c:/_WorkDir/02/02 Install/_TO_ADD_TO_GitHUB/ManagedSpy (master)
$ git remote add origin git@github.com:o2platform/02_Fork_ManagedSpy.git


o2@WIN-DR8DS3BT4U1 c:/_WorkDir/02/02 Install/_TO_ADD_TO_GitHUB/ManagedSpy (master)
$
```

push the changes


```
o2@WIN-DR8DS3BT4U1 c:/_WorkDir/O2/O2 Install/_TO_ADD_TO_GitHUB/ManagedSpy (master)
$ git push origin master
Counting objects: 103, done.
Belta compression using up to 2 threads.
Compressing objects: 100% (99/99), done.
Writing objects: 100% (103/103), 5.34 MiB | 495 KiB/s, done.
Total 103 (delta 23), reused 0 (delta 0)
To git@github.com:o2platform/O2_Fork_ManagedSpy.git
* [new branch] master -> master

o2@WIN-DR8DS3BT4V1 c:/_WorkDir/O2/O2 Install/_TO_ADD_TO_GitHUB/ManagedSpy (master)
$
```

And confirm that the code is now on GitHub



## with the first 5 commits



After the commit, I renamed the local repository folder (the one with the .git folder) and moved it to the \_O2 Forks folder

