



Aa Vlan/ Devices	:= Assignton	:= Devices	⌘ État
<u>Finances/3</u>	192.168.3.1	FINANCE Finances	Terminé
<u>IT/4</u>	192.168.4.1	LaptopIT PCIT WIFI	Terminé
<u>Router</u>	192.168.1.2		Terminé
<u>ROuter</u>	192.168.1.3		Terminé
<u>SERVER/90</u>	192.168.90.1	192.168.90.4	HTTP/DNS/DHCP
	192.168.90.5		HTTP\DNS\DHCP
	192.168.90.6	192.168.90.7	Server/TFTP ServerTFTP
<u>Switch</u>			Terminé
<u>Ip virtuelle Router</u>	192.168.1.1 192.168.10.1		Terminé
<u>Wan simuler</u>	10.0.0.1 10.0.0.2		Terminé
<u>Switch</u>			Terminé
<u>Router</u>	192.168.10.2	PCIT	Terminé
<u>ROuter</u>	192.168.10.3		Terminé
<u>RH/2</u>	192.168.2.1	Printer RH RH2 WIFI2	Terminé
<u>SERVER/80</u>	192.168.80.1	192.168.80.4	DHCP SNMP/SYSLOG
	192.168.80.5	192.168.80.6	SNMP\SYSLOG
<u>Sans titre</u>			Pas

Aa Vlan/ Devices	≡ Assignation	≡ Devices	≡ État
			comm encé