

Classroom Experiments

Student guide: building, running and reviewing your group's experiment

Your group designs a small randomized experiment as a survey, runs it on your classmates in class, gives feedback on other groups' experiments, and analyzes your own results. Everything happens on one site, on a laptop or a phone.

1. **Sign in** with the classroom code, the classroom password and your student ID.
2. **Form your group and build your survey.** One person creates it and invites the rest.
3. **Optional extras**, only if your design needs them: follow-up questions, timers, a second part answered later, notifications.
4. **Preview it** as a respondent and as the results screen, and fix any warnings.
5. **Your instructor locks all surveys** before class. You can still preview and download.
6. **Class day:** answer every other group's survey on your phone while each group presents, in the presentation order.
7. **Give feedback** to the groups you're assigned, plus any others you like.
8. **Download your responses** (anonymized) and analyze them.


Contents:

- | | |
|---|--|
| 1. Joining and signing in | 8. Running your survey on another platform |
| 2. Your lobby | 9. Previewing before class |
| 3. Forming your group | 10. Presentation order |
| 4. Designing your survey | 11. Class day |
| 5. Advanced options and earlier answers | 12. Peer feedback |
| 6. Two-part surveys (optional) | 13. Downloading your data |
| 7. Notifications (optional) | 14. Troubleshooting |

1. Joining and signing in

You sign in with your SIS User ID and a password you choose the first time. Your name comes from the class roster, so there's nothing to type and no typos in the data used for grading.

- 1 Go to the site and click **Join Classroom**, or scan the QR code shown in class. Enter the **classroom code** and the **classroom password** your instructor gave you, then click **Join**.



The form is titled "Join a Classroom" in bold black text. Below the title, there are two input fields. The first is labeled "Classroom Code" and contains the text "ECON1B". Below this field is the instruction "Enter the code provided by your instructor." The second input field is labeled "Classroom Password" and contains seven dots. Below this field is the instruction "Enter the password provided by your instructor." At the bottom of the form is a green button labeled "Join" and a link labeled "Back to home" in blue text.

Join a Classroom

Classroom Code

ECON1B

Enter the code provided by your instructor.

Classroom Password


.....

Enter the password provided by your instructor.

Join

[Back to home](#)

- 2 Enter your **SIS User ID** and click **Continue**.



The form is titled "Sign in" in bold black text. Below the title is the text "Intro to Behavioral Economics". Below that is the label "Your SIS User ID". The input field contains the text "1001". At the bottom of the form is a blue button labeled "Continue".

Sign in

Intro to Behavioral Economics


Your SIS User ID

1001

Continue

3


The first time, the site asks **"Are you [your first name]?"** Click **Yes, that's me**. If it shows someone else's name, click **No** and check your ID. Never sign in as a classmate.



The screenshot shows a 'Sign in' page for 'Intro to Behavioral Economics'. It asks 'This is your first time signing in. Are you Sofia?'. There are two buttons: a blue 'Yes, that's me' button and a white 'No' button. At the bottom, there is a link that says 'Use a different ID'.

4

Choose a password (at least 6 characters) and type it twice. A green check shows when both match. Click **Save and continue**. Next time, you sign in with your SIS User ID and this password.



The screenshot shows a 'Sign in' page for 'Intro to Behavioral Economics'. It says 'Welcome, Sofia! Choose a password for next time.' There are two password input fields. The first is labeled 'New password' and has a green checkmark next to it with the text 'Long enough.' below it. The second is labeled 'Repeat password' and also has a green checkmark next to it with the text 'Passwords match.' below it. At the bottom, there is a blue 'Save and continue' button and a link that says 'Use a different ID'.

"ID not found"? Check your ID and try again. If it still fails, email your instructor: you may not be on the roster yet.

2. Your lobby

After signing in you land in your lobby. Everything you need is there, and sections appear only when they're relevant. The first time you visit, a short guided tour points out each part; click **Show me around** at the top to see it again (the survey page has one too).

Section	What it's for
Live Session	Join the surveys run in class. It shows LIVE in green when a survey is running.
Group invites	Invites from classmates to join their group. Accept or decline.
Open surveys	Surveys a group was allowed to run early. Answer them before their deadline.
Surveys to answer from here, and notifications	Parts of two-part surveys that you answer on your own time, and the notifications of surveys you answered.
My group	Your group's survey: members, status, warnings, number of responses and the data download.
Group finder	For finding teammates: classmates without a group who chose to be listed.
Presentation order	Every group's survey, in the order they run and present in class.
Feedback for other groups	The groups you must comment on (they appear once surveys are locked), and your comments.

3. Forming your group

Only one person per group creates the group; everyone else waits for an invite. You don't need to have the survey ready: form the group first, then build the survey together. Each student can be in one group, and a group can have at most 5 members (unless your instructor says otherwise).

- 1** **One member** clicks **Create your group** in the lobby, types a title (optional) and, under **Teammates**, starts typing each classmate's name, picks it from the list and clicks **Add**. Then **Create group & start building**. They're added to the group automatically, and the group gets its number automatically. That number is your place in the presentation order.
- 2** This opens your survey page. More invites can be sent any time from its **Group Members** card, at the top.

3

The other members accept the invite in their lobby, under **Group invites**.

Hi, Sofia!
[Sign out](#)

Intro to Behavioral Economics · ECON1B

Live Session
No survey is running right now. You can join and wait.
Join

Group invites

Group 1: Anchoring and willingness to pay
Invited by Chen, Marcus
Accept
Decline

My group

You're not in a group yet.

Create your group's survey

Only one person per group needs to do this. Teammates can wait for an invite to show up here.

A new student's lobby: an invite from a classmate, or the button to create your own group.

Once you accept, your group appears under **My group**:

Hi, Sofia!
[Sign out](#)

Intro to Behavioral Economics · ECON1B

Live Session
No survey is running right now. You can join and wait.
Join

My group

Group	Survey	Members	Status	Responses	
1	Anchoring and willingness to pay	2	Looks good	0	Edit Preview Leave

Presentation order

Surveys run in class in this order, and each group presents its own. The order can still change until your instructor locks surveys.

#	Survey	Group members
1	Anchoring and willingness to pay your group	Chen, Marcus; Rivera, Sofia
2	Gain vs. loss framing	Okafor, Amara; Novak, Lukas
3	Default effects in retirement saving	Patel, Priya; Kim, Daniel

Still looking for a group, or for teammates? Use the **Group finder** in your lobby.

- **No group yet:** turn on **List me in the group finder** (optionally with a short note about the topics you like). You see **groups looking for members**, with their members and open spots: click **Ask to join** (one request at a time; you can withdraw it). You also see **classmates looking for a group: Start a group with them** creates a group and invites that person.
- **In a group with room:** turn on **List Group N as looking for members** (with an optional note). Requests to join show up in your lobby and on your survey page; **any member can accept**. You can also invite listed classmates directly.
- **Two small groups can merge:** a group with room sees the other listed groups and can click **Propose merging**. If any member of the other group accepts, all of your members move to their group and **your own survey is deleted** (download or copy anything you want to keep first). It only works if everyone fits within the group size limit, and not once your survey has responses.
- Students leave the list once they join a group, get an invite or ask to join one; a group leaves it once it's full. Only those who choose to be listed appear.
- Classmates may not check the site often: you can see their names, so message them on Canvas too.

Group finder find a group, or classmates to start one with

☒ List me in the group finder

Happy to do the data analysis [Save note](#)

Classmates and groups looking for members can see you and invite you. You leave the list automatically once you join a group, get an invite or ask to join a group. Turning it off removes you right away.

Groups looking for members:

Group 4: Default effects in savings 3 spots left
Members: Singh, Mia; Wilson, Ethan
Testing default options in retirement savings; looking for 1-3 more [Ask to join](#)

Classmates looking for a group:

Hall, Abigail
Interested in pricing or framing experiments [Start a group with them](#)

Young, Daniel [Start a group with them](#)

"You can't accept this"? Either that group is already full, or you're already in another group. In the second case, click **Leave** next to your current group in your lobby first. The last member of a group can't leave; invite someone first or delete the survey. Once your instructor locks surveys and groups, membership can't change.

4. Designing your survey

A survey is one experiment: each respondent is randomly shown one **arm** (control or a treatment), and the arms differ only in what you want to test. The survey page is made of cards (Group Members, Survey details,

Arms, Questions, and two optional ones at the bottom). Click a card's title, or a question's, to fold it away; the ⓘ icons explain each setting.

The screenshot shows the 'Group Members' section with the text 'Martinez, Sofia · Chen, Liam · 1 invited'. Below it is the 'Survey details' section. Under 'Survey details', there is a 'Group 1' section with a 'Survey Title' field containing 'Anchoring and willingness to pay'. Below the title field is a toggle switch labeled 'We're running our survey on another platform (e.g., Google Forms)' which is currently turned off. Below the 'Survey details' section is the 'Arms' section. It has a '+ Add Arm' button in the top right. There are two arms listed: 'Arm 1: Control' and 'Arm 2: High anchor'. Each arm has a 'Remove' button to its right.

- 1 **Arms (up to 4).** Name them, for example "Control" and "High anchor". Each respondent sees exactly one arm, and always the same one.
- 2 **Questions.** Every arm has the same questions, but the wording, image and answer options can differ per arm. That difference is your treatment. Your instructor sets a maximum number of questions (shown next to **Questions**); short surveys get better answers.
- 3 **Copy from Control.** Each arm after the first has this link. It copies the first arm's text, options and image, so you only change the part that differs.

The screenshot shows the 'Question 1' settings interface. At the top, it says 'Question 1 Willingness to pay · Number'. There are 'Advanced options' and 'Remove' buttons in the top right. Below the title, there are two fields: 'Type' (set to 'Numeric') and 'Label (optional)' (set to 'Willingness to pay'). Below these fields, there are two sections: 'Control' and 'High anchor'. The 'Control' section has a text field with 'How much would you pay for this mug (in \$)?', a 'Choose File' button, and 'No file chosen' text. Below this is an 'Optional image (PNG or JPEG, max 5MB)' field. The 'High anchor' section has a text field with 'Most students pay \$25 for this mug. How much would you pay (in \$)?', a 'Choose File' button, and 'No file chosen' text. Below this is an 'Optional image (PNG or JPEG, max 5MB)' field. A 'Copy from Control' link is visible in the top right of the 'High anchor' section.

- 4 **Folded questions** show a one-line summary with colored badges for any extras (only in some arms, follow-up, timer, "Other", part 2). **Drag a question by its :: handle** to move it up or down: no need to delete and retype.

▼ Questions up to 3; shorter surveys get better answers [Expand all](#) [Collapse all](#) [+ Add Question](#)

:: ▶ Question 1 Willingness to pay · Number [Advanced options](#) [Remove](#)

:: ▶ Question 2 Would buy · Multiple choice [15s High anchor](#) [Advanced options](#) [Remove](#)

:: ▶ Question 3 Reason · Multiple choice [Only if Q2 = No or Not sure](#) [+ Other](#) [Advanced options](#) [Remove](#)

- 5 **Images** (PNG or JPEG, up to 5 MB) are optional, per arm and question. + **Add "Other"** adds an "Other" choice with a text box to a multiple-choice question.
- 6 **Warnings.** The page warns you if two arms are identical in every question, which means there's no treatment.


Question type	Respondents see	Results show
Multiple choice	buttons, pick one	bar chart by arm
Multiple answer	buttons, pick several	bar chart by arm
Numeric	a number box	histogram and mean, median, SD by arm
Slider	a slider with your min, max and step	histogram and statistics by arm
Short answer	a text box (140 characters)	the answers by arm, identical ones grouped

Example. To test anchoring: two arms, one numeric question. Control asks "How much would you pay for this mug?" The "High anchor" arm asks "Most students pay \$25 for this mug. How much would you pay?"

Saving. Your edits save automatically, even when the survey isn't finished: the bar at the top says when. A blue **Not finished yet** box lists what's still missing (for example "Question 1, Treatment: write the question"), and your lobby shows **Not finished** until it's complete. **Discard all changes from this session** puts the survey back the way it was when you opened it in that tab. Teammates editing at the same time overwrite each other, so take turns.

Getting around. Use **My lobby** in the top bar (or the "← My lobby" link) to go back, and **Sign out** when you're done on a shared computer.

Group members. The top of the survey page lists your group and lets you invite more classmates.




The screenshot shows a 'Group Members' panel. At the top, it says 'Group Members' followed by 'Martinez, Sofia · Chen, Liam · 1 invited'. Below this, the names of the group members are listed: 'Martinez, Sofia (you)', 'Chen, Liam', and 'Johnson, Ava' with a status 'invited, waiting to accept'. At the bottom, there is a text input field labeled 'Invite a classmate by name' and a 'Send invite' button.

5. Advanced options and earlier answers

Most surveys don't need any of this. Each question has an ⚙ **Advanced options** button that opens:

- **Shown in:** untick an arm to ask the question only in the other arms (its version in the unticked arm is greyed out).
- **Show it: only if Question N is ...:** a follow-up, shown only to respondents who picked certain answers to an earlier multiple-choice question. Everyone else skips it.
- **Timer,** per arm: a time limit in seconds (up to 600), shown as a countdown, a shrinking bar, both, or hidden; and the answer recorded if time runs out (or none). The data marks timed-out answers.



The screenshot shows a dialog box titled 'Advanced options: Question 3'. It has a close button (X) in the top right corner. The dialog is divided into two main sections: 'Display rules' and 'Timer'.
Under 'Display rules', there is a note: 'Leave these as they are for most surveys.' Below this, 'Shown in' has two checked options: 'Control' and 'High anchor'. 'Show it' has a dropdown menu set to 'only if Question 2 (Would buy)' and a note 'if the answer is any of:'. There are three checkboxes for the answer: 'Yes' (unchecked), 'No' (checked), and 'Not sure' (checked).
Under 'Timer', there is a note: 'Off unless you turn it on for an arm.' Below this, there are two toggle switches: 'Timer in Control' (unchecked) and 'Timer in High anchor' (unchecked).
At the bottom left, it says 'Changes save automatically.' and at the bottom right, there is a 'Done' button.

Putting an earlier answer into a later question

Type `{{Q1}}` in a question's text to show the respondent's answer to Question 1 there (`{{Q2}}` for Question 2, and so on; upper or lower case both work). For example, Question 2's text `You said ${{Q1}}. Would you buy the mug at that price today?` appears to someone who answered 30 as:

Group 1

Anchoring and willingness to pay

Question 2 of 2

Question 2: Would buy

You said \$30. Would you buy the mug at that price today?

Yes

No

Not sure

Previous

Submit All Answers

Rules for {{Qn}}: the number is the question's number on your survey page, it must be an earlier question, and that question must be answered in the same sitting (in a two-part survey, both questions in the same part). If the earlier question was skipped (a follow-up the respondent didn't get), they see the text `{{Q1}}` itself, so only use answers everyone in that arm gives. Multiple-answer questions show the choices separated by commas, and "Other" shows what the respondent typed. Check it with **Preview survey**.

6. Two-part surveys (optional)

Use this only if you need two rounds of answers from the same classmates, for example a baseline and then an outcome after a week of notifications. Open the **Two-part survey** card under your questions and turn on **This survey has two parts**.

Questions
up to 3; shorter surveys get better answers
[Expand all](#)
[Collapse all](#)
+ Add Question

Question 1
Glasses yesterday · Number
Advanced options
Remove

Question 2
Bottle · Multiple choice
Advanced options
Remove

Part 2 - answered later, from the lobby

Question 3
Glasses per day · Number
Part 2
Advanced options
Remove

Two-part survey
(optional)
Approved by your instructor

Most surveys have one part, answered in class when you present. Use this only if you need two rounds of answers from the same classmates, e.g. a baseline, then an outcome after a week of notifications.

☒ This survey has two parts ⓘ

Part 2 starts at
Question 3
the questions before it are part 1.

Part 1:
In class, during the live session (default) ⓘ

Part 2:
Remote: from the lobby, between dates you choose ⓘ

Opens on
10/07/2026

Closes after
10/17/2026

Remind them when it opens, at
10:00 AM ⓘ

- **Part 2 starts at:** the questions before it are part 1. A dashed line marks the break on the page.
- For **each part**, choose when it's answered: **in class, during the live session** (when you present; the default for part 1), **in class, launched separately by your instructor** (for example at the start of class), or **remote**: classmates answer from their lobby, on their own time, between the dates you choose. Both parts can't be in the live session, since they'd follow each other right away.
- **Part 2 is only for classmates who answered part 1**, and they stay in the same arm.
- A part-2 question can't be a follow-up to a part-1 answer, and `{{Qn}}` doesn't work across parts.
- Your instructor approves remote dates before they open. Changing them later needs approval again.

7. Notifications (optional)

Notifications (nudges) are messages respondents get on their phones after answering your survey (part 1 of a two-part survey), for example "Time for a glass of water!" every day at noon for a week. They work with one-part surveys too. Each arm gets its own, or none.

▼ **Notifications** (optional) ✓ Approved by your instructor

Nudges respondents receive on their phones after answering your survey (part 1 of a two-part survey), e.g. "Drink some water" at noon every day for a week. Each arm gets its own messages, times and days, or none. Respondents add them to their calendar or turn on notifications. Your instructor approves them before anyone gets them. ⓘ

Times are in each phone's own time (no time zone) ⓘ

► **Control** 1 notification, 7 sends in total

▼ **Nudge** 2 notifications, 9 sends in total [Copy from Control](#)

What respondents in this arm read before turning them on

You'll get a notification about drinking water every day at noon this week, and two evening tips.

▼ **Notification 1** "Time for a glass of water!" · 12:00 PM · 7 days (Oct 9 to Oct 15) ✕

Message (what they receive) Time of day

Time for a glass of water! 12:00 PM ⓘ

Days it is sent: tap days to select them

October 2026

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

Quick fill: from to every day
Add days
Clear all days

► **Notification 2** "Two liters a day keeps you sharp." · 9:00 PM · 2 days (Oct 11 to Oct 14) ✕

+ Add notification

Changes here save automatically. [See it as a respondent](#)

- **What respondents read before turning them on**, per arm: e.g. "You'll get a notification about drinking water every day at noon this week."
- **+ Add notification** for each message, with its own **time of day** and **days**: tap days on the calendar, or use **Quick fill** (every day, every 2 or 3 days, every week, or weekdays only, between two dates). Add several to send a different message in week 2, or the same message at different times.
- **Times are in** each phone's own time by default (noon is noon wherever the respondent is), or in a time zone you pick.
- Respondents choose how to get them: their calendar, or notifications from the site. Your instructor approves them before anyone gets them.

A placebo helps. If only your treatment arm gets notifications, only that arm goes through the "add them" step, so the arms differ in more than the message. Consider a neutral message for the control arm on the same days.

8. Running your survey on another platform

With your instructor's permission, your group can run its survey somewhere else, such as Google Forms. In that case **your group** randomizes the versions and emails them to classmates; this site won't run your

survey.

- 1 Create your group as usual (so the group and its members are registered), and give the survey a title.
- 2 Turn on **We're running our survey on another platform**. The arms and questions disappear and are no longer required.
- 3 Optionally, describe how you're running it. Classmates see this note when they give you feedback.

The screenshot shows a 'Survey Details' form. At the top, there's a section for 'Group 1' with a 'Survey Title' field containing the text 'Anchoring and willingness to pay'. Below this, there's a toggle switch labeled 'We're running our survey on another platform (e.g., Google Forms)' which is turned on. A note below the toggle states: 'Only if your instructor agreed. Your group randomizes the versions and emails them to classmates; this site won't run your survey. You still present in your turn and get peer feedback, but there are no live results, so bring your own.' Underneath, there's a section titled 'How you're running it (optional)' with a text area containing the text: 'Two Google Forms. We email each half of the class one version; version B adds a \$25 anchor.'

You keep your place in the presentation order, present in your turn and get peer feedback like every other group. There are no live results in class, so bring your own. Anything you'd already built here is kept: turning the switch off brings it back.

9. Previewing before class

Check your survey from both sides before it's locked. Nothing you do in a preview is saved.

1

Preview survey (top of the survey page) shows exactly what a respondent sees on their phone, for the arm (and part) you pick. Switch arms with the buttons at the top. After part 1 of a two-part survey, a **Break between the parts** card shows how part 2 runs, the notifications that arm gets (with **Send me a test notification**, to see one on your own phone), and **Continue to part 2**.

Answer submitted!

(Preview: nothing was saved.)

II Break between the parts

This is where part 1 ends. Respondents get any notifications (below) in between. Part 2 is answered **remote, from the lobby, Wed Oct 7 to Sat Oct 17**.

[Continue to part 2 \(preview\) →](#)

[Try again](#)

Your notifications

Preview of what respondents in **Nudge** get.
Nothing is recorded.

You'll get a notification about drinking water every day at noon this week, and two evening tips.

- **Time for a glass of water!:** daily from Fri Oct 9 to Thu Oct 15 at 12 PM (7 times)
- **Two liters a day keeps you sharp.:** every 3 days from Sun Oct 11 to Wed Oct 14 at 9 PM (2 times)

 [Add "Time for a glass of water!"](#)

 [Add "Two liters a day keeps you sharp."](#)

Tap each button: Google Calendar opens with the reminder filled in. Tap **Save**, then come back here.

 [Send me a test notification](#)

Preview: sends this arm's first notification to this device now, so you can see it. Nothing is scheduled.

► Other ways to add them

[Done: they're in my calendar](#)

Preview: this is what a respondent in **High anchor** sees. Answers are not saved.

Control

High anchor

Group 1

Anchoring and willingness to pay

Question 1 of 2

Question 1: Willingness to pay

Most students pay \$25 for a university coffee mug. How much would you pay (in dollars)?

Previous

Next

2

Preview dashboard shows the charts and tables that will be projected in class, filled with made-up responses. Change the sample size, or click **New random sample** to see how results vary. **Download example answers** gives the same made-up answers in the format of your real data, so you can prepare your analysis before class.

Dashboard preview with 40 made-up respondents, so you can see how your results will look in class. These are random sample answers, not real data, and nothing is saved.

Sample size 40

Apply

The example file has the same made-up answers as the charts below, in exactly the format of your real download: one row per respondent, one column per question, plus time and timer columns.

Download example answers (CSV)

New random sample

Anchoring and willingness to pay


40 responses / 40 students

Group #1

Q1: Willingness to pay

Q2: Would buy

Q3: Reason



Arm	N	Mean	Median	Std Dev	Min	Max
Control	16	62	70	19.61	25	89
High anchor	24	63.5	64	15.07	39	94

Questions by Arm Hide

Control

Q1 (Willingness to pay): How much would you pay for this mug (in \$)?

Q2 (Would buy): You said \${{Q1}}. Would you buy the mug at that price today?

Q3 (Reason): What made you hesitate?

High anchor


Q1 (Willingness to pay): Most students pay \$25 for this mug. How much would you pay (in \$)?

Q2 (Would buy): You said \${{Q1}}. Would you buy the mug at that price today?

Q3 (Reason): What made you hesitate?

3

View as flow chart draws each arm's path through your survey: the questions it sees, follow-ups (yes/no), timers, and the break between parts. Click a question to jump to it.



10. Presentation order


Your lobby lists every group's survey in the order they run in class, with each group's members. Your group is highlighted, so you know when you present. Groups running their survey on another platform are marked **Other platform: no live results**; they still present in their turn. The order can change until your instructor locks surveys.

Presentation order		
Surveys run in class in this order, and each group presents its own.		
#	Survey	Group members
1	Anchoring and willingness to pay your group	Chen, Marcus; Rivera, Sofia
2	Gain vs. loss framing	Okafor, Amara; Novak, Lukas
3	Default effects in retirement saving Other platform: no live results	Patel, Priya; Kim, Daniel


11. Class day

Bring a charged phone or laptop. Sign in before class starts so you're ready.

- 1 In your lobby, click **Join** on the Live Session card. You'll see "Waiting for the next survey".



- 2 When the instructor starts a group's survey, it appears on your screen within a few seconds. Answer and click **Submit All Answers**.



- 3 Wait for the next one. Keep the page open; there's no need to refresh.

Notes for feedback. After you submit, a small link appears: **Add a note for your feedback (optional)**. Jot down your thoughts while they're fresh. Only you can see the note, and it becomes your draft comment for that group.

Answer submitted!

Waiting for the next survey...



 [Add a note for your feedback \(optional\)](#)

Clear framing manipulation. Maybe ask how confident people are in their choice?



Saved. You'll find it in your lobby.

[Save note](#)

Your own group's survey: you may see "You designed this survey" instead of the questions; designers usually don't answer their own experiment. If you see "Your answer was not saved", tap **Submit** again.

Notifications after answering. If the group set up notifications, a **Your notifications** box appears after you submit. On an iPhone, tap **Add to my calendar**, then **Add All**. On Android, tap each **Add** button and then **Save** in Google Calendar, or tap **Get notifications on this device instead** and allow notifications. On a computer, download the calendar file. You can add them later from your lobby too.

 **Your notifications**

You'll get a notification about drinking water every day at noon this week, and two evening tips.

- **Time for a glass of water!:** daily from Fri Oct 9 to Thu Oct 15 at 12 PM (7 times)
- **Two liters a day keeps you sharp.:** every 3 days from Sun Oct 11 to Wed Oct 14 at 9 PM (2 times)

Add  "Time for a glass of water!"

Add  "Two liters a day keeps you sharp."

Tap each button: Google Calendar opens with the reminder filled in. Tap **Save**, then come back here.

 [Get notifications on this device instead](#)

No Google Calendar? Allow notifications when asked, and the reminders arrive on this device even with the browser closed.

► Other ways to add them

Done: they're in my calendar

Parts answered on your own time. Remote parts of two-part surveys appear in your lobby with **Answer part 1** or **Answer part 2** while they're open. Part 2 only appears if you answered part 1.

Surveys to answer from here, and notifications

Group 2: Hydration nudges
Part 2 is open until Sat Oct 17

 [Notifications](#)

[Answer part 2](#)

12. Peer feedback

Part of your grade is commenting on other groups' experiments: at least the groups you're assigned, marked **required**. Groups are assigned at random so every group gets about the same number of reviewers, and never your own.

Feedback for other groups

0 of 2 required sent

Write at least one comment for each required group. Comments are **anonymous** to the groups, and they'll see them after feedback closes. You can edit sent comments until then.

Group 3: Default effects in retirement saving
required
View survey

What worked? What could be improved: the design, the treatment, the questions, the wording?

Send Save draft

Group 2: Gain vs. loss framing
required draft
View survey

Clear framing manipulation. Maybe ask how confident people are in their choice?

- **You'll see your assigned groups as soon as surveys are locked**, before comments open. Pay close attention to their presentations in class.
- **A group opens for comments once its survey has run**, in class or early from **Open surveys**, and stays open until comments close. Until then its card says you can comment once it runs, so you answer every survey before seeing how it works.
- **View survey** shows all of a group's arms side by side, so you can compare what each arm saw. For a group that ran its survey on another platform, it shows their description instead.
- **Save draft** is private. Notes you took in class appear here as drafts.
- **Send** works once your instructor opens comments. You can keep editing a sent comment until comments close.
- **Comment on another group** adds extra comments; you can remove extras, but not required ones.
- The counter ("1 of 2 required sent") shows your progress.

Group 2

See it as a respondent

Gain vs. loss framing

2 arms: each respondent was randomly shown one of them.

Question 1: Program choice

Multiple choice

Gain frame

A new disease is expected to affect 600 people. Program A saves 200 people for sure. Program B has a 1/3 chance of saving all 600 and a 2/3 chance of saving no one. Which do you choose?

- Program A
- Program B

Loss frame

A new disease is expected to affect 600 people. With Program A, 400 people die for sure. With Program B, there is a 1/3 chance nobody dies and a 2/3 chance all 600 die. Which do you choose?

- Program A
- Program B

Comments are **anonymous** to the groups: they see "Reviewer 1, Reviewer 2", while your instructor sees names for grading. Groups read their comments only after comments close. Good comments are specific: what works, and one concrete change to the design, wording or treatment.

13. Downloading your data

After your survey runs, download its responses from your lobby (the number in the **Responses** column) or from the bottom of the survey page. Downloads keep working after surveys are locked.

My group				
Group	Survey	Members	Status	Responses
1	Anchoring and willingness to pay	2	Looks good	6 ↓ CSV Open Preview

The file is a CSV that opens in Excel, Google Sheets, R or Stata. **Wide** (the default) has one row per respondent and one column per question, plus time on each question, whether they left the page, and timeouts:

```
respondent_id,arm,Q1 Willingness to pay (numeric),...
R-7KQ2PX,Control,8,...
R-M4TW9A,High anchor,20,...
```

Long has one row per respondent and question (respondent, arm, part, question, answer, seconds...), handy for regressions with question or part effects. Two-part surveys mark part-2 questions, and surveys with notifications add whether each respondent added them (calendar file, Google Calendar links, notifications turned on, delivered and tapped).

Respondents appear only as random IDs, never by name. Compare the answers across arms: that difference is your treatment effect. The **Survey Config** download lists what each arm showed. Groups that ran their survey on another platform collect their own data there.

14. Troubleshooting

Problem	What to do
Forgot your password	Ask your instructor to reset it. Then sign in with your ID and choose a new one.
"ID not found"	Check the ID. If it's right, email your instructor to be added to the roster.
It says "Welcome back" and asks for a password, but you never signed in	Email your instructor right away; they'll reset it.
Can't edit your survey	Surveys are locked (lock notice at the top), or your group submitted it early. Ask your instructor.
"Saving deletes responses" warning	Your survey already has answers. Download them before changing anything.
Survey doesn't appear in class	Wait a few seconds; the page checks every 3 seconds. If it still doesn't show, go back to the lobby and click Join again.
Can't accept an invite	The group is full, or you're already in a group. Leave your current group first, or ask the inviter to check.
"Waiting for your instructor's approval"	Notifications and remote dates need your instructor's approval. Nothing is sent, and remote parts stay closed, until then.
A <code>{{Q1}}</code> shows up as text	That question wasn't answered before this one (a skipped follow-up, or a different part). See section 5.
Notifications don't arrive	Check that notifications are allowed for the site in your browser settings, or use the calendar instead. On iPhone, use the calendar.
Part 2 isn't in your lobby	It only appears for classmates who answered part 1, between its dates.