

UNIVERSIDADE FEDERAL DO RIO GRANDE DO NORTE
CENTRO DE CIÊNCIAS EXATAS E DA TERRA – CCET
DPTO DE INFORMÁTICA E MATEMÁTICA APLICADA – DIMAP

Programming Language I • DIM0176

◁ Exercises on Template Functions ▷

10 de março de 2024

Sumário

1	Introduction	1
2	The Iterator Programming Pattern	2
3	Exercises	3
3.1	MinMax	4
3.2	Reverse	5
3.3	Copy	6
3.4	Find If	7
3.5	All Of and Companions	8
3.6	Equal	9
3.7	Unique	10
3.8	Partition	11

1 Introduction

In this exercise you should develop a series of functions that represent typical algorithms for array manipulation. Because we are still following an *imperative programming paradigm*, all functions should receive the range we wish to operate on as an argument.

The primary goal of this exercise is to practice a higher level of *abstract programming*, where our code does not need to know in advance which type of data we are operating on. To do that our code requires the use of **function template** in association with **function pointers**. The former supports the passage of *generic arguments* to functions, whereas the latter helps us to defer some decisions to the client by allowing them to provide the *code to operate on data*.

The secondary objective is to acquire programming experience by building a library of typical algorithms on arrays, called **graal**—*GeneRic Array Algorithms Library*. By building this generic library we want to demonstrate the importance of programming abstraction and code reuse while developing an application in the next exercise.

2 The Iterator Programming Pattern

An **iterator** is a *programming pattern* that usually is represented by an object (in the context of Object Oriented Programming) that can traverse (or iterate over) a **container** object without having to know how the container works internally. In the STL library, this is the primary method for accessing elements in lists and associative classes.

For instance, if we wish to iterate over all the elements in, say, a `std::vector` of integers, to print its content we would probably write a code like this:

```
1 #include <iostream>
2 using std::cout;
3 using std::endl;
4 #include <vector>
5 using std::vector;
6 int main() {
7     vector<int> vect;           // Creating an vector of integers.
8     for (auto i(0) ; i < 6 ; ++i)
9         vect.push_back(i);     // Inserting some elements into the vector.
10
11     vector<int>::const_iterator it; // Declare a read-only iterator
12     it = vect.begin();           // Assign it to the start of the vector
13     while (it != vect.end()) {   // While it hasn't reach the end
14         cout << *it << " ";     // print the value of the element it points to
15         ++it;                   // and iterate to the next element
16     }
17     cout << endl;
18 }
```

Notice how similar the use of iterator is to a regular **pointer**. In fact, we may informally say that a iterator represents a pointer assigned to an element inside a container class.

Later, when we begin our study on the STL library, you will see that all container classes include four basic member functions to help us navigate them:

- ★ `begin()` returns an iterator pointing to the address of the first element in the container.
- ★ `end()` returns an iterator pointing to the address **just past the last element** of the container.
- ★ `cbegin()` returns a constant (read-only) iterator pointing to the address of the first element in the container.
- ★ `cend()` returns a constant (read-only) iterator pointing to the address **just past the last element** of the container.

The important fact is that both `end()` and `cend()` iterators always point to an address past the last element of the container (see Figure 1). So, if we wish to define a valid range of elements in any container we would do so by defining a range [`begin()`; `end()`)]—notice that we are defining a closed-open interval!




Figure 1: Visual interpretation of the `begin`, and `end` iterators in a container.

Source: <http://upload.cppreference.com/mwiki/images/1/1b/range-begin-end.svg>

3 Exercises

In the following exercises we want to support this iterator behavior by accepting template parameters that might either become a regular pointer or an STL's iterator, both defined over a sequential chunk of memory (a **static array**, or a **STL containers**). So, every time we pass data to a function, we need to inform also the range over which the function's operation should take place. For instance, if the client code wishes to **reverse** the elements of **an entire array**, s/he should pass to the function `reverse` (Exercise 3.2) two pointers: one pointing to the beginning of the range, and other pointing to the location just past the last element, hence defining the range to be reversed. Similarly, if the client wants to reverse the elements of a, say, `std::vector`, s/he may use the same `reverse` function you coded, but this time s/he must pass in the `vector`'s iterators `begin()` and `end()`. In terms of programming, it does not matter at all, because you are using **templates**. Remember that this programming feature “generates” code on demand, for each of these two possibilities (raw pointer or iterators) during the compiling step.

This is accomplished by calling `reverse(std::begin(A), std::end(A))`, where `std::begin()` and `std::end()` are functions defined in `<iterator>` that return regular pointers, respectively, to the beginning of and to past the last element of a container or regular static array¹. On the other hand, if the client wants to reverse only, say, the first 4 elements of an array, s/he should call `reverse(std::begin(A), std::begin(A)+4)`.

¹This does not work on dynamic allocated arrays.

3.1 MinMax

Implement a function called `minmax` that finds and returns the **first** occurrence of the smallest and the **last** occurrence of the greatest element in a range `[first, last)`. Assume that the input range is valid. The prototype for this function is:

```
template< typename Itr, typename Compare >
std::pair<Itr,Itr> minmax( Itr first, Itr last, Compare cmp );
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `cmp` - binary function that returns `true` if the first element is *less* than the second element, or `false` otherwise.

The signature of the compare function should be equivalent to the following:

```
bool cmp( const Type &a, const Type &b);
```

The type `Type` must be such that an object of the type `Itr` can be dereferenced and then implicitly converted to `Type`, as in `cmp(*first, *last)`, for instance.

Return value

A pair in which the first component points to the smallest element, and the second component points to the greatest element. Returns `std::make_pair(first, first)` if the range is empty. If we have several elements with the same value as the smallest, for instance, you should return the iterator to *the first occurrence* of such element in the range. On the other hand, if we have several elements equal to the greatest, your function should return the iterator to the *last occurrence* of such element in the range.

Complexity

Linear or, exactly `last - first - 1` comparisons.

3.2 Reverse

Implement a function called `reverse` that reverses the order of the elements in a range. The prototype for this function is:

```
template < typename Itr >  
void reverse( Itr first, Itr last );
```

Parameters

- * `first`, `last` - the range of elements to examine.

Complexity

Linear or, exactly $\lfloor (\text{last} - \text{first})/2 \rfloor$ swaps.

3.3 Copy

Implement a function called `copy` that receives a range `[first; last)` and copies the range values into a new range beginning at `d_first`. Assume the destination range has enough memory space to receive the copied elements. Therefore, the function **must not allocate any memory**. The function shall return an iterator pointing to the address **just past the last element** of the destination range, i.e. the range at the receiving end of the copy operation. The prototype for this function is:

```
template < typename Itr >  
Itr copy( Itr first, Itr last, Itr d_first );
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `d_first` - the beginning of the range the elements are copied to.

Return value

Iterator to the position just past the last element copied.

Complexity

Linear or, exactly `last - first` accesses.

3.4 Find If

Implement a function called `find_if` that receives a range `[first; last)` over an array, and returns a pointer (iterator) to the first element in the range for which a given predicate `p` returns `true`. If the predicate is false for **all** elements, the function should return a pointer to `last`.

The function must perform a linear search. The predicate is passed to the function as a function pointer. The prototype for this function is:

```
template < typename Itr, typename Predicate >
Itr find_if( Itr first, Itr last, Predicate p )
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `p` - unary predicate which return `true` for the required element.

The signature of the predicate function should be equivalent to the following:

```
bool p( const Type& a );
```

The type `Type` must be such that an object of the type `Itr` can be dereferenced and then implicitly converted to `Type`, as in `p(*first)`, for instance.

Return value

Pointer to the first element satisfying the condition or last if no such element is found.

Complexity

Linear or, at most `last - first` tests.

3.5 All Of and Companions

Implement three related functions, `all_of`, `any_of`, and `none_of`. All three functions receive a range `[first, last)`, and a predicate `p`. The `all_of` returns `true` if the predicate returns `true` for **all elements** in the range. The `any_of` returns `true` if the predicate returns `true` for **at least one element** in the range. The `none_of` returns `true` if the predicate returns `true` for **none of elements** in the range.

The signature for these functions are:

```
template <typename Itr, typename Predicate>
bool all_of( Itr first, Itr last, Predicate p );
template <typename Itr, typename Predicate>
bool any_of( Itr first, Itr last, Predicate p );
template <typename Itr, typename Predicate>
bool none_of( Itr first, Itr last, Predicate p );
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `p` - unary predicate which return `true` for the required element.

The signature of the predicate function should be equivalent to the following:

```
bool p( const Type& a );
```

The type `Type` must be such that an object of the type `Itr` can be dereferenced and then implicitly converted to `Type`, as in `p(*first)`, for instance.

Return value

- `all_of`: `true` if unary predicate returns `true` for all elements in the range, `false` otherwise. Returns `true` if the range is empty.
- `any_of`: `true` if unary predicate returns `true` for at least one element in the range, `false` otherwise. Returns `false` if the range is empty.
- `none_of`: `true` if unary predicate returns `true` for no elements in the range, `false` otherwise. Returns `true` if the range is empty.

Complexity

Linear or exactly `last - first` applications of the predicate.

3.6 Equal

Implement two **overloaded**² functions called **equal**. The first version should receive a range **[first1; last1)**, and a pointer to the beginning of another range **first2**; and return **true** if the first range is **equal** to the range **[first2; first2 + (last1 - first1))**, and **false** otherwise. The second version should receive two ranges, **[first1; last1)**, and **[first2; last2)**; and return **true** if the elements in the ranges are equal, and **false** otherwise. The prototype for these functions are:

```
template < typename Itr, typename Equal >
bool equal( Itr first, Itr last, Itr first2, Equal eq )
template < typename Itr, typename Equal >
bool equal( Itr first, Itr last, Itr first2, Itr last2, Equal eq )
```

Parameters

- ★ **first**, **last** - the range of elements to examine.
- ★ **first2**, **last2** - the range of elements to compare to.
- ★ **eq** - binary function that returns **true** if the elements are equal, or **false** otherwise.

The signature of the equal to function should be equivalent to the following:

```
bool eq( const Type &a, const Type &b);
```

The type **Type** must be such that an object of the type **Itr** can be dereferenced and then implicitly converted to **Type**, as in **eq(*first, *last)**, for instance.

Return value

true if all elements in both ranges are equal; **false** otherwise.

Complexity

Linear or, at most **last - first** comparisons.

²**Function overloading** is a feature of C++ that allows us to create multiple functions with the *same name*, so long as they have different parameters.

3.7 Unique

Implement a function called `unique` that receives a range `[first; last)` over an array, rearrange the elements in the range `[first, last)` in such a way that the elements located at the beginning of the array are unique, i.e. they appear in the new range only once. This means that the repetitions, if they exist, must be eliminated in the resulting range. Relative order of the original elements **must be preserved**. See the example below.

```
#include <iostream> // std::cout, std::endl
#include <iterator> // std::begin(), std::end()
int main() {
    int Vet[] {2, 1, 4, 2, 5, 4, 5, 2, 1, 6 }; // Vetor original
    int Expected[] { 2, 1, 4, 5, 6 }; // Vetor esperado.

    // Chamar a funcao unique().
    int * new_last = graal::unique( std::begin(Vet), std::end(Vet), std::equal_to<int>() );

    // Validando o resultado...
    int * it { std::begin(Vet) } ; // Comeco do vetor-original.
    int * it_expected { std::begin(Expected) } ; // Comeco do vetor-esperado.
    while ( it != new_last ) { // Percorrer o novo range
        assert( *it == *it_expected ); // Verificar se valores sao iguais.
        it++; // Avancar no vetor-resultado.
        it_expected++; // Avancar no vetor-resposta.
    }
    return 0;
}
```

The function should return a pointer to the address **just past the last element** of the range with unique elements. The signature for this function is:

```
template < typename Itr, typename Equal >
Itr unique( Itr first, Itr last, Equal eq );
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `eq` - binary function that returns `true` if the elements are equal, or `false` otherwise. The signature of the equal to function should be equivalent to the following:

```
bool eq( const Type &a, const Type &b);
```

The type `Type` must be such that an object of the type `Itr` can be dereferenced and then implicitly converted to `Type`, as in `eq(*first, *last)`, for instance.

Return value

An iterator to the address just past the last element of the range with unique elements.

Complexity

Linear or, at most `last - first` tests.

3.8 Partition

Implement a function called `partition` that receives a range `[first; last)` over an array, reorders the elements in the range `[first, last)` in such a way that all elements for which a given predicate `p` returns `true` precede the elements for which predicate `p` returns `false`. The function should return a pointer to the beginning of the range for which predicate `p` return `false`, i.e. the second range. Relative order of the elements may not be preserved. The signature for this function might be:

```
template < typename Itr, typename Predicate >
Itr partition( Itr first, Itr last, Predicate p );
```

Parameters

- ★ `first`, `last` - the range of elements to examine.
- ★ `p` - unary predicate which return `true` for the required element.

The signature of the predicate function should be equivalent to the following:

```
bool p( const Type& a );
```

The type `Type` must be such that an object of the type `Itr` can be dereferenced and then implicitly converted to `Type`, as in `p(*first)`, for instance.

Return value

An iterator to the beginning of the range for which predicate `p` return `false`.

Complexity

Linear or `first - last` applications of the predicate.

~ The End ~