
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Warning | The | navigation | role is unnecessary for element | nav |.

https://validator.w3.org/nu/#textarea

4.

defer></scri

From line 63, column 13; to line 63, column 66

```
<nav id="navbar" class="navigation" role="navigation">←
```

5. Info Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

From line 64, column 17; to line 64, column 54

<input id="toggle1" type="checkbox" />↩

6. Error Element div not allowed as child of element label in this context. (Suppressing further errors from this subtree.)

From line 66, column 21; to line 66, column 37

```
<div class="top"></div>
```

Contexts in which element div may be used:

Where <u>flow content</u> is expected.

As a child of a dl element.

Content model for element <a>label:

<u>Phrasing content</u>, but with no descendant <u>labelable elements</u> unless it is the element's <u>labeled control</u>, and no descendant <u>label</u> elements.

7. Error Element div not allowed as child of element label in this context.

(Suppressing further errors from this subtree.)

From line 67, column 21; to line 67, column 38

```
<div class="meat"></div>
```

Contexts in which element <u>div</u> may be used:

Where <u>flow content</u> is expected.

As a child of a dl element.

Content model for element label:

<u>Phrasing content</u>, but with no descendant <u>labelable elements</u> unless it is the element's <u>labeled control</u>, and no descendant <u>label</u> elements.

8. Error Element div not allowed as child of element label in this context.

(Suppressing further errors from this subtree.)

From line 68, column 21; to line 68, column 40

```
<div class="bottom"></div>
```

Contexts in which element <u>div</u> may be used:

Where <u>flow content</u> is expected.

As a child of a dl element.

Content model for element <u>label</u>:

<u>Phrasing content</u>, but with no descendant <u>labelable elements</u> unless it is the element's <u>labeled control</u>, and no descendant <u>label</u> elements.

9. Warning Section lacks heading. Consider using h2 h6 elements to add identifying headings to all sections, or else use a div element instead for any

```
cases where no heading is needed.
    From line 62, column 9; to line 62, column 33
               <section class="p-menu1">←
    >←
10.
    Error An input element with a type attribute whose value is hidden must
    not have an autocomplete attribute whose value is on or off.
    From line 91, column 17; to line 91, column 119
               <input type="hidden" name="_token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
    Warning Section lacks heading. Consider using h2 Hh6 elements to add
11.
    identifying headings to all sections, or else use a div element instead for any
    cases where no heading is needed.
    From line 167, column 5; to line 167, column 52
               <section id="notification" class="notification">←
    r -->←
    [Error] Element form not allowed as child of element span in this context.
12.
    (Suppressing further errors from this subtree.)
    From line 207, column 13; to line 207, column 51
                <form id="followTagForm" method="POST">←
    Contexts in which element form may be used:
       Where flow content is expected.
    Content model for element span:
       Phrasing content.
    Error An input element with a type attribute whose value is hidden must
13.
    not have an autocomplete attribute whose value is on or off.
    From line 208, column 5; to line 208, column 107
     OST">←
                <input type="hidden" name="_token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
    Error The element button must not appear as a descendant of the a
14.
    element.
    From line 208, column 116; to line 209, column 65
               <button type="button" data-tagname="Technology"←</pre>
    class="follow-text" onclick="submitFollowTagForm(event)">↔
    Error An input element with a type attribute whose value is hidden must
15.
    not have an autocomplete attribute whose value is on or off.
    From line 237, column 21; to line 237, column 123
```

```
<input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
    [Error] An input element with a type attribute whose value is hidden must
16.
     not have an autocomplete attribute whose value is on or off.
     From line 251, column 17; to line 251, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID followTagForm.
17.
     From line 280, column 13; to line 280, column 51
                <form id="followTagForm" method="POST">←
     Warning The first occurrence of ID | followTagForm | was here.
18.
    From line 207, column 13; to line 207, column 51
               <form id="followTagForm" method="POST">←
     Error | Element | form | not allowed as child of element | span | in this context.
19.
     (Suppressing further errors from this subtree.)
     From line 280, column 13; to line 280, column 51
                <form id="followTagForm" method="POST">←
     Contexts in which element form may be used:
       Where flow content is expected.
     Content model for element span:
       Phrasing content.
     Error An input element with a type attribute whose value is hidden must
20.
     not have an autocomplete attribute whose value is on or off.
     From line 281, column 5; to line 281, column 107
     0ST">←
                 <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
    Error The element button must not appear as a descendant of the a
21.
     element.
     From line 281, column 116; to line 282, column 65
                <button type="button" data-tagname="Technology"←</pre>
     class="follow-text" onclick="submitFollowTagForm(event)">↔
     Error Duplicate ID favoriteForm.
22.
     From line 308, column 17; to line 309, column 38
```

```
<form class="bookmark-main-page" action="/toggle-favorite/1"</pre>
    method="POST"↔
                                         id="favoriteForm">↔
23.
     Warning | The first occurrence of ID | favoriteForm | was here.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
    method="POST"↔
                                         id="favoriteForm">↔
    Error An input element with a type attribute whose value is hidden must
24.
     not have an autocomplete attribute whose value is on or off.
     From line 310, column 21; to line 310, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
25.
     Error Duplicate ID toggleFavoriteBtn
     From line 310, column 213; to line 310, column 257
                <button type="submit" id="toggleFavoriteBtn">←
26.
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
    From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
     Error An input element with a type attribute whose value is hidden must
27.
     not have an autocomplete attribute whose value is on or off.
     From line 324, column 17; to line 324, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
28.
    Error Duplicate ID favoriteForm.
    From line 371, column 17; to line 372, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/8"</pre>
    method="POST"↔
                                         id="favoriteForm">←
     Warning The first occurrence of ID favoriteForm was here.
29.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
    \texttt{method="POST"} \! \leftarrow \!
                                         id="favoriteForm">↔
30.
     [Error] An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
    From line 373, column 21; to line 373, column 123
```

```
<input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID toggleFavoriteBtn.
31.
     From line 373, column 213; to line 373, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
32.
    From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
33.
     Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
     From line 387, column 17; to line 387, column 119
                <input type="hidden" name="_token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID favoriteForm.
34.
    From line 434, column 17; to line 435, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/6"</pre>
     method="POST"↔
                                         id="favoriteForm">←
     Warning | The first occurrence of ID | favoriteForm | was here.
35.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
    method="POST"↔
                                         id="favoriteForm">←
    Error An input element with a type attribute whose value is hidden must
36.
     not have an autocomplete attribute whose value is on or off.
     From line 436, column 21; to line 436, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID toggleFavoriteBtn.
37.
     From line 436, column 213; to line 436, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
38.
    From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
```

```
39.
     Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
     From line 450, column 17; to line 450, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
40.
     Error Duplicate ID followTagForm.
     From line 479, column 13; to line 479, column 51
                <form id="followTagForm" method="POST">←
     Warning The first occurrence of ID | followTagForm | was here.
41.
    From line 207, column 13; to line 207, column 51
               <form id="followTagForm" method="POST">←
     Error | Element | form | not allowed as child of element | span | in this context.
42.
     (Suppressing further errors from this subtree.)
     From line 479, column 13; to line 479, column 51
                <form id="followTagForm" method="POST">←
    Contexts in which element form may be used:
       Where <u>flow content</u> is expected.
     Content model for element span:
       Phrasing content.
43.
    Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
    From line 480, column 5; to line 480, column 107
                <input type="hidden" name="_token"</pre>
     0ST">←
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
    Error The element button must not appear as a descendant of the a
44.
     element.
     From line 480, column 116; to line 481, column 65
                <button type="button" data-tagname="Science"←</pre>
                                                                         class="follow-
     text" onclick="submitFollowTagForm(event)">↔
     Error Duplicate ID favoriteForm.
45.
     From line 507, column 17; to line 508, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/3"</pre>
    method="POST"↔
                                         id="favoriteForm">↔
                The first occurrence of ID | favoriteForm | was here.
     Warning
46.
```

```
From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
     \mathsf{method} \texttt{=} \mathsf{"POST"} \mathord{\leftarrow}
                                          id="favoriteForm">↔
     Error An input element with a type attribute whose value is hidden must
47.
     not have an autocomplete attribute whose value is on or off.
     From line 509, column 21; to line 509, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
48.
     Error Duplicate ID toggleFavoriteBtn.
     From line 509, column 213; to line 509, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
49.
     From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
50.
     [Error] An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
     From line 523, column 17; to line 523, column 119
                <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
51.
     Error Duplicate ID favoriteForm.
     From line 570, column 17; to line 571, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/5"</pre>
     method="POST"↔
                                          id="favoriteForm">←
52.
     Warning The first occurrence of ID favoriteForm was here.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
     method="POST"↔
                                          id="favoriteForm">←
53.
     Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
     From line 572, column 21; to line 572, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
      Error Duplicate ID toggleFavoriteBtn.
54.
```

```
From line 572, column 213; to line 572, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
55.
     From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
56.
     Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
     From line 586, column 17; to line 586, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID favoriteForm
57.
     From line 633, column 17; to line 634, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/7"</pre>
     method="POST"↔
                                         id="favoriteForm">↔
58.
     Warning The first occurrence of ID favoriteForm was here.
    From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
    \texttt{method="POST"} \! \hookleftarrow \!
                                         id="favoriteForm">←
     Error An input element with a type attribute whose value is hidden must
59.
     not have an autocomplete attribute whose value is on or off.
     From line 635, column 21; to line 635, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID toggleFavoriteBtn.
60.
     From line 635, column 213; to line 635, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning The first occurrence of ID toggleFavoriteBtn was here.
61.
     From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
     Error An input element with a type attribute whose value is hidden must
62.
     not have an autocomplete attribute whose value is on or off.
     From line 649, column 17; to line 649, column 119
```

```
<input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID favoriteForm.
63.
     From line 696, column 17; to line 697, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/4"</pre>
     \texttt{method="POST"} \! \hookleftarrow \!
                                         id="favoriteForm">↔
     Warning The first occurrence of ID favoriteForm was here.
64.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
     method="POST"←
                                          id="favoriteForm">←
     Error An input element with a type attribute whose value is hidden must
65.
     not have an autocomplete attribute whose value is on or off.
     From line 698, column 21; to line 698, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID toggleFavoriteBtn.
66.
     From line 698, column 213; to line 698, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
67.
     From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
     Error An input element with a type attribute whose value is hidden must
68.
     not have an autocomplete attribute whose value is on or off.
     From line 712, column 17; to line 712, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
      Error Duplicate ID favoriteForm.
69.
     From line 759, column 17; to line 760, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/10"</pre>
     method="POST"←
                                          id="favoriteForm">↔
70.
     Warning The first occurrence of ID favoriteForm was here.
     From line 235, column 17; to line 236, column 38
```

```
Showing results for contents of text-input area - Nu Html Checker
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
     method="POST"←
                                          id="favoriteForm">↔
    Error An input element with a type attribute whose value is hidden must
71.
     not have an autocomplete attribute whose value is on or off.
     From line 761, column 21; to line 761, column 123
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
72.
     Error Duplicate ID toggleFavoriteBtn.
     From line 761, column 213; to line 761, column 257
                <button type="submit" id="toggleFavoriteBtn">←
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
73.
     From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
     Error An input element with a type attribute whose value is hidden must
74.
     not have an autocomplete attribute whose value is on or off.
     From line 775, column 17; to line 775, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
75.
     Error Duplicate ID favoriteForm.
     From line 822, column 17; to line 823, column 38
                <form class="bookmark-main-page" action="/toggle-favorite/9"</pre>
     \texttt{method="POST"} \! \leftarrow \!
                                          id="favoriteForm">↔
76.
     Warning The first occurrence of ID favoriteForm was here.
     From line 235, column 17; to line 236, column 38
               <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
     method="POST"↔
                                          id="favoriteForm">←
     [Error] An input element with a type attribute whose value is hidden must
77.
     not have an autocomplete attribute whose value is on or off.
     From line 824, column 21; to line 824, column 123
                <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error Duplicate ID toggleFavoriteBtn.
78.
     From line 824, column 213; to line 824, column 257
```

https://validator.w3.org/nu/#textarea

```
<button type="submit" id="toggleFavoriteBtn">←
79.
     Warning | The first occurrence of ID | toggleFavoriteBtn | was here.
    From line 237, column 213; to line 237, column 257
               <button type="submit" id="toggleFavoriteBtn">←
80.
     Error An input element with a type attribute whose value is hidden must
     not have an autocomplete attribute whose value is on or off.
    From line 838, column 17; to line 838, column 119
                <input type="hidden" name="_token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     Error An input element with a type attribute whose value is hidden must
81.
     not have an autocomplete attribute whose value is on or off.
     From line 876, column 21; to line 876, column 123
                <input type="hidden" name=" token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
82.
     Error The element button must not appear as a descendant of the
     element.
     From line 883, column 17; to line 883, column 24
                <button>Write
83.
     Error Stray start tag | script |.
     From line 906, column 1; to line 906, column 8
     r></body>⇔<script>↔
84.
     Error Stray doctype.
     From line 914, column 1; to line 914, column 15
     </html>↔<!DOCTYPE html>↔<html
85.
     Error | Stray start tag | html |.
     From line 915, column 1; to line 915, column 16
     YPE html>↔<html lang="en">↔<hea
     Error Stray start tag head.
86.
     From line 917, column 1; to line 917, column 6
     ng="en">↔<head>↔
     Fatal Error Cannot recover after last error. Any further errors will be ignored.
87.
    From line 917, column 1; to line 917, column 6
```

https://validator.w3.org/nu/#textarea

```
ng="en">↔<head>↔ <
```

Document checking completed.

Source

```
1. ←
 2. <!DOCTYPE html>←
 3. <html lang="en">↔
 4. ←
 5. <head>←
 6.
        <meta charset="utf-8">←
 7.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">←
 8.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
 9.
        <!-- CSRF Token -->↔
        <meta name="csrf-token"</pre>
10.
    content="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy">↔
11.
12.
        <title>TechNet Chronicles</title>↔
13.
14.
        <!-- Styles -->↔
        <link href="http://localhost:8000/css/milligram.min.css"</pre>
15.
    rel="stylesheet">↔
        <link href="http://localhost:8000/css/app.css" rel="stylesheet">←
16.
17.
        <link href="http://localhost:8000/css/article.css" rel="stylesheet">↔
        <link href="http://localhost:8000/css/articles.css" rel="stylesheet">←
18.
19.
        <link href="http://localhost:8000/css/search.css" rel="stylesheet">←
20.
        <link href="http://localhost:8000/css/searchResults.css"</pre>
    rel="stylesheet">↔
        <link href="http://localhost:8000/css/profile.css" rel="stylesheet">←
21.
        <link href="http://localhost:8000/css/comment.css" rel="stylesheet">↔
22.
23.
        k href="http://localhost:8000/css/votes.css" rel="stylesheet">↔
24.
        <link href="http://localhost:8000/css/notifications.css"</pre>
    rel="stylesheet">↔
25.
        <link href="http://localhost:8000/css/statics.css" rel="stylesheet">↔
26.
        <link href="http://localhost:8000/css/auth.css" rel="stylesheet">←
27.
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
    awesome/6.0.0-beta3/css/all.min.css">↔
        <link rel="preconnect" href="https://fonts.googleapis.com">←
28.
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>←
29.
30.
        link←
31.
            href="https://fonts.googleapis.com/css2?
    family=Merriweather:ital,wght@0,300;0,400;0,700;0,900;1,300;1,400;1,700;1,900&d
    isplay=swap"←
32.
            rel="stylesheet">↔
33.
        ⟨link←⟩
34.
            href="https://fonts.googleapis.com/css2?
    family=Merriweather+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;0,800;1,300;1,
    400;1,500;1,600;1,700;1,800&family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
    00;1,300;1,400;1,700;1,900&display=swap"↔
35.
            rel="stylesheet">↔
36.
        <script type="text/javascript">←
37.
            // Fix for Firefox autofocus CSS bug↔
38.
            // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
    messes-up-css-loading/18945951#18945951↔
39.
        </script>↩
40.
        <!-- Pusher -->↔
41.
        <script>←
          const pusherAppKey = "";↔
42.
          const pusherCluster = "";↔
43.
44.
        </script>↩
45.
        <script src="https://js.pusher.com/7.0/pusher.min.js" defer></script>\leftrightarrow
46.
        <script type="text/javascript"</pre>
    src=http://localhost:8000/js/notifications.js defer></script>↩
47.
        <!-- JS -->↔
```

```
48.
         <script type="text/javascript" src=http://localhost:8000/js/app.js defer>
     </script>↩
49.
         <script src="http://localhost:8000/js/news.js"></script>←
50.
         <script src="http://localhost:8000/js/votes.js"></script>↩
51.
         <script src="http://localhost:8000/js/statics.js"></script>←
52.
         <script>↩
53.
             var isAuthenticated = true;↔
54.
         </script>↩
55. ←
56. </head>↔
57. ←
58. <body>←
         <link href="http://localhost:8000/css/header.css" rel="stylesheet">←
59.
60. <header>↔
61.
         <div class="header-content">↔
62.
             <section class="p-menu1">←
63.
                 <nav id="navbar" class="navigation" role="navigation">←
64.
                     <input id="toggle1" type="checkbox" />←
65.
                     <label class="hamburger1" for="toggle1">←
                         <div class="top"></div>←
66.
                         <div class="meat"></div>←
67.
68.
                          <div class="bottom"></div>←
69.
                     </label>↩
70.
                     <nav class="menu1">←
71.
                                              <a class="sans-serif link1"</pre>
    href="/admin">Manage Site</a>↔
72
                                                                   <a
    href="http://localhost:8000/notifications"><i class="fa-solid fa-bell"></i>
     </a>←
73.
                                              <a class="sans-serif link1"</pre>
    href="http://localhost:8000/search"> Search <i class="fas fa-search"></i></a>↔
74.
                                              <a class="sans-serif link1"</pre>
    href="/user/1">↔
75.
                             Profile</a>↔
                         <a class="button sans-serif link1"</pre>
76.
    href="http://localhost:8000/logout">Logout</a>↔
77.
                                          </nav>←
78.
                 </nav>↔
79.
             </section>←
80.
                     <div class="header-left">↔
                 <a class="sans-serif" href="/admin"><i class="fas fa-user"></i></i></or>
81.
    Manage Site</a>↔
82.
             </div>←
83.
84.
             <div class="centered-content">↔
85.
                 <h1 class="logo sans-serif"><a
    href="http://localhost:8000/news">TechNet<br>Chronicles</a></h1>↔
86.
             </div>↔
             <div class="header-right">↔
87.
                              <a href="http://localhost:8000/notifications"><i</pre>
88.
    class="fa-solid fa-bell"></i></a>↔
89.
                 ب|
90.
                                          <form id="search-form" method="post"</pre>
    action="http://localhost:8000/search" class="header-search-form">↔
                     <input type="hidden" name=" token"</pre>
91.
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <a class="sans-serif search-toggle" id="search-toggle"</pre>
    href="javascript:void(0);">Search <i class="fas fa-search"></i></a>↔
                     <div id="ola" style="display: none;">↔
92.
                         <input type="text" name="query" class="search-input"</pre>
93.
     id="search-input"↔
94.
                             placeholder="Type here to search..." data-tooltip='If
                  95.
    style="display: none;">If you place "" around your search term, you can get an
    exact match search</div>←
96.
                     </div>←
97.
                 </form>←
98.
                 <div id="messageContainer"></div>↔
99.
                                          ب|
                 <a class="sans-serif" href="/user/1"><i↔</pre>
100.
```

```
101.
                          class="fas fa-user"></i> Profile</a>↔
102.
                  <a class="button sans-serif"</pre>
     href="http://localhost:8000/logout">Logout</a>↔
103.
                          </div>←
104.
         </div>←
105. </header>↔
106. ←
107. <script>↔
         document.addEventListener('DOMContentLoaded', function () { ←
108.
109.
             var searchToggle = document.getElementById('search-toggle'); ↔
110.
             var searchInput = document.getElementById('search-input');
111.
             var bothDivs = document.getElementById('ola'); ↔
112.
             var tooltip = searchInput.nextElementSibling; ↔
113.
114.
             function showTooltip() \{\leftarrow\}
115.
             tooltipTimeout = setTimeout(function () \{ \leftarrow \}
116.
                 tooltip.style.display = 'block';↔
117.
             }, 2000); ←
118.
119. ←
             function hideTooltip() {

120.
121.
                  clearTimeout(tooltipTimeout); ←
122.
                  tooltip.style.display = 'none';↔
123.
124. ←
125.
             searchInput.addEventListener('mouseover', showTooltip);
             searchInput.addEventListener('mouseout', hideTooltip); ←
126.
127. ←
128.
             function showSearch() {

129.
                  searchToggle.style.display = 'none';↔
                 bothDivs.style.display = 'block';↔
130.
131.
                 searchInput.focus(); ←
132.
133. ←
134.
             function hideSearch() {

135.
                 bothDivs.style.display = 'none';↔
136.
                 searchToggle.style.display = 'block'; ←
137.
138. ←
139.
             searchToggle.addEventListener('click', function () { ↔
140.
                 showSearch();↔
141.
             });←
142. ←
             document.addEventListener('click', function (event) { ←
143.
144.
                 var isClickInsideSearch = bothDivs.contains(event.target) ||
     searchToggle.contains(event.target); ←
145. ←
146.
                 if (!isClickInsideSearch) {↔
147.
                      hideSearch();↔
148.
                 }←
149.
             });↩
150. ←
151.
             bothDivs.addEventListener('click', function (event) { ↔
152.
                 event.stopPropagation(); ↔
153.
             });↩
154. ←
155.
             searchInput.addEventListener('keypress', function (e) { ←
156.
                 if (e.key === 'Enter') { ↔
157.
                      searchForm.submit(); ←
158.
159.
             });↩
160.
         });←
161. ←
162.
163. </script>↔
164. ←
165. ←
166.
      <!-- Including the header -->↔
         <section id="notification" class="notification">\leftarrow
167.
         ↔
168.
         <button id="closeButton" class="close-button">Close</button>←
169.
```

```
170. </section>
                   <main>←
171.
             <section id="content">←
172.
                 <div class="main-container row">←
173.
         <div class="top-feed-container">←
174.
             <div class="news-feed-options">←
175.
                             <a href="http://localhost:8000/news?sort=followed"←</pre>
                     class="" data-sort="followed">Feed</a>↔
176.
                             <a href="http://localhost:8000/news?sort=top"←</pre>
177.
178.
                     class="active" data-sort="top">Top News</a>↔
179.
                 <a href="http://localhost:8000/news?sort=recent"↔
                     class="" data-sort="recent">Recent News</a>↔
180.
             </div>←
181.
182. ←
183.
             <div class="article-container">←
184.
                 <div class="article-box">↔
         <div class="reputation">↔
185.
186.
         <div class="vote-button "↔
187.
             data-article-id="2" data-vote-type="Upvote"↔
188.
             onclick="handleVoteClick(this,
                                             '2', 'Upvote')">↔
189.
             <svg width="36" height="30">←
190.
                 <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"
     stroke-linejoin="round"↔
191.
                     stroke-width="4"></path>←
192.
             </svg>←
193.
         </div>←
194.
         2←
         <div class="vote-button downvote "\leftrightarrow
195.
             data-article-id="2" data-vote-type="Downvote"↔
196.
197.
             onclick="handleVoteClick(this,
                                             '2', 'Downvote')">↔
198.
             <svg width="36" height="36">←
                 <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
199.
     stroke="currentColor" stroke-linejoin="round"↔
200.
                     stroke-width="4"></path>↔
201.
             </svg>↩
202.
         </div>←
203. </div>
               <div class="article">↔
204.
             <div class="article-tags">↔
205.
             <a href="http://localhost:8000/news/tag/Technology" class="tag</pre>
     tooltip">Technology↔
             <span class="followBalloon">←
206.
                 <form id="followTagForm" method="POST">←
207.
         <input type="hidden" name=" token"</pre>
208.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <button type="button" data-tagname="Technology"←</pre>
209.
             class="follow-text" onclick="submitFollowTagForm(event)">←
210.
             Follow←
211.
         </button>←
212. </form>←
213.
             </span>←
214.
         </a>←
215.
                       <div class="article-header">←
         </div>
216.
                 Posted by:←
217.
                             <a href="/user/13" class="username">danielle18</a>↔
218.
                             <h3 class="article-title"><a
     href="http://localhost:8000/news/2">Innovative Water Purification Techniques
     Using Nanotech</a></h3>↔
219.
             </div>←
             <a href="http://localhost:8000/news/2">↔
220.
221.
                 <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
222.
                 ←
223.
                     Scientists have developed a more efficient method of water
     purifi...↩
224.
                 ←
225.
             </a>←
226.
             <div class="article-info">↔
227.
                 <a href="http://localhost:8000/news/2#comments-section">←
228. ←
229.
                     <div class="article-info-comments">←
230.
                         <i class="fa-regular fa-comments"></i></i>
231.
                         3↔
```

```
232.
                     </div>←
233.
                 </a>←
234.
                             <div class="article-info-bookmark">←
                     <form class="bookmark-main-page" action="/toggle-favorite/2"</pre>
235.
     method="POST"←
236.
                         id="favoriteForm">←
                         <input type="hidden" name=" token"</pre>
237.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <input type="hidden" name="_method" value="POST">
                                                                            <button
     type="submit" id="toggleFavoriteBtn">↩
238.
                                                      <i class="fa-regular fa-</pre>
     bookmark"></i>↔
239.
                                                  </button>←
240.
                     </form>←
241.
                 </div>←
242. ←
243.
                 <div class="article-info-report"</pre>
    244.
245.
                     </i>←
246.
                     Report↔
247.
                 </div>←
248.
                         </div>←
             <div id="reportForm2" style="display: none;">←
249.
250.
                 <form action="http://localhost:8000/report/article/2" method="post"</pre>
     class="report-form">↔
251.
                     <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <textarea name="body" placeholder="Enter report reason" required></textarea>↔
252.
                     <button type="submit">Submit Report/button>←
253.
                 </form>←
254.
             </div>←
255.
         </div>←
256. </div>↔
257. <div class="article-box">↔
         <div class="reputation">↔
258.
259.
         <div class="vote-button "↔
260.
             data-article-id="1" data-vote-type="Upvote"\leftrightarrow
261.
             onclick="handleVoteClick(this,
                                             '1', 'Upvote')">↩
             <svg width="36" height="30">↔
262.
263.
                 <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"
     stroke-linejoin="round"←
264.
                     stroke-width="4"></path>←
265.
             </svg>←
266.
         </div>←
         2←
267.
268.
         <div class="vote-button downvote "↔
             data-article-id="1" data-vote-type="Downvote"\leftrightarrow
269.
270.
             onclick="handleVoteClick(this,
                                             '1', 'Downvote')">↩
271.
             <svg width="36" height="36">←
                 <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
272.
     stroke="currentColor" stroke-linejoin="round"↔
273.
                     stroke-width="4"></path>↔
274.
             </svg>↩
275.
         </div>↔
               <div class="article">←
276. </div>
277.
             <div class="article-tags">↔
278.
             <a href="http://localhost:8000/news/tag/Technology" class="tag</pre>
     tooltip">Technology↔
279.
             <span class="followBalloon">←
                 <form id="followTagForm" method="POST">←
280.
         <input type="hidden" name=" token"</pre>
281.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <button type="button" data-tagname="Technology"←</pre>
             class="follow-text" onclick="submitFollowTagForm(event)">←
282.
283.
             Follow←
284.
         </button>←
285. </form>←
286.
             </span>←
287.
         </a>←
                       <div class="article-header">←
288.
         </div>
```

<div class="vote-button downvote "↔

<svg width="36" height="36">↔

data-article-id="8" data-vote-type="Downvote"↔

onclick="handleVoteClick(this, '8', 'Downvote')">↔

341.

342. 343.

344.

```
<path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
345.
     stroke="currentColor" stroke-linejoin="round"↔
                      stroke-width="4"></path>↔
346.
347.
             </svg>←
348.
         </div>↩
349. </div>
               <div class="article">↔
350.
             <div class="article-tags">←
351.
         </div>
                        <div class="article-header">↔
352.
                  Posted by:↔
                              <a href="/user/18" class="username">jamesjohnston</a>↔
353.
354.
                              <h3 class="article-title"><a
     href="http://localhost:8000/news/8">Machine Learning: Forecasting the Weather
     with Precision</a></h3>↔
355.
             </div>←
356.
             <a href="http://localhost:8000/news/8">↔
357.
                  <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
358.
                  ←
359.
                      Advances in machine learning are enabling more accurate
     predictio...←
360.
                  ←
361.
             </a>←
             <div class="article-info">←
362.
                  <a href="http://localhost:8000/news/8#comments-section">←
363.
364. ←
365.
                      <div class="article-info-comments">←
366.
                          <i class="fa-regular fa-comments"></i></i>
367.
                          3←
368.
                      </div>←
369.
                  </a>←
370.
                              <div class="article-info-bookmark">←
371.
                      <form class="bookmark-main-page" action="/toggle-favorite/8"</pre>
     \textbf{method="POST"} \! \leftarrow \!
                          id="favoriteForm">←
372.
                          <input type="hidden" name=" token"</pre>
373.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <input type="hidden" name="_method" value="POST">
                                                                             <button
     type="submit" id="toggleFavoriteBtn">↩
374.
                                                       <i class="fa-regular fa-</pre>
     bookmark"></i>↔
375.
                                                   </button>←
376.
                      </form>←
377.
                  </div>←
378. ←
379.
                 <div class="article-info-report"</pre>
     onclick="toggleReportForm('reportForm8')">↔
                      <i class="fa-regular fa-circle-xmark">↔
380.
381.
                      </i>←
382.
                      Report↔
383.
                  </div>←
384.
                          </div>←
385.
             <div id="reportForm8" style="display: none;">←
386.
                  <form action="http://localhost:8000/report/article/8" method="post"</pre>
     class="report-form">↔
387.
                      <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <textarea name="body" placeholder="Enter report reason" required></textarea>↔
388.
                      <button type="submit">Submit Report/button>←
389.
                  </form>←
390.
              </div>←
391.
         </div>↔
392. </div>↔
393. <div class="article-box">↔
394.
         <div class="reputation">↔
395.
         <div class="vote-button "↔
             data-article-id="6" data-vote-type="Upvote"↔
396.
                                              '6', 'Üpvote')">↔
397.
             onclick="handleVoteClick(this,
             <svg width="36" height="30">↔
398.
                  <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"</pre>
399.
     stroke-linejoin="round" \leftarrow
400.
                      stroke-width="4"></path>↔
```

```
401.
             </svg>←
402.
         </div>←
         1←
403.
         <div class="vote-button downvote "\leftrightarrow
404.
             data-article-id="6" data-vote-type="Downvote"↔
405.
406.
             onclick="handleVoteClick(this,
                                              '6', 'Downvote')">↔
407.
             <svg width="36" height="36">↔
408.
                  <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
     stroke="currentColor" stroke-linejoin="round"↔
409.
                      stroke-width="4"></path>↔
410.
             </svg>←
         </div>←
411.
412. </div>
                <div class="article">↔
413.
             <div class="article-tags">←
414.
         </div>
                        <div class="article-header">↔
415.
                  Posted by:↔
416.
                              <a href="/user/24"
     class="username">freemanpatricia</a>↔
417.
                              <h3 class="article-title"><a
     href="http://localhost:8000/news/6">Biotechnology Breakthroughs Promise
     Personalized Medicine</a></h3>↔
418.
             </div>←
419.
             <a href="http://localhost:8000/news/6">↔
420.
                  <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
421.
                  ↔
422.
                      Advancements in biotechnology are paving the way for
     personalized...↔
423.
                  ←
424.
             </a>←
425.
             <div class="article-info">←
426.
                  <a href="http://localhost:8000/news/6#comments-section">↔
427. ←
428.
                      <div class="article-info-comments">←
429.
                          <i class="fa-regular fa-comments"></i></i>
430.
                          3←
431.
                      </div>↔
432.
                  </a>←
433.
                              <div class="article-info-bookmark">←
434.
                      <form class="bookmark-main-page" action="/toggle-favorite/6"</pre>
     \textbf{method="POST"} \! \hookleftarrow \!
435.
                          id="favoriteForm">←
                          <input type="hidden" name=" token"</pre>
436.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <input type="hidden" name="_method" value="POST">
                                                                              <button
     type="submit" id="toggleFavoriteBtn">↩
437.
                                                        <i class="fa-regular fa-</pre>
     bookmark"></i>↔
438.
                                                   </button>←
439.
                      </form>←
440.
                  </div>↩
441. ←
442.
                  <div class="article-info-report"</pre>
     onclick="toggleReportForm('reportForm6')">↔
443.
                      <i class="fa-regular fa-circle-xmark">←
444.
                      </i>←
445.
                      Report↔
446.
                  </div>←
447.
                          </div>←
             <div id="reportForm6" style="display: none;">←
448.
                  <form action="http://localhost:8000/report/article/6" method="post"</pre>
449.
     class="report-form">←
450.
                      <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
<textarea name="body" placeholder="Enter report reason" required></textarea>↔
451.
                      <button type="submit">Submit Report/button>←
452.
                  </form>←
453.
             </div>←
454.
         </div>←
455. </div>↔
    <div class="article-box">↔
456.
```

```
457.
         <div class="reputation">↔
458.
         <div class="vote-button "↔
             data-article-id="3" data-vote-type="Upvote"↔
459.
                                             '3', 'Upvote')">↩
460.
             onclick="handleVoteClick(this,
461.
             <svg width="36" height="30">←
462.
                 <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"</pre>
    \verb|stroke-linejoin="round"| \leftarrow \\
                     stroke-width="4"></path>↔
463.
464.
             </svg>↩
465.
         </div>←
         ⟨p id="reputation-value-3" class="reputation-value">1←
466.
467.
         <div class="vote-button downvote "↔
             data-article-id="3" data-vote-type="Downvote"↔
468.
469.
             onclick="handleVoteClick(this,
                                             '3', 'Downvote')">↩
470.
             <svg width="36" height="36">↔
                 <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
471.
     stroke="currentColor" stroke-linejoin="round"↔
472.
                     stroke-width="4"></path>↔
473.
             </svg>←
474.
         </div>↔
475. </div>
               <div class="article">←
476.
             <div class="article-tags">←
477.
             <a href="http://localhost:8000/news/tag/Science" class="tag</pre>
    tooltip">Science↔
478.
             <span class="followBalloon">←
479.
                 <form id="followTagForm" method="POST">←
480.
         <input type="hidden" name=" token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <button type="button" data-tagname="Science"←</pre>
481.
             class="follow-text" onclick="submitFollowTagForm(event)">←
482.
             Follow←
483.
         </button>←
484. </form>←
485.
             </span>←
486.
         </a>←
487.
                       <div class="article-header">←
         </div>
488.
                 Posted by:↔
489.
                             <a href="/user/5" class="username">msalinas</a>↔
490.
                             <h3 class="article-title"><a
    href="http://localhost:8000/news/3">Securing Digital Transactions: The Power of
    Blockchain</a></h3>↔
491.
             </div>←
492.
             <a href="http://localhost:8000/news/3">↔
493.
                 <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
494.
                 ←
495.
                     A new study reveals the potential of blockchain in securing
    onlin...↩
496.
                 ←
497.
             </a>←
498.
             <div class="article-info">←
499.
                 <a href="http://localhost:8000/news/3#comments-section">↔
500. ←
501.
                     <div class="article-info-comments">←
502.
                         <i class="fa-regular fa-comments"></i></i>
503.
                         3←
504.
                     </div>↩
                 </a>↔
505.
506.
                             <div class="article-info-bookmark">←
507.
                     <form class="bookmark-main-page" action="/toggle-favorite/3"</pre>
    method="POST"←
508.
                         id="favoriteForm">←
    509.
     <input type="hidden" name=" method" value="POST">
                                                                          <button
     type="submit" id="toggleFavoriteBtn">↔
510.
                                                     <i class="fa-regular fa-</pre>
    bookmark"></i>↔
511.
                                                 </button>←
512.
                     </form>←
513.
                 </div>↔
```

```
514.
515.
                 <div class="article-info-report"</pre>
    516.
                    </i>←
517.
518.
                     Report↔
519.
                 </div>←
520.
                        </div>←
521.
             <div id="reportForm3" style="display: none;">←
522.
                 <form action="http://localhost:8000/report/article/3" method="post"</pre>
     class="report-form">←
523.
                     <input type="hidden" name=" token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <textarea name="body" placeholder="Enter report reason" required></textarea>↔
524.
                     <button type="submit">Submit Report/button>←
525.
                 </form>←
526.
             </div>←
527.
         </div>←
528. </div>←
529. <div class="article-box">↔
530.
         <div class="reputation">↔
         <div class="vote-button "↔
531.
             data-article-id="5" data-vote-type="Upvote"↔
532.
533.
             onclick="handleVoteClick(this,
                                           '5', 'Upvote')">↔
534.
             <svg width="36" height="30">←
535.
                 <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"</pre>
    stroke-linejoin="round" \leftarrow
536.
                     stroke-width="4"></path>←
537.
             </svg>↩
538.
         </div>←
539.
         1↔
540.
         <div class="vote-button downvote "↔
541.
             data-article-id="5" data-vote-type="Downvote"↔
                                            '5', 'Downvote')">↔
542.
             onclick="handleVoteClick(this,
543.
             <svg width="36" height="36">←
544.
                 <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
    \verb|stroke="currentColor"| stroke-linejoin="round" \leftrightarrow
545.
                    stroke-width="4"></path>↔
546.
             </svg>↩
547.
         </div>←
548. </div>
               <div class="article">←
549.
             <div class="article-tags">←
550.
         </div>
                       <div class="article-header">↔
                 Posted by:↔
551.
                             <a href="/user/18" class="username">jamesjohnston</a>←
552.
553.
                             <h3 class="article-title"><a
    href="http://localhost:8000/news/5">Immersive Gaming: The Virtual Reality
    Revolution</a></h3>↩
554.
             </div>←
555.
             <a href="http://localhost:8000/news/5">↔
556.
                 <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
557.
                 ←
558.
                    Virtual reality technology is transforming the gaming industry
    wi...↩
559.
                 ←
560.
             </a>←
561.
             <div class="article-info">↔
562.
                 <a href="http://localhost:8000/news/5#comments-section">←
563. ←
564.
                     <div class="article-info-comments">←
565.
                         <i class="fa-regular fa-comments"></i></i>
566.
                         3↔
567.
                     </div>←
568.
                 </a>←
569.
                             <div class="article-info-bookmark">←
                     <form class="bookmark-main-page" action="/toggle-favorite/5"</pre>
570.
    method="POST"←
571.
                        id="favoriteForm">←
572.
                         <input type="hidden" name=" token"</pre>
    value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
```

```
<input type="hidden" name=" method" value="POST">
                                                                           <button
     type="submit" id="toggleFavoriteBtn">↩
573.
                                                      <i class="fa-regular fa-</pre>
     bookmark"></i>↔
574.
                                                 </button>←
575.
                     </form>←
576.
                 </div>↔
577. ←
578.
                 <div class="article-info-report"</pre>
     onclick="toggleReportForm('reportForm5')">↔
579.
                     <i class="fa-regular fa-circle-xmark">←
580.
                     </i>←
581.
                     Report↔
582.
                 </div>←
583.
                         </div>←
584.
             <div id="reportForm5" style="display: none;">←
585.
                 <form action="http://localhost:8000/report/article/5" method="post"</pre>
     class="report-form">↔
586.
                     <input type="hidden" name=" token"</pre>
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
     <textarea name="body" placeholder="Enter report reason" required></textarea>↔
587.
                     <button type="submit">Submit Report</button>←
588.
                 </form>←
589.
             </div>←
590.
         </div>←
591. </div>↩
592. <div class="article-box">↔
593.
         <div class="reputation">←
         <div class="vote-button "↔
594.
             data-article-id="7" data-vote-type="Upvote"↔
595.
596.
             onclick="handleVoteClick(this,
                                             7', 'Upvote')">↔
597.
             <svg width="36" height="30">←
                 <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"
598.
     stroke-linejoin="round"↔
599.
                     stroke-width="4"></path>↔
600.
             </svg>←
601.
         </div>↔
602.
         1↔
603.
         <div class="vote-button downvote "↔
             \texttt{data-article-id="7"} \ \ \texttt{data-vote-type="Downvote"} \leftarrow
604.
                                             7', 'Downvote')">↔
             onclick="handleVoteClick(this,
605.
606.
             <svg width="36" height="36">↔
                 <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
607.
     stroke="currentColor" stroke-linejoin="round"↔
608.
                     stroke-width="4"></path>↔
609.
             </svg>↔
610
         </div>↩
611. </div>
               <div class="article">↔
612.
             <div class="article-tags">←
                       <div class="article-header">←
613.
         </div>
614.
                 Posted by:↔
615.
                             <a href="/user/13" class="username">danielle18</a>↔
616.
                             <h3 class="article-title"><a</pre>
     href="http://localhost:8000/news/7">Quantum Computing: The Next Frontier in
     Processing Power</a></h3>↔
617.
             </div>←
618.
             <a href="http://localhost:8000/news/7">↔
619.
                 <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
620.
                 ←
621.
                     A breakthrough in quantum computing sets the stage for
     unpreceden...↔
622.
                 ←
623.
             </a>←
624.
             <div class="article-info">←
625.
                 <a href="http://localhost:8000/news/7#comments-section">↔
626. ←
627.
                     <div class="article-info-comments">←
628.
                         <i class="fa-regular fa-comments"></i></i>
629.
                         3←
630.
                     </div>↔
```

685.

686.

showi...↩

←

←

```
22/12/23, 15:08
                                    Showing results for contents of text-input area - Nu Html Checker
   687.
                 <div class="article-info">←
   688.
                     <a href="http://localhost:8000/news/4#comments-section">↔
   689. ←
   690.
                         <div class="article-info-comments">←
   691.
                             <i class="fa-regular fa-comments"></i></i>
   692.
                             3←
   693.
                         </div>↔
   694.
                     </a>←
   695.
                                  <div class="article-info-bookmark">←
   696.
                         <form class="bookmark-main-page" action="/toggle-favorite/4"</pre>
        method="POST"←
   697.
                             id="favoriteForm">←
   698.
                             <input type="hidden" name="_token"</pre>
        value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
         <input type="hidden" name=" method" value="POST">
                                                                                <button
        type="submit" id="toggleFavoriteBtn">↔
                                                          <i class="fa-regular fa-</pre>
   699.
        bookmark"></i>↔
   700.
                                                      </button>←
   701.
                         </form>←
   702.
                     </div>↩
   703. ←
   704.
                     <div class="article-info-report"</pre>
        705.
   706.
                         </i>←
   707.
                         Report←
   708.
                     </div>↩
   709.
                             </div>←
   710.
                 <div id="reportForm4" style="display: none;">←
    711.
                     <form action="http://localhost:8000/report/article/4" method="post"</pre>
         class="report-form">↔
                         <input type="hidden" name=" token"</pre>
   712.
        value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
         <textarea name="body" placeholder="Enter report reason" required></textarea>↔
   713.
                         <button type="submit">Submit Report/button>←
   714.
                     </form>←
   715.
                 </div>↔
   716.
             </div>←
   717. </div>↔
   718. <div class="article-box">↔
             <div class="reputation">←
   719.
   720.
             <div class="vote-button "↔
                 data-article-id="10" data-vote-type="Upvote"↔
   721.
   722.
                                                 '10', 'Upvote')">↔
                 onclick="handleVoteClick(this,
   723.
                 <svg width="36" height="30">←
   724.
                     <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"</pre>
         \verb|stroke-linejoin="round"| \leftarrow \\
   725.
                         stroke-width="4"></path>↔
   726.
                 </svg>↩
   727.
             </div>←
   728.
             ⟨p id="reputation-value-10" class="reputation-value">1
   729.
             <div class="vote-button downvote "↔
                 data-article-id="10" data-vote-type="Downvote"↔
   730.
   731.
                 onclick="handleVoteClick(this, '10', 'Downvote')">↔
                 <svg width="36" height="36">↔
   732.
                     <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
   733.
         stroke="currentColor" stroke-linejoin="round"↔
   734.
                         stroke-width="4"></path>↔
   735.
                 </svg>←
   736.
             </div>←
   737. </div>
                   <div class="article">←
   738.
                 <div class="article-tags">←
   739.
                           <div class="article-header">↔
             </div>
   740.
                     Posted by:↔
   741.
                                  <a href="/user/24"
         class="username">freemanpatricia</a>↔
   742.
                                  <h3 class="article-title"><a</pre>
        href="http://localhost:8000/news/10">The Rise of Wearable Tech for Health
        Monitoring</a></h3>↔
   743.
                 </div>↔
```

```
744.
              <a href="http://localhost:8000/news/10">↔
745.
                  <img src="http://localhost:8000/post/default.jpg" alt="news</pre>
     image">↩
746.
                  ↔
747.
                      Innovative wearable tech is becoming increasingly popular for
     hea...↩
748.
                  ←
749.
              </a>←
750.
              <div class="article-info">←
751.
                  <a href="http://localhost:8000/news/10#comments-section">↔
752. ←
753.
                      <div class="article-info-comments">←
754.
                          <i class="fa-regular fa-comments"></i></i>
755.
                           3←
756.
                      </div>←
757.
                  </a>←
758.
                               <div class="article-info-bookmark">←
759.
                      <form class="bookmark-main-page" action="/toggle-favorite/10"</pre>
     method="POST"←
760.
                          id="favoriteForm">←
                           <input type="hidden" name=" token"</pre>
761.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
<input type="hidden" name="_method" value="POST">
                                                                               <button
     type="submit" id="toggleFavoriteBtn">↩
762.
                                                        <i class="fa-regular fa-</pre>
     bookmark"></i>↔
763.
                                                    </button>←
764.
                      </form>←
765.
                  </div>←
766.
767.
                  <div class="article-info-report"</pre>
     onclick="toggleReportForm('reportForm10')">↔
768.
                      <i class="fa-regular fa-circle-xmark">←
769.
                      </i>←
770.
                      Report↔
771.
                  </div>↩
772.
                          </div>←
773.
              <div id="reportForm10" style="display: none;">←
774
                  <form action="http://localhost:8000/report/article/10"</pre>
     method="post" class="report-form">↔
                      <input type="hidden" name=" token"</pre>
775.
     value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
<textarea name="body" placeholder="Enter report reason" required></textarea>↩
776.
                      <button type="submit">Submit Report</button>←
777.
                  </form>←
778.
              </div>←
779.
         </div>↔
780. </div>↔
781. <div class="article-box">↔
782.
         <div class="reputation">←
783.
         <div class="vote-button "↔
784.
              data-article-id="9" data-vote-type="Upvote"↔
785.
              onclick="handleVoteClick(this,
                                               '9', 'Upvote')">↔
786.
              <svg width="36" height="30">↔
                  <path d="M2 26h32L18 10z" fill="currentColor" stroke="currentColor"</pre>
787.
     stroke-linejoin="round"↔
788.
                      stroke-width="4"></path>←
789.
              </svg>↩
790.
         </div>←
791.
         1←
         <div class="vote-button downvote "↔
792.
              data-article-id="9" data-vote-type="Downvote"↔
793.
794.
              onclick="handleVoteClick(this,
                                               '9', 'Downvote')">↔
              <svg width="36" height="36">←
795.
                  <path d="M2 10h32L18 26 2 10z" fill="currentColor"</pre>
796.
     stroke="currentColor" stroke-linejoin="round"↔
797.
                      stroke-width="4"></path>↔
798.
              </svg>↩
799.
         </div>←
800. </div>
                <div class="article">←
801.
              <div class="article-tags">↔
```

<div class="articles-right-side">←

<div class="popular-topics">←

<h3 class="sans-serif">Most Popular Topics</h3>↔

855. *←* 856.

857.

858.

```
22/12/23, 15:08
   859.
                    <01>←
   860.
   861.
                            <a
        </a>←
                        ↩
   862.
   863.
   864.
        1 articles</a>↔
   865.
                        ↔
   866.
   867.
        </a>←
   868.
                        ↔
   869.
   870.
        Tech 0 articles</a>↔
   871.
                        ↔
   872.
        ↔
   873.
   874.
                    <div class="propose-topic-form">←
   875.
   876.
   877.
   878.
                        </form>←
   879.
                    </div>↔
   880.
                            </div>←
   881.
   882.
   883.
   884.
                    </a>←
   885.
                </div>↔
   886.
                <div id="followMessageContainer"></div>←
   887.
                    </div>←
   888. </div>←
   889.
                </section>←
   890.
            </main>↔
   891.
   892.
        <footer>↔
            <div class="footer-content">←
   893.
   894.
   895.
                    ←
   896.
        ←
   897.
   898.
        ↔
   899.
                    ↔
   900.
                </div>↔
   901.
                <div class="back-to-top">↔
   902.
   903.
                </div>←
   904.
                    </div>↔
   905. </footer></body>←
   906. <script>←
   907.
   908.
            const currentUser =
        first admin of this
        ':1A 'user1@example.com':2B", "following_tags":[]}; ↔
   909. </script>↔
```

```
←
href="http://localhost:8000/news/tag/Technology">Technology 2 articles
                                                           ∠li>←
                  <a href="http://localhost:8000/news/tag/Science">Science
                                                           ←
href="http://localhost:8000/news/tag/Programming">Programming o articles
                                                           ∠li>←
                  <a href="http://localhost:8000/news/tag/Space%20Tech">Space
                      Propose Topic↔
              value="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy" autocomplete="off">
<input type="text" name="name" placeholder="Propose a new topic">←
                  <button type="submit">Submit
               <div class="write-article">←
           <a href="http://localhost:8000/write">↔
               <button>Write Article
   <link href="http://localhost:8000/css/footer.css" rel="stylesheet">←
               <div class="centered-content">↔
              <a href="http://localhost:8000/about-us">About Us</a>
               <a href="http://localhost:8000/fag">FAQ</a>↔
               <a href="http://localhost:8000/contacts">Contacts</a>
           <a href="#top"><i class="fas fa-arrow-up"></i></a>↔
   // Pass authenticated user's information to JavaScript variable↔
{"user_id":1,"username":"joaoadmin","email":"user1@example.com","bio":"I am the
website","profile_image":null,"reputation":102,"role":2,"tsvectors":"'joaoadmin
```

914. <!DOCTYPE html>←

911. </html>↔

910. ←

912. ← 913. ←

```
915. <html lang="en">←
916. ←
917. <head>←
918.
          <meta charset="utf-8">←
919.
          <meta http-equiv="X-UA-Compatible" content="IE=edge">←
          <meta name="viewport" content="width=device-width, initial-scale=1">←
920.
921.
          <!-- CSRF Token -->↔
922.
          <meta name="csrf-token"</pre>
     content="wxdomETHrVLVoWWJFCE9jvm0FtnJBU2b2XeckNOy">←
923. ←
924.
          <title>TechNet Chronicles</title>←
925. ←
926.
          <!-- Styles -->↔
927.
          <link href="http://localhost:8000/css/milligram.min.css"</pre>
     rel="stylesheet">↔
928.
          <link href="http://localhost:8000/css/app.css" rel="stylesheet">←
          <link href="http://localhost:8000/css/article.css" rel="stylesheet">←
929.
          <link href="http://localhost:8000/css/articles.css" rel="stylesheet">←
930.
931.
          <link href="http://localhost:8000/css/search.css" rel="stylesheet">↔
932.
          <link href="http://localhost:8000/css/searchResults.css"</pre>
     rel="stylesheet">↔
          <link href="http://localhost:8000/css/profile.css" rel="stylesheet">\leftrightarrow<link href="http://localhost:8000/css/comment.css" rel="stylesheet">\leftrightarrow
933.
934.
935.
          <link href="http://localhost:8000/css/votes.css" rel="stylesheet">←
936.
          <link href="http://localhost:8000/css/notifications.css"</pre>
     rel="stylesheet">↔
937.
          <link href="http://localhost:8000/css/statics.css" rel="stylesheet">←
          <link href="http://localhost:8000/cs</pre>
938.
```

Used the HTML parser.

Total execution time 150 milliseconds.

About this checker • Report an issue • Version: 23.11.28