


- Chamada entre utilizadores da acme.pt registrados mas rejeitada



# F1

```
No.      Time          Source          Destination      Protocol Length Info
 22 8.790171085    127.0.0.1      127.0.0.1        SIP/SDP   754    Request: INVITE sip:alice@acme.pt |
Frame 22: 754 bytes on wire (6032 bits), 754 bytes captured (6032 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5555, Dst Port: 5060
Session Initiation Protocol (INVITE)
  Request-Line: INVITE sip:alice@acme.pt SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 127.0.0.1:5555;rport;branch=z9hG4bKomzqdryo
    Max-Forwards: 70
    To: <sip:alice@acme.pt>
    From: "Bob" <sip:bob@acme.pt>;tag=xcelo
    Call-ID: pievqdjqfroosei@igrs-VirtualBox
    [Generated Call-ID: pievqdjqfroosei@igrs-VirtualBox]
    CSeq: 432 INVITE
    Contact: <sip:bob@127.0.0.1:5555>
    Content-Type: application/sdp
    Allow: INVITE,ACK,BYE,CANCEL,OPTIONS,REFER,NOTIFY,SUBSCRIBE,INFO,MESSAGE
    Supported: replaces,norefersub
    User-Agent: Twinkle/1.10.2
    Content-Length: 247
  Message Body
    Session Description Protocol
```

# F2

No.	Time	Source	Destination	Protocol	Length	Info
23	8.796550572	127.0.0.1	127.0.0.1	SIP	370	Status: 100 trying -- your call is important to us

Frame 23: 370 bytes on wire (2960 bits), 370 bytes captured (2960 bits) on interface any, id 0  
Linux cooked capture v1  
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1  
User Datagram Protocol, Src Port: 5060, Dst Port: 5555  
Session Initiation Protocol (100)  
Status-Line: SIP/2.0 100 trying -- your call is important to us  
Message Header  
Via: SIP/2.0/UDP 127.0.0.1:5555;rport=5555;branch=z9hG4bKomzqdryo;received=127.0.0.1  
To: <sip:alice@acme.pt>  
From: "Bob" <sip:bob@acme.pt>;tag=xcelo  
Call-ID: pievqdjqfroosei@igrs-VirtualBox  
[Generated Call-ID: pievqdjqfroosei@igrs-VirtualBox]  
CSeq: 432 INVITE  
Server: kamailio (5.7.0 (x86\_64/linux))  
Content-Length: 0

# F3

```
No.      Time      Source      Destination      Protocol Length Info
  24 8.797619895  127.0.0.1    127.0.0.1      SIP/SDP  912    Request: INVITE sip:alice@127.0.0.1:6666 |
Frame 24: 912 bytes on wire (7296 bits), 912 bytes captured (7296 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5060, Dst Port: 6666
Session Initiation Protocol (INVITE)
  Request-Line: INVITE sip:alice@127.0.0.1:6666 SIP/2.0
  Message Header
    Record-Route: <sip:127.0.0.1;lr;ftag=xcelo>
    Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bK0c73.af6c5c45dcdb47001645b842bcfbd040.0
    Via: SIP/2.0/UDP 127.0.0.1:5555;received=127.0.0.1;rport=5555;branch=z9hG4bKomzqdryo
    Max-Forwards: 70
    To: <sip:alice@acme.pt>
    From: "Bob" <sip:bob@acme.pt>;tag=xcelo
    Call-ID: pievqdjfqfroosei@igrs-VirtualBox
    [Generated Call-ID: pievqdjfqfroosei@igrs-VirtualBox]
    CSeq: 432 INVITE
    Contact: <sip:bob@127.0.0.1:5555>
    Content-Type: application/sdp
    Allow: INVITE,ACK,BYE,CANCEL,OPTIONS,REFER,NOTIFY,SUBSCRIBE,INFO,MESSAGE
    Supported: replaces,norefersub
    User-Agent: Twinkle/1.10.2
    Content-Length: 247
  Message Body
    Session Description Protocol
```

# F4

No.	Time	Source	Destination	Protocol	Length	Info
25	8.799326298	127.0.0.1	127.0.0.1	SIP	397	Status: 100 Trying

Frame 25: 397 bytes on wire (3176 bits), 397 bytes captured (3176 bits) on interface any, id 0  
Linux cooked capture v1  
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1  
User Datagram Protocol, Src Port: 6666, Dst Port: 5060  
Session Initiation Protocol (100)  
Status-Line: SIP/2.0 100 Trying  
Message Header  
Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bK0c73.af6c5c45dcdb47001645b842bcfbd040.0,SIP/2.0/UDP  
127.0.0.1:5555;received=127.0.0.1;rport=5555;branch=z9hG4bKomzqdryo  
To: <sip:alice@acme.pt>  
From: "Bob" <sip:bob@acme.pt>;tag=xcelo  
Call-ID: pievqdjqfroosei@igrs-VirtualBox  
[Generated Call-ID: pievqdjqfroosei@igrs-VirtualBox]  
CSeq: 432 INVITE  
Server: Twinkle/1.10.2  
Content-Length: 0

# F5

No.	Time	Source	Destination	Protocol	Length	Info
28	10.644857806	127.0.0.1	127.0.0.1	SIP	410	Status: 486 Busy Here

Frame 28: 410 bytes on wire (3280 bits), 410 bytes captured (3280 bits) on interface any, id 0

Linux cooked capture v1

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 6666, Dst Port: 5060

Session Initiation Protocol (486)

Status-Line: SIP/2.0 486 Busy Here

Message Header

Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bK0c73.af6c5c45dcdb47001645b842bcfbd040.0,SIP/2.0/UDP 127.0.0.1:5555;received=127.0.0.1;rport=5555;branch=z9hG4bKomzqdryo

To: <sip:alice@acme.pt>;tag=svgto

From: "Bob" <sip:bob@acme.pt>;tag=xcelo

Call-ID: pievqdjqfroosei@igrs-VirtualBox

[Generated Call-ID: pievqdjqfroosei@igrs-VirtualBox]

CSeq: 432 INVITE

Server: Twinkle/1.10.2

Content-Length: 0

# F6

No.	Time	Source	Destination	Protocol	Length	Info
29	10.645840811	127.0.0.1	127.0.0.1	SIP	336	Request: ACK sip:alice@127.0.0.1:6666

Frame 29: 336 bytes on wire (2688 bits), 336 bytes captured (2688 bits) on interface any, id 0

Linux cooked capture v1

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 5060, Dst Port: 6666

Session Initiation Protocol (ACK)

Request-Line: ACK sip:alice@127.0.0.1:6666 SIP/2.0

Message Header

Via: SIP/2.0/UDP 127.0.0.1;branch=z9hG4bK0c73.af6c5c45dcdb47001645b842bcfbd040.0

Max-Forwards: 70

To: <sip:alice@acme.pt>;tag=svgto

From: "Bob" <sip:bob@acme.pt>;tag=xcelo

Call-ID: pievqdjqfroosei@igrs-VirtualBox

[Generated Call-ID: pievqdjqfroosei@igrs-VirtualBox]

CSeq: 432 ACK

Content-Length: 0

# F7

No.	Time	Source	Destination	Protocol	Length	Info
30	10.646354693	127.0.0.1	127.0.0.1	SIP	334	Status: 486 Busy Here

Frame 30: 334 bytes on wire (2672 bits), 334 bytes captured (2672 bits) on interface any, id 0  
Linux cooked capture v1  
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1  
User Datagram Protocol, Src Port: 5060, Dst Port: 5555  
Session Initiation Protocol (486)  
Status-Line: SIP/2.0 486 Busy Here  
Message Header  
Via: SIP/2.0/UDP 127.0.0.1:5555;received=127.0.0.1;rport=5555;branch=z9hG4bKomzqdryo  
To: <sip:alice@acme.pt>;tag=svgto  
From: "Bob" <sip:bob@acme.pt>;tag=xcelo  
Call-ID: pievqdjfqfroosei@igrs-VirtualBox  
[Generated Call-ID: pievqdjfqfroosei@igrs-VirtualBox]  
CSeq: 432 INVITE  
Server: Twinkle/1.10.2  
Content-Length: 0



## F8

No.	Time	Source	Destination	Protocol	Length	Info
/tmp/wireshark_anyTY8ZY2.pcapng 31 total packets, 10 shown						
31	10.646883726	127.0.0.1	127.0.0.1	SIP	337	Request: ACK sip:alice@acme.pt
Frame 31: 337 bytes on wire (2696 bits), 337 bytes captured (2696 bits) on interface any, id 0						
Linux cooked capture v1						
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1						
User Datagram Protocol, Src Port: 5555, Dst Port: 5060						
Session Initiation Protocol (ACK)						
Request-Line: ACK sip:alice@acme.pt SIP/2.0						
Message Header						
Via: SIP/2.0/UDP 127.0.0.1:5555;rport;branch=z9hG4bKomzqdry0						
Max-Forwards: 70						
To: <sip:alice@acme.pt>;tag=svgto						
From: "Bob" <sip:bob@acme.pt>;tag=xcelo						
Call-ID: pievqjdjqfroosei@igrs-VirtualBox						
[Generated Call-ID: pievqjdjqfroosei@igrs-VirtualBox]						
CSeq: 432 ACK						
User-Agent: Twinkle/1.10.2						
Content-Length: 0						