


- Chamada entre utilizadores não da acme.pt



# F1

```
No.      Time          Source           Destination      Protocol Length Info
 17 0.003022096 127.0.0.1       127.0.0.1       SIP/SDP 752    Request: INVITE sip:alice@acme.pt |
Frame 17: 752 bytes on wire (6016 bits), 752 bytes captured (6016 bits) on interface any, id 0
Linux cooked capture v1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
User Datagram Protocol, Src Port: 5555, Dst Port: 5060
Session Initiation Protocol (INVITE)
  Request-Line: INVITE sip:alice@acme.pt SIP/2.0
  Message Header
    Via: SIP/2.0/UDP 127.0.0.1:5555;rport;branch=z9hG4bKdwuaqsil
    Max-Forwards: 70
    To: <sip:alice@acme.pt>
    From: "Bob" <sip:bob@xpto.pt>;tag=cyvmk
    Call-ID: cjeifiwmyahyjbns@igrs-VirtualBox
    [Generated Call-ID: cjeifiwmyahyjbns@igrs-VirtualBox]
    CSeq: 156 INVITE
    Contact: <sip:bob@127.0.0.1:5555>
    Content-Type: application/sdp
    Allow: INVITE,ACK,BYE,CANCEL,OPTIONS,REFER,NOTIFY,SUBSCRIBE,INFO,MESSAGE
    Supported: replaces,norefersub
    User-Agent: Twinkle/1.10.2
    Content-Length: 245
  Message Body
    Session Description Protocol
```

# F2

No.	Time	Source	Destination	Protocol	Length	Info
18	0.004320052	127.0.0.1	127.0.0.1	SIP	410	Status: 403 Forbidden: Invalid Origin Domain

|  
Frame 18: 410 bytes on wire (3280 bits), 410 bytes captured (3280 bits) on interface any, id 0

Linux cooked capture v1

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 5060, Dst Port: 5555

Session Initiation Protocol (403)

Status-Line: SIP/2.0 403 Forbidden: Invalid Origin Domain

Message Header

Via: SIP/2.0/UDP 127.0.0.1:5555;rport=5555;branch=z9hG4bKdwuqsil;received=127.0.0.1

To: <sip:alice@acme.pt>;tag=9dd61ff61e802d8e2bef5f14621ef3c2.83d00543

From: "Bob" <sip:bob@xpto.pt>;tag=cyvmk

Call-ID: cjefiwmyahyjbns@igrs-VirtualBox

[Generated Call-ID: cjefiwmyahyjbns@igrs-VirtualBox]

CSeq: 156 INVITE

Server: kamailio (5.7.0 (x86\_64/linux))

Content-Length: 0

# F2

No.	Time	Source	Destination	Protocol	Length	Info
19	0.006682028	127.0.0.1	127.0.0.1	SIP	373	Request: ACK sip:alice@acme.pt

Frame 19: 373 bytes on wire (2984 bits), 373 bytes captured (2984 bits) on interface any, id 0

Linux cooked capture v1

Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1

User Datagram Protocol, Src Port: 5555, Dst Port: 5060

Session Initiation Protocol (ACK)

Request-Line: ACK sip:alice@acme.pt SIP/2.0

Message Header

Via: SIP/2.0/UDP 127.0.0.1:5555;rport;branch=z9hG4bKdwuaqsil

Max-Forwards: 70

To: <sip:alice@acme.pt>;tag=9dd61ff61e802d8e2bef5f14621ef3c2.83d00543

From: "Bob" <sip:bob@xpto.pt>;tag=cyvmk

Call-ID: cjefiwmyahyjbns@igrs-VirtualBox

[Generated Call-ID: cjefiwmyahyjbns@igrs-VirtualBox]

CSeq: 156 ACK

User-Agent: Twinkle/1.10.2

Content-Length: 0